LabAssist

Supervisor Database & Verification

Stage 1 ? PostgreSQL 17 ? 28 October 2026

Additive extension of the student foundation. One shared database; no duplicated student accounts, projects or supervisor links. No passwords or invitation secrets in the demonstration seed.

Scope

Profile, specialization, optional office hours, profile image metadata, Arabic/English preferences, notification settings and private notification read timestamps.

Supervisor account ? project_supervisors ? Project ? project_students ? Students

A supervisor is linked once per project. A project can have multiple supervisors. The student's account supervisor remains a separate existing relationship. Project access follows the project-supervisor association.

Shared tables

accounts ? files ? academic_terms ? projects ? project_students ? project_supervisors ? audit_events

New tables and view

Name	Fields / purpose
supervisor_profiles	account_id PK/FK; specialization; photo_file_id FK; office_hours; timestamps
supervisor_settings	account_id PK/FK; ui_locale; meeting/report/attendance/issue/workshop notifications; email_summary; updated_at
supervisor_notification_reads	Composite PK (supervisor_id, notification_key); read_at
supervisor_project_students	View: supervisor, project, term, current student and account supervisor

Synthetic seed

Existing demonstration term: first week; 23 teams, 54 students, 7 supervisor references. Workshop capacity stays 25. No real credentials.

Seed ID	University email	Specialization	Projects	Students
SUP01	demo.supervisor01@najah.edu	Embedded Systems & Robotics	3	7
SUP02	demo.supervisor02@najah.edu	Embedded Systems & Robotics	4	10
SUP03	demo.supervisor03@najah.edu	Embedded Systems & Robotics	4	9
SUP04	demo.supervisor04@najah.edu	Embedded Systems & Robotics	3	7
SUP05	demo.supervisor05@najah.edu	Embedded Systems & Robotics	3	7
SUP06	demo.supervisor06@najah.edu	Embedded Systems & Robotics	3	7
SUP07	demo.supervisor07@najah.edu	Embedded Systems & Robotics	4	9

Preserved relationships

- Supervisor identifiers reuse the student-stage1 seed, without changing account status or passwords.
- Students keep eight-digit university numbers and their original account supervisor.
- UNIQUE / primary keys prevent duplicate supervisor-project links.
- Seed replay does not reset edited profiles or preferences.

Constraints

Only supervisor accounts can own these rows. Photos must be ready images owned by that supervisor. UI locale accepts ar/en. Settings default to notifications enabled and email summaries disabled.

Installation & tests

Installation order

1. student-stage1/sql/01-schema.sql
2. student-stage1/sql/02-demo-seed.sql
3. supervisor-stage1/sql/03-supervisor-schema.sql
4. supervisor-stage1/sql/04-demo-seed.sql

Existing student installations only need files 03 and 04. Schema file 03 runs once. The combined SQL file is for a fresh installation only.

Verification

- 16 supervisor database acceptance checks and 37 existing student checks passed locally in PGlite.
- 10 frontend tests: storage failure/namespace isolation, AR/EN translation keys, workshop reminders and local session boundary.
- TypeScript, Oxlint and production build passed. Five existing viewer warnings remain tracked.
- Real PostgreSQL 17 and frontend checks run in GitHub Actions.

Boundaries

This does not connect the mock UI to a backend. API authorization, real authentication, report/review workflows, messages, delivery and multi-connection concurrency tests remain separate implementation stages. The relationship view is not an authorization boundary. Passwords are stored as Argon2id hashes after real account provisioning; no plaintext passwords are seeded.