LabAssist

Workshop Database & Verification

Stage 1 ? PostgreSQL 17 ? 28 October 2026

Shared foundation for the Workshop Manager. One current manager account; existing 54 students, 23 projects and 7 supervisors are reused. No passwords, activation tokens, attendance history or inventory are seeded.

Relationships

Workshop Manager ? Profile / Settings / Read state / Availability
Shared projects ? project_students ? Student accounts
Shared projects ? project_supervisors ? Supervisors

Manager is a distinct role, not a supervisor. Current student membership produces the workshop roster. Project and student data are not duplicated.

New tables and view

Name	Fields / purpose
workshop_manager_profiles	account_id PK/FK; owned photo_file_id; timestamps
workshop_manager_settings	account_id PK/FK; ui_locale ar/en; updated_at
workshop_notification_reads	Composite PK (manager_id, notification_key); read_at
workshop_availability	manager_id FK; applies_on; ON_DUTY / AWAY / ABSENT; optional time window and reason; revision; updated_at
workshop_project_students	View: term, project, student name and university number

Seed & constraints

Seed	Value
Identity key	WORKSHOP_MANAGER_DEMO
Display name	Demo Workshop Manager
Email	demo.workshop@najah.edu (synthetic)
Status	REFERENCE_ONLY ? not a usable login
Preferences	English initially; Arabic supported
Shared seed	23 teams ? 54 students ? 7 supervisor references
Workshop capacity	25 teams (unchanged)

Rules enforced by SQL

- Only one non-disabled workshop manager account can exist.
- Manager cannot have a student university number or account supervisor.
- Only manager accounts can own workshop settings, availability and read state.
- Temporary absence requires an end after the start; full-day absence has no time range.
- One availability row per manager/day and one read record per notification key.
- Profile photo must be a ready image owned by the manager.
- Passwords are never seeded. Existing shared account rules accept Argon2id hashes, not plaintext.

No fixed absence threshold is introduced. Attendance calendars, repeated-absence policy, one-time alerts and edit windows belong to their later backend feature stage. Current UI demo fixtures remain separate from SQL data until integration.

Installation & verification

SQL order

1. student-stage1/sql/01-schema.sql
2. student-stage1/sql/02-demo-seed.sql
3. supervisor-stage1/sql/03-supervisor-schema.sql
4. supervisor-stage1/sql/04-demo-seed.sql
5. workshop-stage1/sql/05-workshop-schema.sql
6. workshop-stage1/sql/06-demo-seed.sql

Existing databases only need missing stages. Schema migrations run once. Seeds can replay without resetting preferences. Combined SQL is for a fresh database only.

Local verification

Check	Result
Workshop frontend	15 tests passed; 3 files
Oxlint / TypeScript / build	Passed
Workshop SQL acceptance	21 checks passed in PGlite
Shared SQL regression	37 student + 16 supervisor checks passed
Seed replay	Passed

GitHub Actions separately runs the frontend and real PostgreSQL 17 acceptance. Local PGlite is not a multi-connection concurrency test.

Docker

Separate disposable environment: port 5435, database labassist_workshop. Initialize-Local.ps1 generates an ignored random password file; Docker Compose loads all SQL stages in order.

Implementation boundary

No backend or live authentication was added. The roster view is not RLS or an API permission guard. Backend must authorize access, route notices to all linked supervisors and enforce editing rules. No inventory or previous-student Facebook offers were added to the manager role.