Topic/Title: The Separation	of Concerns: Structure v	vs Style vs Behavior	{ <b>\  \</b>		
Keywords/Questions:	Notes:				
document.querySelector("h1").classList	-Hello	<pre><body>   <h1 id="title">Hello</h1>   <a checkbox"="" href="https://www.google.c   &lt;input type="></a></body></pre>	<u>com</u> ">Google		
document.querySelector("h1") .classList.add("huge");  document.querySelector("h1"). classList.remove("huge");  document.querySelector("h1"). classList.toggle("huge");  -gives us a document.querySelector("h1")gives us a document.querySelector("h1").	Google Click Me  Google Second Third	<pre><button class="btn">Click Me&lt; <ul id="list"></ul></button></pre>	https://www.google.com">Google		
	<pre>.huge {     .yellowish{         font-size: 10rem;</pre>		-Let the .huge & .yellowish class sty		
	}	}	be written in the the styles.css		
	document.querySelector("h1").classList;				
	-gives us a list of all the classes attached to the element h1				
	<pre>&gt; document.querySelector("button").classList;</pre>				
	<pre></pre>				
	-gives us a list of all the elements attached to the button element				
	document.querySelector("h1").classList.add("huge");				
	-adds a class called "huge" to the h1 tag				
		erySelector("button").classList. uss="btn yellowish">Click Me <td></td>			
	document.querySelector("h1").classList. <b>remove</b> ("huge"); :- removes the "huge" class from the				
	document.querySelector("h1").classList.toggle("huge");				
	-If the class "huge" is included in the h1 it will remove it. If it is no present it will add i				
Summary: document.queryS	elector("h1").classList;				
-gives us	a list of all the classes of th	e h1 tag.			
document.queryS	elector("h1").classList. <b>add</b>	("huge"); :-we don't need to use	e a dot while writing the class to be ac		
-The class	s "huge" will be added to th	ne "h1". All the properties of the	e class "huge" will be added to the h1		
document.queryS	elector("h1").classList. <b>rem</b>	nove("huge"); :-we don't need a .	. here too		
- the class	s "huge" will be removed fr	om the "h1"			
document querys	elector("h1") classList <b>tog</b> g	<b>ole</b> ("huge")			

-it serves as an on/off switch for the class "huge". it adds/removes it.