Topic/Title: HTML Lists

Keywords/Questions:

<ol start=4>

<ol type="i">

Notes:

: used to denote the start of an unordered list. It has a closing tag.

: used to denote an element of a list as a bullet point. It has a closing tag.

Using <ul> and <li> together:

```
<ul>
    <li>School of Tomorrow</li>
    <li>South West Academy</li>
</ul>
```

- School of Tomorrow
- South West Academy

: used to denote the start of an ordered list. It has a closing tag.

Using <ol> and <li> together:

```
<ol>
    <li>Fee</li>
    <li>Fi</li>
    <li>Fo</li>
    <li>Fum</li>
</ol>
```

1. Fee
2. Fi
3. Fo
4. Fum

Using the **type** Attribute:

```
<ol type="i">
    <li>Introduction</li>
    <li>List of Greivances</li>
    <li>Conclusion</li>
</ol>
```

i. Introduction
ii. List of Greivances
iii. Conclusion

- `a` for lowercase letters
- `A` for uppercase letters
- `i` for lowercase Roman numerals
- `I` for uppercase Roman numerals
- `1` for numbers (default)

Using the **start** Attribute:

```
<ol start="4">
    <li>Speedwalk Stu</li>
    <li>Saunterin' Sam</li>
    <li>Slowpoke Rodriguez</li>
</ol>
```

4. Speedwalk Stu
5. Saunterin' Sam
6. Slowpoke Rodriguez

Using both Attributes together(order doesn't matter):

```
<ol start=4 type="i">
    <li>Movies</li>
    <li>Chess</li>
    <li>Table Tennis</li>
</ol>
```

iv. Movies
v. Chess
vi. Table Tennis

Summary:

: for unordered list. has closing tag.

: denotes list elements. has closing tag.

: for ordered list. has closing tag.

-start attribute: denotes what the initial element of the list will be.

-type attribute: denotes what the numbering style would be. Different styles: a, A, i, I, 1(default type)