N




```
root@node1:~/workspace4/acme-mariadb-db# podman run -d --name sks-backend-ts --network sks-wp-ts -v sks-backend-ts-vol:/var/lib/mysq
l:Z docker.io/skstechnologia/wp-mariadb:latest
d44cf9f94494b992b2863277127381cb16b21a2df50283b2b09b1333da57c470
root@node1:~/workspace4/acme-mariadb-db# podman run -d --name sks-wp-app-ts --network sks-wp-ts -v sks-wp-app-ts-vol:/var/www/html:z
 docker.io/skstechnologia/wp-app:ts
937f8069d72a36cee1fb49d76f4ecd3e29b3aee3930d079d1fa27cd5243c3441
root@node1:~/workspace4/acme-mariadb-db# podman run -d --name sks-frontend-ts --network sks-wp-ts -v sks-wp-app-ts-vol:/var/www/html
:z -p 8084:80 docker.io/skstechnologia/wp-frontend:ts
6beab58f5f4aa607350beb43b299e11eed204d501aa9809a9952bd30f2b9be0d
root@node1:~/workspace4/acme-mariadb-db# curl http://localhost:8084
<html>
<head><title>500 Internal Server Error</title></head>
<body>
<center><h1>500 Internal Server Error</h1></center>
<hr><center>nginx/1.29.4</center>
</body>
</html>
root@node1:~/workspace4/acme-mariadb-db# podman logs sks-frontend-ts
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: /etc/nginx/conf.d/default.conf differs from the packaged version
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/28 22:00:21 [notice] 1#1: using the "epoll" event method
2026/09/28 22:00:21 [notice] 1#1: nginx/1.29.4
2026/09/28 22:00:21 [notice] 1#1: built by gcc 15.2.0 (Alpine 15.2.0)
```

```
root@node1:~/workspace4/acme-mariadb-db
~/workspace4/acme-mariadb-db
root@node1:~/workspace4/acme-mariadb-db# ls
acme-db-export-containerfile  scripts  test.sh
root@node1:~/workspace4/acme-mariadb-db# podman cp sks-frontend-ts:/etc/nginx/conf.d/default.conf .
root@node1:~/workspace4/acme-mariadb-db# ls
acme-db-export-containerfile  default.conf  scripts  test.sh
root@node1:~/workspace4/acme-mariadb-db# vim default.conf
root@node1:~/workspace4/acme-mariadb-db#
```

```
upstream wp-app-ts {
    server sks-wp-app-ts:9000;   # WordPress PHP-FPM container
}

server {
    listen 80;
    server_name localhost;    # Local environment

    root /var/www/html;
    index index.php index.html index.htm;


    access_log /var/log/nginx/wordpress_access.log;
    error_log /var/log/nginx/wordpress_error.log;

    location / {
        try_files $uri $uri/ /index.php?$args;
    }

    location ~ /\.ht {
        deny all;
    }

    location ~ \.php$ {
        set $upstream wp-app-ts;
        include fastcgi_params;
        fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
        fastcgi_pass $upstream;
    }
-- INSERT --
```

```
root@node1:~/workspace4/acme-mariadb-db# podman cp ./default.conf sks-frontend-ts:/etc/nginx/conf.d/default.conf
root@node1:~/workspace4/acme-mariadb-db# podman exec sks-frontend-ts nginx -s reload
2026/09/28 22:07:43 [notice] 26#26: signal process started
root@node1:~/workspace4/acme-mariadb-db# curl http://localhost:8084
<!DOCTYPE html>
<html dir='ltr'>
<head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
                        <title>Database Error</title>
        <style type="text/css">
                html {
                        background: #f1f1f1;
                }
                body {
                        background: #fff;
                        border: 1px solid #ccd0d4;
                        color: #444;
                        font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen-Sans, Ubuntu, Cantarell, "Helveti
ca Neue", sans-serif;
                        margin: 2em auto;
                        padding: 1em 2em;
                        max-width: 700px;
                        -webkit-box-shadow: 0 1px 1px rgba(0, 0, 0, .04);
```




```
root@node1:~/workspace4/acme-mariadb-db# podman exec sks-backend-ts env | grep MYSQL
MYSQL_DATABASE=wordpress
MYSQL_USER=wpuser
MYSQL_ROOT_PASSWORD=rootpass
MYSQL_PASSWORD=wppass
root@node1:~/workspace4/acme-mariadb-db# podman exec sks-wp-app-ts env | grep WORDPRESS
WORDPRESS_DB_USER=user
WORDPRESS_DB_PASSWORD=pass
WORDPRESS_DB_HOST=sks-backend:3306
WORDPRESS_DB_NAME=wordpress
root@node1:~/workspace4/acme-mariadb-db# podman rm -f sks-wp-app-ts
sks-wp-app-ts
root@node1:~/workspace4/acme-mariadb-db# podman run -d --name sks-wp-app-ts --network sks-wp-ts -v sks-wp-app-ts-vol:/var/www/html:z
 -e WORDPRESS_DB_USER=wpuser -e WORDPRESS_DB_PASSWORD=wppass -e WORDPRESS_DB_HOST=sks-backend-ts:3306 docker.io/skstechnologia/wp-ap
p:ts
deb2077019a78fb080eb58e0390c845effe0116780cb52f89a9662ef0095fc1
root@node1:~/workspace4/acme-mariadb-db# podman exec sks-frontend-ts nginx -s reload
2026/09/28 22:12:08 [notice] 29#29: signal process started
root@node1:~/workspace4/acme-mariadb-db# curl http://localhost:8084
```

