Applying the Daubert Standard to Forensic Evidence (5e)


Digital Forensics, Investigation, and Response, Fifth Edition - Lab 01

Student: Selena Lopez
Email: selena.lopez02@utrgv.edu
Time on Task: 2 hours, 26 minutes
Progress: 100%
Report Generated: Sunday, September 20, 2026 at 10:59 PM


Hands-On Demonstration

Part 1: Complete Chain of Custody Procedures

7. **Make a screen capture** showing the **contents of the search warrant in Adobe Reader**.




14. **Make a screen capture** showing the **completed Chain of Custody form in Adobe Reader.**




Part 2: Extract Evidence Files and Create Hash Codes with FTK Imager


35. **Make a screen capture** showing the **contents of the 0002665_hash.csv file**.




38. **Make a screen capture** showing the **contents of the RecycleBinEvidence_hash.csv file**.



39. **Make a screen capture** showing the **contents of the MyRussianMafiaBuddies_hash.csv file**.




40. **Make a screen capture** showing the **contents of the Nice guys_hash.csv file**.




Part 3: Verify Hash Codes with E3

14. **Make a screen capture** showing the **MD5 and SHA1 values for the MyRussianMafiaBuddies.txt file**.



16. **Make a screen capture** showing the **MD5 and SHA1 values for the Nice Guys.png file**.




17. **Describe** how the hash values produced by E3 for the incriminating files compare to those produced by FTK. Do they match?

Yes, they match each other. I compared the screenshots taken in the previous section to the hashes produced in E3, and all of the hashes matched to each other.


Applied Learning

Part 1: Extract Evidence Files and Create Hash Codes with FTK Imager

5. **Make a screen capture** showing the **contents of the suspicious email file in the Display pane**.




16. **Make a screen capture** showing the **two hash values for the suspicious email file**.



Part 2: Verify Hash Codes with Autopsy

11. **Make a screen capture** showing the **MD5 field in the Result Viewer**.




12. **Describe** how the hash value produced by Autopsy compares to the values produced by FTK Imager for the two .eml files.

The MD5 produced by Autospy matched the hash produced by FTK Imager, however, the second .eml, the one altered, doesn't match either of them. It's clear how a little change in the contents of the file can easily modify and change the output of the hash generated.

Part 3: Verify Hash Codes with E3

7. **Make a screen capture** showing the **MD5 value produced by E3**.




8. **Describe** how the hash value produced by E3 compares to the values produced by FTK Imager for the two .eml files and the value produced by Autopsy.

It matches the values produced by FTK Imager (for the unaltered .eml file) and the value produced by Autospy. Utilizing three tools to match the hashes ensures that the integrity of the file remains intact.

Challenge and Analysis

Part 1: Verify Hash Codes on the Command Line

Make a screen capture showing the **hash values for the Evidence_drive1.001 file**.



Part 2: Locate Additional Evidence

Define the original file names and file paths for each file.

I used Autopsy. I don't necessarily have a clear preference, however, I ended up going with Autopsy as it seemed to have the most advanced tools needed to easily complete the task. I open the last data source, then added a new data source (Image 2). From there, it was quite easy to locate the Recycle Bin and find all three of the following files names and original paths listed out. It didn't even take a second to showcase them. Here are the paths and original names listed out next to the files:

$R354ELH.xlsx G:\VIP Infor21\DrugSales.xlsx
$RBQEOTL.doc G:\Students\manual-testing-fresher-resume-1.doc
$RX3177E.pdf G:\Word Doc\hr letter for visa.pdf