A Graph Query Language is Turing-Complete: A Formal Proof via 2-Counter Machine Simulation

Anonymous Author(s)

ABSTRACT

We prove that the graph query language under study, in its 2025 revision, is Turing-complete. The proof proceeds by showing that a single `RETURN` statement using `reduce()`, `CASE` expressions, and list comprehensions can simulate any 2-counter machine (Minsky 1967). We address the bounded-step objection via two complementary resolutions and verify the construction by executing the simulation on a live cloud database instance.

KEYWORDS

Turing completeness, graph query languages, Cypher, 2-counter machines, computational expressiveness

1 THE CLAIM

Theorem

The graph query language under study, restricted to a single `RETURN` with `reduce()`, list comprehensions, and `CASE`, **is Turing-complete**.

Proof strategy. By reduction: TM $\xrightarrow{\text{Minsky}}$ 2CM $\xrightarrow{\text{this}}$ GQL.

2 2-COUNTER MACHINES

A **2-counter machine** $M = (Q, q_0, q_h, \delta)$ has a finite state set Q, initial state q_0, halt state q_h, and transition function $\delta : Q \to \text{Instr}$ where each instruction is:

- `INC`(c, q') — increment $c \in \{A, B\}$, goto q'
- `JZDEC`(c, q_z, q_p) — if c=0 goto q_z, else decrement and goto q_p

Fact (Minsky 1967)

For any TM T, $\exists$ a 2-counter machine simulating T.



Figure 1: Example 4-state program.

3 ENCODING

Program. Encode δ as a list of maps:

```
LET program = [
  {state:0, op:'INC',   counter:'A', next:1},
  {state:1, op:'JZDEC', counter:'B',
   q_zero:2, q_pos:3},
  {state:2, op:'INC',   counter:'B', next:0},
  {state:3, op:'HALT',  counter:'',  next:3}
]
```

State. Configuration (q, c_A, c_B) as map `{state:0, A:0, B:0}`. Convention: `state=-1` means halted.

4 THE SIMULATION

Each `reduce()` iteration executes one machine step. The `head([v IN [e]| ...])` idiom provides let-binding inside `reduce()` (where `LET` is unavailable).

```
CYPHER 25
LET program = [ /* ... */ ]
LET max_steps = 1000000

LET result = reduce(
  machine = {state:0, A:0, B:0},
  step IN range(1, max_steps) |
  CASE WHEN machine.state = -1
    THEN machine
  ELSE
   head([instr IN [program[machine.state]] |
    CASE instr.op
     WHEN 'INC' THEN
      CASE instr.counter
       WHEN 'A' THEN {state: instr.next,
         A: machine.A + 1, B: machine.B}
       WHEN 'B' THEN {state: instr.next,
         A: machine.A, B: machine.B + 1}
      END
     WHEN 'JZDEC' THEN
      CASE instr.counter
       WHEN 'A' THEN
        CASE WHEN machine.A = 0
         THEN {state: instr.q_zero,
               A: 0, B: machine.B}
         ELSE {state: instr.q_pos,
               A: machine.A-1, B: machine.B}
        END
       WHEN 'B' THEN
        CASE WHEN machine.B = 0
         THEN {state: instr.q_zero,
               A: machine.A, B: 0}
         ELSE {state: instr.q_pos,
               A: machine.A, B: machine.B-1}
        END
      END
     WHEN 'HALT' THEN
      {state: -1, A: machine.A, B: machine.B}
    END
   ])
  END
)
RETURN result
```

5 CORRECTNESS

Claim

After k iterations of `reduce()`, `machine` equals M's configuration after k steps.

Base. k=0: `machine` $= \{0, 0, 0\} = M_0$. ✓
Step. Assume `machine` $= (q_k, a_k, b_k)$ matches M. At k+1, `reduce()` looks up $\delta(q_k)$ and executes:

`INC`(A, q')	$\to (q', a_k{+}1, b_k)$ ✓
`JZDEC`$(A, ..), a_k{=}0$	$\to (q_z, 0, b_k)$ ✓
`JZDEC`$(A, ..), a_k{>}0$	$\to (q_p, a_k{-}1, b_k)$ ✓
`HALT`	$\to (-1, ..)$, identity after ✓

Symmetric for B. □

6 THE BOUNDED-STEP OBJECTION

The `reduce()` uses `range(1, max_steps)` — a finite bound.

6.1 Resolution via Transactional Iteration

While the pure functional version stays within a single expression, the practical unbounded version uses graph storage for state persistence.

```
CYPHER 25
CREATE (:Machine {state:0, A:0, B:0});

UNWIND range(1, 9223372036854775807) AS step
CALL (step) {
  MATCH (m:Machine)
  WITH m,
    CASE WHEN m.state = -1 THEN 1/0
         ELSE $program[m.state]
    END AS instr
  SET m.state = CASE instr.op
    WHEN 'INC' THEN instr.next
    WHEN 'JZDEC' THEN CASE instr.counter
      WHEN 'A' THEN CASE WHEN m.A = 0
        THEN instr.q_zero ELSE instr.q_pos END
      WHEN 'B' THEN CASE WHEN m.B = 0
        THEN instr.q_zero ELSE instr.q_pos END
      END
    WHEN 'HALT' THEN -1 END,
  m.A = CASE
    WHEN instr.op='INC' AND instr.counter='A'
      THEN m.A+1
    WHEN instr.op='JZDEC' AND instr.counter='A'
      AND m.A > 0 THEN m.A-1
    ELSE m.A END,
  m.B = CASE
    WHEN instr.op='INC' AND instr.counter='B'
      THEN m.B+1
    WHEN instr.op='JZDEC' AND instr.counter='B'
      AND m.B > 0 THEN m.B-1
    ELSE m.B END
} IN TRANSACTIONS OF 1 ROW
  ON ERROR BREAK
```

Termination. At halt, `state` becomes −1. Next iteration: `CASE WHEN state=-1 THEN 1/0` fires *before* `$program[-1]`, caught by `ON ERROR BREAK`.



Figure 2: Termination via `1/0` + `ON ERROR BREAK`.

Note. $2^{63} \approx 9.2{\times}10^{18}$ exceeds the lifetime of the observable universe by several orders of magnitude, so the bound is irrelevant in practice. True theoretical unboundedness would need an external restart loop.

6.2 Sufficiency Argument

For TM T halting in $f(|w|)$ steps: set `max_steps` $= f(|w|)$. The language correctly decides every decidable language — **universal for total functions**.

7 REQUIRED PRIMITIVES

Primitive	Role
`reduce()`	Iteration (fold)
`CASE WHEN`	Branching
+1, −1, = 0	Counter ops
Map `{s,A,B}`	State repr.
`prog[i]`	$O(1)$ lookup
`head([..])`	Let-binding

No graph operations. No extensions. No plugins.

8 COROLLARIES

Corollary 1: Undecidability of termination

Since the language can simulate any 2-counter machine, it is *undecidable* whether a given `reduce()` expression will terminate. (By Rice's theorem applied to the reduction from 2CM.)

Corollary 2: Universality

The language can compute any computable function. Any algorithm expressible as a Turing machine has an equivalent `reduce()`-based query.

Corollary 3: Beyond computability

While `reduce()` makes the language Turing-complete for *computation*, graph pattern matching with QPP and `allReduce` provides *declarative constrained traversal* with per-step pruning — something most Turing-complete languages lack. This is not about computability (all TC languages are equivalent) but about **expressiveness**: some problems are more naturally expressed as graph patterns than as imperative loops.

9 VERIFIED EXECUTION

Both approaches tested on a cloud database instance. Test program: 4 instructions, expected $\{-1, 2, 0\}$.

Step	Instr	St	A	B
0	INC(A)	q_0	0→1	0
1	JZDEC(B), B=0	q_1	1	0
2	INC(B)	q_2	1	0→1
3	INC(A)	q_0	1→2	1
4	JZDEC(B), B>0	q_1	2	1→0
5	HALT	q_3	2	0

```
{A:2, B:0, state:-1} ✓
```

```
m.state=-1, m.A=2, m.B=0 ✓
```

10 COMPLETE RUNNABLE QUERIES

The following two queries are copy-paste ready for any instance supporting the language's 2025 revision. They encode the 4-state test program from §2 and can be adapted to any 2-counter machine by editing the `program` list.

10.1 Approach 1: Pure `reduce()`

A single `RETURN` statement — no graph writes, no side effects. The `head([v IN [expr] | ...])` idiom provides let-binding inside `reduce()` (where `LET` is unavailable): it wraps the expression in a one-element list, the comprehension binds the variable, and `head()` unwraps the result.

```
CYPHER 25
LET program = [
  {state: 0, op: 'INC',   counter: 'A',
   next: 1},
  {state: 1, op: 'JZDEC', counter: 'B',
   q_zero: 2, q_pos: 3},
  {state: 2, op: 'INC',   counter: 'B',
   next: 0},
  {state: 3, op: 'HALT',  counter: '',
   next: 3}
]
LET max_steps = 1000000

LET result = reduce(
  machine = {state: 0, A: 0, B: 0},
  step IN range(1, max_steps) |
  CASE WHEN machine.state = -1
    THEN machine
  ELSE
    head([instr IN [program[machine.state]] |
      CASE instr.op
        WHEN 'INC' THEN
          CASE instr.counter
            WHEN 'A' THEN
              {state: instr.next,
               A: machine.A + 1, B: machine.B}
            WHEN 'B' THEN
              {state: instr.next,
               A: machine.A, B: machine.B + 1}
          END
        WHEN 'JZDEC' THEN
          CASE instr.counter
            WHEN 'A' THEN
              CASE WHEN machine.A = 0
                THEN {state: instr.q_zero,
                      A: 0, B: machine.B}
                ELSE {state: instr.q_pos,
                      A: machine.A - 1,
                      B: machine.B}
              END
            WHEN 'B' THEN
              CASE WHEN machine.B = 0
                THEN {state: instr.q_zero,
                      A: machine.A, B: 0}
                ELSE {state: instr.q_pos,
                      A: machine.A,
                      B: machine.B - 1}
              END
          END
        WHEN 'HALT' THEN
          {state: -1,
           A: machine.A, B: machine.B}
      END
    ])
  END
)
RETURN result
```

10.2 Approach 2: Transactional Iteration

Uses graph storage for state persistence. The `1/0` guard fires *before* any list indexing when halted, caught by the error-break mechanism.

```
CYPHER 25
CREATE (:Machine {state: 0, A: 0, B: 0});
```

```
CYPHER 25
LET program = [
  {state: 0, op: 'INC',   counter: 'A',
   next: 1},
  {state: 1, op: 'JZDEC', counter: 'B',
   q_zero: 2, q_pos: 3},
  {state: 2, op: 'INC',   counter: 'B',
   next: 0},
  {state: 3, op: 'HALT',  counter: '',
   next: 3}
```

```
]

UNWIND range(1, 9223372036854775807) AS step
CALL (step) {
  MATCH (m:Machine)
  WITH m,
    CASE WHEN m.state = -1 THEN 1/0
         ELSE program[m.state]
    END AS instr
  SET m.state = CASE instr.op
    WHEN 'INC' THEN instr.next
    WHEN 'JZDEC' THEN
      CASE instr.counter
        WHEN 'A' THEN
          CASE WHEN m.A = 0
            THEN instr.q_zero
            ELSE instr.q_pos END
        WHEN 'B' THEN
          CASE WHEN m.B = 0
            THEN instr.q_zero
            ELSE instr.q_pos END
      END
    WHEN 'HALT' THEN -1
    END,
  m.A = CASE
    WHEN instr.op = 'INC'
      AND instr.counter = 'A'
      THEN m.A + 1
    WHEN instr.op = 'JZDEC'
      AND instr.counter = 'A'
      AND m.A > 0 THEN m.A - 1
    ELSE m.A END,
  m.B = CASE
    WHEN instr.op = 'INC'
      AND instr.counter = 'B'
      THEN m.B + 1
    WHEN instr.op = 'JZDEC'
      AND instr.counter = 'B'
      AND m.B > 0 THEN m.B - 1
    ELSE m.B END
} IN TRANSACTIONS OF 1 ROW
  ON ERROR BREAK
```

```
// Read result:
MATCH (m:Machine) RETURN m;
```

10.3 Approach 3: Graph-Native QPP Traversal

The most idiomatic approach: model the machine *as a graph* and let pattern matching *be* the computation. Each state is a node; each transition is a relationship. JZDEC splits into two edges (JZDEC_ZERO, JZDEC_POS); the predicate in `allReduce` prunes the invalid branch at traversal time.

```
CYPHER 25
// Build the machine as a graph
CREATE (q0:State:Init {id: 0})
CREATE (q1:State {id: 1})
CREATE (q2:State {id: 2})
CREATE (q3:State:Halt {id: 3})
CREATE (q0)-[:INC        {c:'A'}]->(q1)
CREATE (q1)-[:JZDEC_ZERO {c:'B'}]->(q2)
CREATE (q1)-[:JZDEC_POS  {c:'B'}]->(q3)
CREATE (q2)-[:INC        {c:'B'}]->(q0)
```

```
CYPHER 25
// Traverse: allReduce prunes, NEXT extracts
MATCH REPEATABLE ELEMENTS
  p = (init:Init)
    -[rels:INC|JZDEC_ZERO|JZDEC_POS]->
      {1, 9223372036854775807}
    (h:Halt)
WHERE allReduce(
  m = {A: 0, B: 0}, r IN rels |
  CASE
    WHEN r:INC AND r.c = 'A'
      THEN {A: m.A+1, B: m.B}
    WHEN r:INC AND r.c = 'B'
      THEN {A: m.A, B: m.B+1}
    WHEN r:JZDEC_POS AND r.c = 'A'
      THEN {A: m.A-1, B: m.B}
    WHEN r:JZDEC_POS AND r.c = 'B'
      THEN {A: m.A, B: m.B-1}
    ELSE m
  END,
  CASE
    WHEN r:JZDEC_ZERO AND r.c = 'A'
      THEN m.A = 0
    WHEN r:JZDEC_ZERO AND r.c = 'B'
      THEN m.B = 0
    WHEN r:JZDEC_POS AND r.c = 'A'
      THEN m.A >= 0
    WHEN r:JZDEC_POS AND r.c = 'B'
      THEN m.B >= 0
    ELSE true
  END
)
RETURN rels, length(p) AS steps
NEXT
// Re-derive counters from the valid path
LET final = reduce(m = {A:0, B:0},
    r IN rels |
    CASE
      WHEN r:INC AND r.c = 'A'
        THEN {A: m.A+1, B: m.B}
      WHEN r:INC AND r.c = 'B'
        THEN {A: m.A, B: m.B+1}
      WHEN r:JZDEC_POS AND r.c = 'A'
        THEN {A: m.A-1, B: m.B}
      WHEN r:JZDEC_POS AND r.c = 'B'
        THEN {A: m.A, B: m.B-1}
      ELSE m
    END
  )
RETURN steps, final.A AS ctrA, final.B AS ctrB
```

Key properties:

- The machine *is* the graph; computation *is* path finding
- `REPEATABLE ELEMENTS` allows revisiting states (loops)
- `allReduce` prunes eagerly: once a JZDEC branch fails the predicate, that path is abandoned immediately
- No HALT self-loop needed — reaching a `:Halt` node terminates the pattern
- `reduce()` in the `NEXT` stage re-derives final counter values from the surviving path (same pattern as [4])

REFERENCES

[1] Minsky, M. L. 1967. *Computation: Finite and Infinite Machines*. Prentice-Hall.
[2] openCypher. 2024. Cypher Query Language Reference. https://opencypher.org
[3] ISO/IEC 39075:2024. *Information technology — Database languages — GQL*. International Organization for Standardization.
[4] [Anonymous]. 2025. Declarative Route Planning for EVs — Graph Traversal Grows Up. [Blog URL omitted for review.]
[5] [Anonymous]. 2015–2025. Advent of Code in a Graph Query Language — 150+ puzzles solved, empirical evidence of expressiveness. [Repository URL omitted for review.]