PINT FC — MVP

Chosen by the owner: Oct 22, 2026, option 2, "Club website + Going / Not going". The first unattended build delivers this and nothing more.

What it is

- **A fan** opens the club's site and sees:
  - the next match with a countdown;
  - the season record;
  - the latest results;
  - the league table;
  - the squad, and player profiles that show only what each player allows.
- **A player** signs in and can:
  - decide what the public sees about them;
  - answer Going, Maybe or Not going for the next match, before the cutoff.
- **Everyone signed in** sees the count change within 15 seconds.

This is the smallest version that solves the coach's real problem, knowing who is coming, while also looking like a real club site.

Who uses it

Who	Can do
Visitor (fan)	Home page, squad, player profiles (consented fields only)
Player (a fake login)	Sign in and out, including out of all devices; privacy settings; RSVP; teammates' answers, without their reasons
Admin	**No screens in the MVP.** The season's data comes from a seed script with fake data only.

In scope: 38 acceptance checks from spec v0.3

Area	Requirements	Acceptance checks
Sign-in and sessions	FR-1.1 (players), FR-1.6	AC-1.1.1, 1.1.3, 1.1.4, 1.6.1, 1.6.2, 1.6.3, 1.6.4 (7)
Home page	FR-2.1, FR-2.2, FR-2.3, FR-2.4	AC-2.1.1–2.1.6, 2.2.1–2.2.4, 2.3.1–2.3.2, 2.4.1–2.4.3 (15)

Area	Requirements	Acceptance checks
Squad and profiles	FR-4.1, FR-4.2, FR-4.3	AC-4.1.1–4.1.3, 4.2.1–4.2.2, 4.3.1–4.3.4 (9)
Going / Not going	FR-3.3, FR-3.4	AC-3.3.1, 3.3.2, 3.3.4, 3.3.5, 3.3.6, 3.4.1, 3.4.3 (7)
Footer and social	FR-10.1 content only: crest, name, location, quick links, social icons	none (its two checks cover the newsletter, which is out)

My calls, open to the owner:

- **Event page:** a minimal page at `/fixtures/[id]` showing the attendance list and counts. AC-3.4.1 needs an open event page, and it doubles as the class projector view.
- **Look (the owner's pick, Oct 23):** look B, "Sport", light, as the only look. It is specified in `docs/design/06-screens.md`. The second theme and the toggle (AC-5.1) come later.
- **Design checks kept as gates:** the contrast check (AC-5.2) and no horizontal scroll at 320 px (AC-5.4), because students use phones.
- **Live count:** the page asks the API every 10 seconds while it is visible. This is the spec's default.

Out, for the next increments

- **Admin:**
  - the admin console (FR-9.x), invites (FR-1.2) and password reset (FR-1.3);
  - admin MFA (FR-1.4, FR-1.8, AC-1.1.2);
  - Google and Apple sign-in (FR-1.5).
- **Lockout:** lockout and rate limits (FR-1.7). This is an accepted risk while there is only fake data.
- **Schedule:** the schedule page and calendar feeds (FR-3.1, FR-3.5), the full event detail (FR-3.2) and waitlists (FR-3.6).
- **Changes after the fact:** moving a kickoff (AC-3.3.3) and admin overrides (AC-3.4.2).
- **Stats and standings:** the leaderboards page (FR-5.1), the full league table page, standings sync and manual standings (FR-5.2–5.4). The mini table reads a seeded snapshot.
- **Everything else:**
  - MOTM (4.6), the store (4.7), news, notifications, email and reminders (4.8);
  - the newsletter (AC-10.1.x) and deletion requests (AC-4.3.5);
  - the featured blocks (FR-2.5) and Instagram (FR-10.2);
  - reduced motion (AC-5.3) and the PWA.

Seed data (fake only)

- **The season:**
  - one current season with a league and a friendly competition;
  - opponents with placeholder crests, and venues.
- **40 active fake players**, across goalkeepers, defenders, midfielders and forwards. One login each, so each student can be a player. They include:
  - two players under 18: one with guardian consent and opt-in, one without;
  - mixed photo, nationality and stats consents.
- **One archived player**, who must never appear.
- **Matches:**
  - past league matches with published results and stat lines;
  - one friendly;
  - one result that is saved but not published;
  - upcoming matches (one of them cancelled) and weekly trainings.
- **Standings:** one league table snapshot.
- **Class demo match:** the next match's RSVP cutoff falls during class, so students see "RSVP closed" happen live. This depends on the class time.

Done means

1. Every in-scope check has an automated test whose title starts with its AC id, and all of them pass in CI.
2. The contrast and 320 px gates pass.
3. No public response contains an email, phone number, date of birth or RSVP (AC-4.3.1, invariant 1).
4. The owner has seen screenshots of every MVP page before anything is deployed.
5. The app is deployed to Vercel `cydeo-learners/pintfc` with Supabase `pintfc`. Production opens to students only with the owner's go.