

CERTIFICATE OF THE QUALITY ASSURANCE SYSTEM

Certificate no: 9004122

In application of the lift conformity evaluation procedure in European Directive 2014/33/UE of BUREAU VERITAS CERTIFICATION, it has been established that the quality system for the activities of:

DESIGN, MANUFACTURE, FINAL INSPECTION AND TESTS

For the products:

CAR DOOR LOCKS OF LIFTS ACCORDING TO ENCLOSED TECHNICAL APPENDIX

Of the manufacturer: TECNOLAMA, S.A. (FERMATOR Group)

Located in: Carretera de Constantí, km.3, 43204 Reus (Tarragona)

Meets the requirements established of the standards UNE-EN 81-20:2020 and UNE-EN 81-50:2020 that are applicable.

Remark: The products identified in this certificate, are not classified as safety components according to the Directive 2014/33/UE, therefore it is not considered their CE marking. This certificate just certifies the fulfilment with the requirements above explained.

This certificate will remain valid as long as the conditions established in the corresponding joint regulations, the plant's manufacturing conditions, or the Quality System are upheld and not changed, and will expire on July 22nd, 2024.

Initial date of issue: July 22nd 2009
Date of update: July 8th 2021
Expiration date: July 22nd 2024



Mónica Botas Directora de certificación





TECHNICAL APPENDIX OF THE CERTIFICATE NO 9004122

Type of locking device CDL applicable to the next type of car doors:

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (CO)	CLEAR HEIGHT (CH)
	/ST	Standard	PCC2	500 - 4000	2000 - 4000
CDL			PCC4	500 - 4000	2000 - 4000
	/LT	Lock Top	PCC6	700 - 4000	2000 - 4000
	,_1	2001(10)	PCC8	1200 - 4000	2000 - 4000
	,,		PCD1 / PCI1	500 - 4000	2000 - 4000
	/54	IP 54	PCD2 / PCI2	500 - 4000	2000 - 4000
			PCD3 / PCI3	500 - 4000	2000 - 4000
	/UD	Under Driven	PCD4 / PCI4	500 - 4000	2000 - 4000

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (CO)	CLEAR HEIGHT (CH)
	Trick		PCC2	500 - 4000	2000 - 4000
		7 7 4 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	PCC4	500 - 4000	2000 - 4000
		00000000000000000000000000000000000000	PCC6	700 - 4000	
ODI	(0)4	0	PCC8	1200 - 4000	
CDL	/CM	Cam	PCD1 / PCI1	500 - 4000	
	102000000000000000000000000000000000000		PCD2 / PCI2	500 - 4000	2000 - 4000
			PCD3 / PCI3	500 - 4000	2000 - 4000
1 94 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			PCD4 / PCI4	500 - 4000	2000 - 4000



Mónica Botas Directora de certificación





TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (CO)	CLEAR HEIGHT (CH)
			PCC2	500 - 4000	2000 - 4000
		Mala	PCC4	500 - 4000	2000 - 4000
			PCC6	700 - 4000	2000 - 4000
CDI	/MD		PCC8	1200 - 4000	2000 - 4000
CDL	/MD	Modular	PCD1 / PCI1	500 - 4000	2000 - 4000
			PCD2 / PCI2	500 - 4000	2000 - 4000
			PCD3 / PCI3	500 - 4000	2000 - 4000
			PCD4 / PCI4	500 - 4000	2000 - 4000

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (CO)	CLEAR HEIGHT (CH)
CDL	/CO	Compact	PCC2 PCD2 / PCI2	600 - 1100	2000 - 2500

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (CO)	CLEAR HEIGHT (CH)
ECC		ECC	PCC4	500 - 1150	2000 - 2500

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (CO)	CLEAR HEIGHT (CH)
ECC+	1948	ECC+	PCC4	500 - 1150	2000 - 2500



Mónica Botas Directora de certificación

