h halilneed

Guide 2, 15 minutes, 4 steps

Which model for which process

A map from everyday business tasks
to the smallest model that does them.
This PDF is the printed version of an interactive guide. To run the experiments yourself: **halilneed.agency/guides/model-map/**

Step 1 of 4

Rules or a model?

The task: spot refund requests. Add words to the rule and see what it misses.

The rule's keywords

+ return + money + back + refund

5 / 8	7 / 8
Rule correct	Model correct

I want to return my order	✓ Rule	✓ Model
Can I get my money back?	✓ Rule	✓ Model
The item arrived broken, I want a refund	✓ Rule	✗ Model
These shoes don't fit, what can I do?	✗ Rule	✓ Model
I read your return policy, thanks	✗ Rule	✓ Model
Where is my parcel?	✓ Rule	✓ Model
I'd like to change my billing address	✓ Rule	✓ Model
Is there a money-saving bundle?	✗ Rule	✓ Model

The model column is illustrative: what a small classifier trained on examples typically does.

Every new word catches something and brings a false alarm. A model learns from examples, and it is sometimes wrong too.

Step 2 of 4

Six kinds of model

Tap a kind: what goes in, what comes out, where it works.

Classifier


Extractor

Generator

Search

Forecast

Anomaly



Example: Sending an email to the right team.
Needs: Dozens of examples per label.

⚠ Most business steps need a model far smaller than a chat model.

Step 3 of 4

Four questions that choose

Answer in order. The first “yes” picks the kind.



Steps 3 and 4 are in the full guide

The full guide is on Gumroad as a PDF in English and Turkish. It is free; pay what you want if you like.

- ✓ Step 3 of 4: Four questions that choose
- ✓ Step 4 of 4: Where each department starts
- ✓ The full guide as a PDF, English and Turkish

Steps 3 and 4 and the full PDF are free. To get them: **halilneed.gumroad.com/l/model-map**

© 2026 Halil, halilneed.agency. No cookies. Visits are counted in aggregate with GoatCounter.