

A

B

C


D

A

B


C

D




Title		
Size A3	Number	Revision
Date: 2/16/2022	Sheet of	
File: C:\Users\...\Gate_Driver_cct.SchDoc	Drawn By:	


MC33035



Title		
Size A4	Number	Revision
Date:	2/16/2022	Sheet of
File:	C:\Users\...\MC33035_cct.SchDoc	Drawn By:




Title		
Size	Number	Revision
A4		
Date:	2/16/2022	Sheet of
File:	C:\Users\...\Parallel_Capacitor.SchDoc	Drawn By:



Title		
Size	Number	Revision
A4		
Date:	2/16/2022	Sheet of
File:	C:\Users\...\Regulator_cct.SchDoc	Drawn By:

HBN TECHNOLOGY



Comment	Description	Designator	Footprint	LibRef	Quantity
uF		C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C25, C26, C27, C28, C29, C30, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45	C-1206	C-1206	36
4.7uF		C19, C20, C21, C49, C50, C51	CAPALSMO POLY 4.3MM HS SMM	CAP 4.7uF	6
100nF	WCAP-35GP General Purpose MLCC: SMT 0805 X7R: 100nF ±5%, X5R: 50nF ±5% +125C, Tech. P/N: X7R0805104K050G0FC T10005	C22, C23, C24, C31, C32, C33, C46, C47, C48, C52, C53, C54, C55, C56, C59, C66, C61, C63, C88, C91, C92, C93, C94, C95, C96, C97, C98, C99	C-0805W	CAP 100nF 50V SMT 0805	28
750pF		C57	CAPC1608087N	CAP 750pF 0603 SMD	1
330uF	CAP ALUM 330UF 20% 16V SMD	C58	CAP_EEE1C1C331V	CAP 330uF SMD	1
10nF	01UF 25V 10% 0806	C62	C-0805W	CAP 10nF 0805	1
6.3v 4700uF	PEL5-0A2V472MM450 Aluminum Electrolytic Capacitors - Snap In 4-Pin 4700uF 25%	C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87	cap 10*20	capacitor 10*20	24
0.1uF	Cap Ceramic 0.1uF 25V X7R 10% SMD 0805 125A°C Paper T78	C89	C-0805W	CAP 0.1uF SMD 0805	1
47uF	CAP ALUCC: ALU70, X7R, 47UF/6.3V, 1210	C90	CAPC3225X270N	CAP 47uF 3225 SMD	1
4x214	DIODE FAST SWITCHING Single 150mA 75V SMT SOD323	D1, D2, D3	DO-214AC	4x214	3
9K54	Diode Schottky 40V 5A Surface Mount DO-214AA (SMB)	D4, D6	DIOM769X265N	9K54	2
1N4148 Diode	DIODE GEN PURP 100V 150MA SOD123	D5, D9, D10, D11, D12, D13, D14, D15, D16, D17, D18, D19, D20, D21, D22, D23, D24, D25, D26, D27, D28, D29, D30, D31, D32	SOD-123	1N4148	25
Red 645nm LED Indication - Discrete 1.8V 0805	LED RED DIFFUSED 0805 SMD	D7	SHD-LED 0805/2012 RED	LED_Kurman	1
NHD-020801-EL-VBW		J1	06-20	ELC-20	1
220uH	Inductor Power Shielded Wirewound 220uH 20% 1000Hz Ferrite 1.1A @ 125Cem DCR 5049 Automotive T/R	L1	IND_MDH12577C-101MA-P3	220uH Inductor SMD	1
irfs4127	MOSFET N-CH 200V 72A D2PAK	O1, O2, O3, O4, O5, O6, O7, O8, O9, O10, O11, O12, O13, O14, O15, O16, O17, O18, O19, O20, O21, O22, O23, O24	DFPAK_TO263	IRFS4127TBLPBF	24
1		R2, R3, R29, R30, R32, R33, R36, R37, R64, R65, R66, R67, R68, R69, R70, R71, R85, R86, R87, R112, R113	R-2512W	0207 meff	21
220		R4, R5, R7, R10, R12, R15, R17, R19, R23, R24, R26, R27, R40, R42, R44, R46, R48, R50, R52, R54, R56, R58, R60, R62	R-1206W	RES 220 1206	24
RES SMD 10K OHM 1% 1/8W 0805	10KOhms ±1% 0.125W, 1/8W Chip Resistor 0805 (2012 Metric) Moisture Resistant Thick Film	R6, R8, R9, R11, R13, R14, R16, R20, R21, R22, R25, R28, R41, R43, R45, R47, R49, R51, R53, R55, R57, R59, R61, R63, R77, R79, R80, R82	R-0805W	10K 0805	28
220	10KOhms ±1% 0.125W, 1/8W Chip Resistor 0805 (2012 Metric) Moisture Resistant Thick Film	R73, R74	R-2512R	RES 220 2512	2
RES SMD 1K OHM 1% 1/8W 0805	1K Ohms ±1% 0.125W, 1/8W Chip Resistor 0805 (2012 Metric) Moisture Resistant Thick Film	R75, R117	R-0805W	1K 0805	2
11K0	THICK FILM RESISTOR 11K04MA, 125mW, 5%	R76	R-0805R	RES 11K0 SMD	1
2.2K	RES SMD 2.2K OHM 1% 1/8W 1206	R78	RES3115X65N 2.2K 1206	RES 2.2K 1206	1
1K	Fixed Resistor CRGP 2512 1K0 1%	R81	RES3232X65N	RES 1K 2512	1
RES SMD 1M OHM 1% 1/8W 0805	1M Ohms ±1% 0.125W, 1/8W Chip Resistor 0805 (2012 Metric) Moisture Resistant Thick Film	R83, R84	R-0805W	1M 0805	2
110		R88, R89, R90, R91, R92, R93, R94, R95, R96, R97, R98, R99, R100, R101, R102, R103, R104, R105, R106, R107, R108, R109, R110, R111	R-1206W	RES 110 1206	24
1000		R114	R-0805W	RES 1000 0805	1
1000n		R115	R-0805R	RES 1000n 0805	1
2.2K0		R116	R-0805W	RES 2.2K0 0805	1
100		R118	R-0805W	RES 100 0805	1
00		R119	RES 0.0 OHM 1206	RES 0.0 0 1206	1
Switch Tactile Off (ON) SMD-6	Switch Tactile OFF (ON) SPT Round Button Gull Wing 0.05A 24VDC 1VA @ 50N SMD Loose	S1	SW_1571563-7	Switch Tactile Off (ON) SMD-6	1
SDA01H158D	Cap Switch SPT 1 Position Surface Mount Slide (Standard) Actuator 25mm 24VDC	S2	SW_SDA01H158D	SDA01H158D	1
IR2113S	Half-Bridge Gate Driver IC Non-Inverting 16-SON	U1, U2, U3	SOIC127P1032X65-1AN	IR2113S	3
MC33039	SMPLS SWITCHING Reg 40V 3A Low Component Count Step Down Regulator 5-IDDPAK/TO-263 -40 to 125	U4	SOIC127P600X175-8N	MC33039	1
LM2576S-12/NOPB	SMPLS SWITCHING Reg 40V 3A Low Component Count Step Down Regulator 5-IDDPAK/TO-263 -40 to 125	U5	VREG_1T57625KTR	LM2576S-12/NOPB	1
MC33035		U6	SOIC24(MC-33035)	MC33035	1
CD4049UBD	CMOS Hex Inverting Buffer/Converter 16-SON -55 to 125	U7	SOIC127P600X175-1AN	CD4049UBD	1