

A

A

B

B


C

C

D

D

Open SJ4 to generate supply voltage ON JP2.2.
If needed bridge or replace R11 to output full 5V.




External Header

Title		
Size	Number	Revision
A4		
Date: 4/25/2022	Sheet of	
File: C:\Users\..\Automotive Connector.SchDoc	Drawn By:	

A

A



B

B

C

C

D

D

Title

Size

A4

Number

Revision


Date:

4/25/2022


Sheet of


File: C:\Users\..\Communication.SchDoc

Drawn By:





Title		
Size A4	Number	Revision
Date:	4/25/2022	Sheet of
File:	C:\Users\...\Current Voltage Sensors.SchDoc	Drawn By:






Title		
Size	Number	Revision
A3		
Date:	4/25/2022	Sheet of
File:	C:\Users\...\Gate Driver 2.SchDoc	Drawn By:




Title			
Size	Number	Revision	
A3			
Date:	4/25/2022	Sheet	of
File:	C:\Users\...\Gate Driver 3.SchDoc	Drawn By:	


1 2 3 4



Title		
Size	Number	Revision
A4		
Date:	4/25/2022	Sheet of
File:	C:\Users\..\Input Filtering.SchDoc	Drawn By:

1 2 3 4





A

A

B

B


C

C

D

D

Output driver



Title		
Size	Number	Revision
A4		
Date: File:	4/25/2022 C:\Users\..\Output Driver.SchDoc	Sheet of Drawn By:

A

A

B

B


C

C

D


D

PWM Output Header



Title		
Size	Number	Revision
A4		
Date: File:	4/25/2022 C:\Users\..\PWM Filter.SchDoc	Sheet of Drawn By:

1 2 3 4



1 2 3 4

Regulator



HBN
TECHNOLOGY