

Designer Skills Collection Audit

Owl-Listener/designer-skills & TypeUI

June 2026 · Technical Research Document

Executive Summary

This audit documents two open-source designer skill collections — Owl-Listener/designer-skills and TypeUI — which extend Claude Code and compatible AI coding assistants with structured design knowledge. Together they form complementary layers: Owl-Listener provides process-oriented plugins (research, strategy, interaction logic, system governance), while TypeUI provides style-oriented presets (visual language, component families, typographic scales).

The Owl-Listener collection contains 97 skills and 30 commands across 9 plugins, installable via a single marketplace command in Claude Code. TypeUI offers 77 aesthetic style skills plus 449 UI layout prompts spanning marketing, application, and e-commerce contexts, installed via CLI or MCP server. It is part of a larger registry of 67 open-source skills catalogued at github.com/bergside/awesome-design-skills.

This document provides full skill inventories, install instructions, categorization matrices (by UI component coverage, transactional UX flow, and Nielsen heuristic), a four-tier classification by intended use, and a project-type installation priority guide.

Collection	Skills	Commands / Prompts	Plugins	Install Method
Owl-Listener/designer-skills	97	30 commands	9	<code>/plugin marketplace add Owl-Listener/designer-skills</code>
TypeUI	77 style skills	449 UI prompts	—	<code>npx typeui.sh pull</code>
Owl-Listener ecosystem (all)	239	88 commands	33	5 separate collections

Sources: github.com/Owl-Listener/designer-skills · typeui.sh · github.com/bergside/awesome-design-skills · composio.dev/content/top-design-skills

PART 1 — OWL-LISTENER/DESIGNER-SKILLS

Overview

Owl-Listener/designer-skills is a Claude Code plugin collection that installs 97 domain-knowledge units (skills) and 30 chained workflows (commands) across 9 design-domain plugins. It is Gemini CLI compatible and is part of a broader 5-collection ecosystem totalling 239 skills, 88 commands, and 33 plugins.

Installation

Claude Code — plugin marketplace

```
/plugin marketplace add Owl-Listener/designer-skills
```

Each skill is a domain-knowledge noun (e.g. color-system, state-machine) that teaches Claude about a design concept. Each command is a chained verb workflow (e.g. /design-screen, /audit-system) that composes multiple skills into a single output.

Plugin Overview

Plugin	Skills	Commands	Design Domain
ui-design	14	4	Visual systems: grids, color, type, spacing, Gestalt laws
interaction-design	15	3	Motion, state modeling, cognitive ergonomics, flow patterns
design-systems	11	3	Component specs, token systems, accessible theming
design-research	12	4	Research synthesis: personas, journey maps, interview scripts
visual-critique	7	2	Screen audits across 7 dimensions; prioritized fix lists
prototyping-testing	8	4	Heuristic evaluation, A/B design, accessibility test planning
ux-strategy	11	3	Strategic UX: IA, service blueprints, competitive analysis
design-ops	9	3	Handoff specs, sprint planning, QA checklists, design debt
designer-toolkit	7	3	Rationale docs, UX copy, presentations, case studies
Total	97	30	9 plugins

1. ui-design 14 skills · 4 commands

Teaches Claude about visual systems, layout grids, color theory, typographic hierarchy, and perceptual laws.

Skills

layout-grid — Responsive column/gutter/margin/breakpoint systems

`color-system` — Color palette generation with WCAG accessibility compliance
`typography-scale` — Modular size/weight/line-height relationships
`readable-measure` — Optimal line-length (45–75 chars) rules across breakpoints
`responsive-design` — Adaptive layout patterns across device sizes and inputs
`visual-hierarchy` — Hierarchy through size, weight, color, spacing, position
`spacing-system` — Base-unit spacing rules and application patterns
`dark-mode-design` — Dark mode color adaptation and contrast logic
`illustration-style` — Illustration style guide with usage rules
`data-visualization` — Chart selection, accessible data viz design
`aesthetic-usability` — Aesthetic-Usability Effect: polished = perceived usable
`von-restorff-effect` — Make the most important element distinctly different
`law-of-proximity` — Group related elements via spatial relationships
`law-of-common-region` — Group elements using containers/backgrounds/boundaries

Commands

`/design-screen`
`/color-palette`
`/type-system`
`/responsive-audit`

2. interaction-design 15 skills · 3 commands

Teaches Claude about motion, state modeling, cognitive ergonomics, and transactional flow patterns.

Skills

`micro-interaction-spec` — Trigger/rules/feedback/loop definitions
`animation-principles` — Purposeful UI motion rules
`state-machine` — Finite state machines for complex UI behavior
`gesture-patterns` — Touch and pointer gesture design
`error-handling-ux` — Error prevention, detection, and recovery experiences
`loading-states` — Loading, skeleton, and progressive reveal patterns
`feedback-patterns` — Confirmations, status, and system feedback
`hicks-law` — Reduce decision time by limiting simultaneous choices
`millers-law` — Chunk info into ~4 groups for working memory
`fitts-law` — Size and position interactive targets for fast, accurate use
`doherty-threshold` — Keep response times under 400ms to maintain flow
`form-design` — Forms that minimize friction and guide to completion
`onboarding-design` — First-run experiences that get users to value quickly
`navigation-patterns` — Navigation patterns matching product structure and platform
`search-ux` — Search that helps users find, recover from failure, and refine

Commands

`/design-interaction`

/map-states

/error-flow

3. design-systems 11 skills · 3 commands

Teaches Claude to generate component specs, token systems, and accessible theming architectures.

Skills

- `design-token` — Token naming conventions and usage guidance
- `component-spec` — Props, states, variants, and accessibility for components
- `pattern-library` — Pattern library entries with problem/solution/examples
- `naming-convention` — Naming systems for elements, components, tokens
- `accessibility-audit` — WCAG audit with severity ratings
- `theming-system` — Brand variants, dark mode, and high-contrast architecture
- `icon-system` — Icon grid, sizing, naming, and category specification
- `documentation-template` — Structured docs for design system artifacts
- `motion-system` — Duration tokens, easing vocabulary, reduced-motion handling
- `design-system-governance` — Contribution models, versioning, deprecation
- `localization-design` — Multi-language, writing-direction, cultural adaptation

Commands

- `/audit-system`
- `/create-component`
- `/tokenize`

4. design-research 12 skills · 4 commands

Teaches Claude to produce research synthesis artifacts — personas, journey maps, interview scripts, affinity diagrams.

Skills

- `user-persona`
- `empathy-map`
- `journey-map`
- `interview-script`
- `summarize-interview`
- `usability-test-plan`
- `card-sort-analysis`
- `diary-study-plan`
- `affinity-diagram`
- `jobs-to-be-done`
- `survey-design`
- `research-repository`

Commands

- `/discover`
- `/interview`

`/test-plan`
`/synthesize`

5. visual-critique 7 skills · 2 commands

Teaches Claude to audit existing screens across 7 dimensions and produce a prioritized fix list.

Skills

`critique-visual-hierarchy` — Entry point, eye flow, weight distribution, emphasis

`critique-brand-consistency` — Checks against mood.md, voice.md, tokens.md

`critique-composition` — Balance, whitespace, rhythm, gestalt

`critique-typography` — Scale usage, readability, consistency, token compliance

`critique-color` — Contrast ratios, palette coherence, semantic color, accessibility

`critique-affordance` — Clickability signals, state visibility, CTA clarity

`critique-information-density` — Cognitive load, content priority, scanning patterns

Commands

`/critique-screen` (all 7 critiques + prioritized fix list)

`/critique-ux` (hierarchy + affordance + info density only)

6. prototyping-testing 8 skills · 4 commands

Teaches Claude heuristic evaluation methodology, A/B test design, and accessibility test planning.

Skills

- prototype-strategy
- test-scenario
- heuristic-evaluation — Nielsen's 10 heuristics methodology
- a-b-test-design
- user-flow-diagram
- wireframe-spec
- click-test-plan
- accessibility-test-plan

Commands

- /prototype-plan
- /evaluate
- /test-plan
- /experiment

7. ux-strategy 11 skills · 3 commands

Teaches Claude to produce strategic UX artifacts — competitive analysis, IA, service blueprints, metrics.

Skills

- competitive-analysis
- design-principles
- experience-map
- north-star-vision
- opportunity-framework
- design-brief
- stakeholder-alignment
- metrics-definition
- information-architecture
- content-strategy
- service-blueprint

Commands

- /strategize
- /benchmark
- /frame-problem

8. design-ops 9 skills · 3 commands

Teaches Claude handoff spec generation, sprint planning, QA checklists, and design debt auditing.

Skills

- design-critique
- handoff-spec
- design-sprint-plan
- design-review-process
- version-control-strategy
- design-qa-checklist
- team-workflow
- design-debt-audit
- design-impact-reporting

Commands

- /plan-sprint
- /handoff
- /setup-workflow

9. designer-toolkit 7 skills · 3 commands

Teaches Claude to produce rationale docs, UX copy (microcopy, error messages, CTAs, empty states), presentations, and case studies.

Skills

- design-rationale
- presentation-deck
- case-study
- design-token-audit
- ux-writing
- design-system-adoption
- design-negotiation

Commands

- /write-rationale
- /build-presentation
- /write-case-study

Companion Collections (separate install)

Collection	Plugins	Focus Area
Owl-Listener/inclusive-design-skills	6	Cognitive accessibility, inclusive interaction, accessible content, adaptive interfaces

Collection	Plugins	Focus Area
Owl-Listener/ai-design-skills	6	Model interaction, alignment reasoning, agent orchestration, prompt architecture
Owl-Listener/ux-pgm-skills	6	Planning, stakeholder comms, delivery, measurement
Owl-Listener/design-leadership-skills	6	People management, strategy, org influence

PART 2 — TYPEUI

Overview

TypeUI provides 77 aesthetic style SKILL.md files — self-contained visual language presets, not process plugins. Each skill encodes a complete visual system: typography scale and font choices, color palette with semantic tokens, spacing and density modes, component families (40+ families in full skills), WCAG 2.2 AA accessibility rules, do/don't guidelines, and quality gates.

TypeUI also ships 449 UI layout prompts across Marketing, Application, and E-commerce contexts. The open-source registry at github.com/bergside/awesome-design-skills catalogs 67 community skills.

Installation

TypeUI CLI

```
npx typeui.sh pull <slug> # CLI pull (e.g. npx typeui.sh pull premium)
# or install via TypeUI MCP server
```

TypeUI skills are mutually exclusive per project — pick one style preset that matches your project tone. Unlike Owl-Listener plugins (which stack), loading multiple TypeUI styles creates conflicting visual systems.

Modern & Minimal (10 skills)

- clean** — Distraction-free, whitespace-heavy; content-first products
- contemporary** — Crisp typography + balanced spacing; feels current
- flat** — No depth effects, icon-friendly; utility apps and dashboards
- minimal** — Strips all noise beyond content; writing platforms, single-purpose tools
- modern** — Soft shadows, rounded corners, versatile all-rounder; default for SaaS
- mono** — Monospaced terminal aesthetic; dev portfolios, CLI docs
- refined** — Precise spacing + subtle contrast; fintech, legal, consulting
- shadcn** — Utility-first, accessible; aligns with shadcn/ui conventions
- simple** — MVPs, prototypes; speed-over-polish
- sleek** — Sharp type, minimal clutter, fast premium feel; analytics, dev tools

Bold & Expressive (8 skills)

- bold** — Strong type, stark contrasts; startup landing pages, campaign sites
- brutalism** — Hard edges, loud colors, raw layouts; indie/anti-corporate
- colorful** — High-energy vibrant palettes; children's products, community apps
- dramatic** — Bold contrast + striking type; product launches, media sites
- energetic** — Vivid colors + dynamic shapes; fitness apps, gaming, events
- expressive** — Personality-driven, rich contrast; media brands, lifestyle
- neobrutalism** — Chunky shapes, hard edges, deliberately unpolished; indie hackers
- vibrant** — Bold gradients + lively animations; social, marketplaces, consumer apps

Creative & Artistic (10 skills)

artistic — Unique illustrations, unconventional layouts; galleries, studios

cafe — Earthy tones, cozy textures; restaurants, local brands

cosmic — Deep-space tones, luminous accents; AI tools, data viz dashboards

creative — Breaks grid boundaries, dynamic layouts; agency sites, portfolios

doodle — Hand-drawn/sketch UI elements; education tools, creative apps

editorial — Magazine-inspired, strong typographic hierarchy; publications

fantasy — Mystical elements, ornate borders; gaming, storytelling

friendly — Soft shapes, clear hierarchy, warm; onboarding, healthcare, community

publication — Content-first, structured grids; news, research, documentation

storytelling — Scroll-driven narrative pacing; long-form landing pages

Professional & Corporate (7 skills)

- corporate** — Structured, formal, clarity + trust; enterprise dashboards, B2B
- elegant** — Graceful whitespace, delicate type; fashion, portfolios, upscale services
- enterprise** — High-contrast, usability at scale; admin panels, CRMs, internal tools
- luxury** — Rich textures, metallic accents, exclusive; high-end brands, premium products
- material** — Google Material-aligned; cross-platform apps
- premium** — Apple-inspired tech/fintech refinement; banking, investment, subscriptions
- professional** — Legibility + density without clutter; SaaS dashboards, client portals

Morphism & Effects (6 skills)

- claymorphism** — Soft, rounded 3D-like surfaces; mobile-first, children's, touch-friendly
- glassmorphism** — Frosted backgrounds, layered translucency; dark-mode, gradient backgrounds
- gradient** — Smooth color transitions for depth; marketing sites, AI products
- neon** — Glowing borders, cyberpunk; gaming, dev tools, nightlife
- neumorphism** — Soft extruded surfaces; dashboards, control panels
- skeumorphism** — Real-world texture and depth metaphors; productivity, note-taking

Retro & Nostalgic (4 skills)

- dithered** — Pixel-like textures, controlled noise; indie, creative studios
- paper** — Tactile paper metaphor, soft shadows; note-taking, documentation
- retro** — Pixelated, early-web nostalgia; personal blogs, indie projects
- vintage** — Classic type, muted palette; artisan brands, restaurants, photography

Layout & Structure (4 skills)

- bento** — Modular card-block grid with clear hierarchy; dashboards, feature pages
- levels** — Indiehacker pragmatic, function-over-decoration; solo SaaS builders
- perspective** — Angled layouts, depth via foreshortening; architecture, 3D product showcases
- spacious** — Generous whitespace, airy layouts; content-heavy apps needing focus

Themed & Unique (8 skills)

- agentic** — Guided actions, adaptive feedback, clear next steps; AI-native products
- application** — Optimized for complex data-rich application shells; dashboards, admin
- ant** — Ant Design aligned; enterprise React apps
- dashboard** — Data-dense with strong scanning patterns; analytics, monitoring
- futuristic** — Glowing accents, sci-fi UI; AI, space-tech, data platforms
- matrix** — Terminal/exchange dark aesthetic, Space Mono, hairline borders; dev consoles
- pacman** — 8-bit arcade aesthetic; games, hackathons, entertainment
- tetris** — Interlocking geometric, vibrant high-contrast; portfolios, creative agencies

10 Newest Skills (added June 2026)

Minimax · Anime · Matcha · Pragmatic · Nostalgia · Forest · Machine · Mars · Dark · Candy

PART 3 — CATEGORIZATION ANALYSIS

A. UI Component Coverage by Plugin

Plugin / Skill	Buttons/ Forms	Navigation	Tables/ Data	Modals/ Overlays	Cards	Charts	Auth Flows
ui-design (Owl)	Partial	Partial	Partial	—	—	Yes	—
interaction-design (Owl)	State machines Full forms	Full nav	—	Loading/ feedback	—	—	—
design-systems (Owl)	Full spec	Full spec	Full spec	Full spec	Full spec	—	—
TypeUI Premium/ Enterprise	Full 40+ families	Full	Full	Full	Full	Stats	Auth screens
TypeUI Dashboard/ Application	Partial	Full sidebars	Full tables	Full widgets	Full	Charts	Login pages

B. By Transactional UX Flow

UX Flow	Best Skills / Plugins
Checkout / Payment	TypeUI e-commerce prompts (checkout, payment forms, order confirmation, tracking); interaction-design/error-handling-ux, form-design
Onboarding	interaction-design/onboarding-design; design-research/user-persona + journey-map; TypeUI Friendly/Agentic
Authentication (login, register, forgot password)	TypeUI Application prompts (login, register, reset password); TypeUI Premium/Enterprise skill
Search & Discovery	interaction-design/search-ux; TypeUI Dashboard skill
Error & Empty States	interaction-design/error-handling-ux, loading-states, feedback-patterns; design-systems/component-spec
Settings / Account Management	TypeUI Application (settings pages); design-systems/component-spec
Data Entry & Validation	interaction-design/form-design + state-machine; design-systems/component-spec
Admin / CRUD Flows	TypeUI Enterprise/Application; design-systems plugin; design-ops/handoff-spec

C. By Usability Heuristic (Nielsen's 10)

Heuristic	Most Relevant Skills
1. Visibility of System Status	interaction-design/feedback-patterns, loading-states; visual-critique/critique-affordance
2. Match Between System & Real World	interaction-design/gesture-patterns, form-design; design-systems/localization-design
3. User Control & Freedom	interaction-design/error-handling-ux, state-machine; interaction-design/navigation-patterns
4. Consistency & Standards	design-systems (all 11 skills); TypeUI any single skill (enforces style consistency)
5. Error Prevention	interaction-design/form-design, error-handling-ux; prototyping-testing/heuristic-evaluation
6. Recognition Over Recall	interaction-design/navigation-patterns, search-ux; ui-design/visual-hierarchy
7. Flexibility & Efficiency of Use	interaction-design/hicks-law, fitts-law; ui-design/responsive-design
8. Aesthetic & Minimalist Design	ui-design/aesthetic-usability; TypeUI Minimal/Clean/Simple; visual-critique plugin
9. Help Users Recognize/Recover Errors	interaction-design/error-handling-ux; prototyping-testing/accessibility-test-plan
10. Help & Documentation	designer-toolkit/ux-writing; design-systems/documentation-template

PART 4 — HIGH-FIDELITY UI vs BACKEND/TRANSACTIONAL vs ACCESSIBILITY AUDIT CLASSIFICATION

Tier 1 — High-Fidelity Visual UI

Install first for production-quality visual output. These directly shape what Claude Code generates visually. Pick ONE TypeUI style preset per project — they are mutually exclusive.

Owl-Listener

- `ui-design` — Core visual language: grids, type, color, spacing, dark mode, Gestalt laws
- `design-systems` — Component spec generation, tokens, theming, motion
- `visual-critique` — Screen audit producing prioritized fix lists (best for iterating existing UI)

TypeUI

- `premium` — Best for SaaS, fintech, subscription products (Apple-inspired, 40+ component families, WCAG AA)
 - `enterprise / corporate` — Best for admin panels, CRMs, B2B dashboards
 - `application / dashboard` — Best for data-heavy apps with sidebars, tables, widgets
 - `modern / clean / refined` — Best versatile defaults for general-purpose product UI
 - `shadcn` — Best if already using shadcn/ui component library
 - `agentic` — Best for AI-native products
 - `matrix / mono` — Best for dev-tool / terminal-facing products
-

Tier 2 — Transactional UX & Interaction Logic

Install for complex flows. Teaches Claude about behavior, state, and flow correctness — not visual polish.

Owl-Listener

- `interaction-design` — Critical for any product with forms, onboarding, state-driven components, search, error flows; encodes Hick's, Miller's, Fitts', Doherty
- `design-ops` — Generates handoff specs, QA checklists, developer-ready component notes

TypeUI

- `E-commerce prompts` — checkout, payment, order management, returns, cart
 - `Application prompts` — modals (forms, confirmations, destructive actions), drawers, tables, dropdowns
 - `Marketing prompts` — hero sections, pricing, CTA, FAQ
-

Tier 3 — Accessibility & Audit

Install for compliance and QA.

Owl-Listener

[prototyping-testing](#) — Heuristic evaluation (Nielsen's), accessibility test plans, A/B design

[design-systems/accessibility-audit](#) — WCAG audit with severity ratings

[visual-critique](#) — Color contrast audit, affordance evaluation

[Owl-Listener/inclusive-design-skills \(separate repo\)](#) — Dedicated cognitive, sensory, and adaptive interface accessibility

Tier 4 — Strategy, Research & Ops

Install for full design process, not just code output. These are process-oriented, most useful in planning phases or for generating design documents alongside code.

Owl-Listener

[design-research](#) — Personas, journey maps, research synthesis

[ux-strategy](#) — IA, design briefs, competitive analysis

[designer-toolkit](#) — UX writing (microcopy, CTAs, error messages), rationale docs

[design-ops](#) — Sprint planning, critique frameworks, design debt auditing

PART 5 — INSTALLATION PRIORITY GUIDE

Project-Type Installation Guide

New SaaS / Web App — High-Fidelity UI

1. `npx typeui.sh pull premium` (or modern/refined depending on brand)
2. `/plugin marketplace add Owl-Listener/designer-skills` (then use `ui-design` + `design-systems` + `interaction-design`)
3. `visual-critique` (add for iteration loops)

Data-Heavy Dashboard or Admin Tool

1. `npx typeui.sh pull dashboard` (or enterprise)
2. `interaction-design` (state-machine, form-design, search-ux)
3. `design-systems` (component-spec, design-token)

AI-Native Product

1. `npx typeui.sh pull agentic`
2. `/plugin marketplace add Owl-Listener/ai-design-skills` (separate install)
3. `interaction-design` (feedback-patterns, loading-states, onboarding-design)

Accessibility Compliance Work

1. `prototyping-testing` (/evaluate command runs Nielsen's heuristic evaluation)
2. `design-systems/accessibility-audit`
3. `visual-critique/critique-color` (contrast ratios + semantic color)
4. `/plugin marketplace add Owl-Listener/inclusive-design-skills` (separate install)

Minimum Useful Set — Most Projects

Owl-Listener: `ui-design` + `interaction-design` + `visual-critique`

TypeUI: one style preset matching the project tone

Quick Reference: Style Preset Selection

Project Type	Recommended TypeUI Preset	Install Command
General SaaS / product	modern or refined	<code>npx typeui.sh pull modern</code>
Fintech / Banking	premium or refined	<code>npx typeui.sh pull premium</code>
Admin / B2B dashboard	enterprise or dashboard	<code>npx typeui.sh pull enterprise</code>
AI-native product	agentic or cosmic	<code>npx typeui.sh pull agentic</code>
Dev tool / CLI docs	matrix or mono	<code>npx typeui.sh pull matrix</code>
E-commerce	premium or vibrant	<code>npx typeui.sh pull premium</code>
Marketing / landing page	bold or dramatic	<code>npx typeui.sh pull bold</code>
shadcn/ui codebase	shadcn	<code>npx typeui.sh pull shadcn</code>
MVP / prototype	simple or clean	<code>npx typeui.sh pull simple</code>
Content / editorial	editorial or publication	<code>npx typeui.sh pull editorial</code>

Sources & References

1. Owl-Listener/designer-skills GitHub Repository
<https://github.com/Owl-Listener/designer-skills>
2. TypeUI — Official Website
<https://www.typeui.sh>
3. TypeUI — Pull Skills Documentation
<https://www.typeui.sh/docs/pull-skills>
4. TypeUI — Design Skills for Claude (Blog)
<https://www.typeui.sh/blog/design-skills-for-claude>
5. Bergside Awesome Design Skills Registry
<https://github.com/bergside/awesome-design-skills>
6. Composio — Top Design Skills for Claude Code
<https://composio.dev/content/top-design-skills>