```
#@title Licensed under the Apache License, Vericensed under the Apache

# you may not use this file except in compliance with the Licen

# You may obtain a copy of the License at License, Version 2.0 (the

# License at License at License at License at License 2.0 (the

# License | Lice
```

Multiple Layer LSTM

```
from future import absolute import, division, print function, unicode literals
import tensorflow datasets as tfds
import tensorflow as tf
print(tf.__version__)
import tensorflow datasets as tfds
import tensorflow as tf
print(tf.__version__)
# Get the data
dataset, info = tfds.load('imdb reviews/subwords8k', with info=True, as supervised=True)
train dataset, test dataset = dataset['train'], dataset['test']
tokenizer = info.features['text'].encoder
BUFFER SIZE = 10000
BATCH SIZE = 64
train dataset = train dataset.shuffle(BUFFER SIZE)
train dataset = train dataset.padded batch(BATCH SIZE, train dataset.output shapes)
test dataset = test dataset.padded batch (BATCH SIZE, test dataset.output shapes)
model = tf.keras.Sequential([
       tf. keras. layers. Embedding (tokenizer. vocab size, 64),
       tf. keras. layers. Bidirectional (tf. keras. layers. LSTM(64, return sequences=True)),
        tf. keras. layers. Bidirectional (tf. keras. layers. LSTM(32)),
        tf. keras. layers. Dense (64, activation='relu'),
        tf.keras.layers.Dense(1, activation='sigmoid')
])
```

```
model.summary()
model.compile(loss='binary_crossentropy', optimizer='adam', metrics=['accuracy'])

NUM_EPOCHS = 10
history = model.fit(train_dataset, epochs=NUM_EPOCHS, validation_data=test_dataset)

import matplotlib.pyplot as plt

def plot_graphs(history, string):
    plt.plot(history.history[string])
    plt.plot(history.history['val_'+string])
    plt.ylabel("Epochs")
    plt.ylabel(string)
    plt.legend([string, 'val_'+string])
    plt.show()

plot_graphs(history, 'accuracy')
```