

Sumida Electronic Shanghai
Co.,Ltd
No.88, Xutang Rd, 6th plant, X

SongjiangShanghai 201615

参考 FL10

报价单号

23CN/0000729/02

客户
日期

8303337
02/25/2026

部门
联系人
电子邮件
电话号码

销售
Yin He
yin_he@arburg.com
+86 (0)21 6085 2110

报价

We offer according to our Terms of Sales and Delivery without obligation:
根据我们的销售和交付条款，我们报价如下：

FL 10 Queraufbau an 320-570



ARBURG (Shanghai) Co., Ltd.
www.arburg.cn

阿博格机械(上海)有限公司

B zone, 1F, Building 1,
No.89 Youdong Rd
Shanghai 201199, P.R. China

上海市友东路89号1栋1楼B区

Tel.: +86 (0) 21 5488 8866
Fax.: +86 (0) 21 6268 9210
e-mail: china@arburg.com

邮编 / Post code: 201199

| CNY: 收款人: 阿博格机械(上海)有限公司 | 帐号:
上海浦东发展银行打浦桥支行 98690155300000137
| EUR: Beneficiary: ARBURG (Shanghai) Co., Ltd. |
Beneficiary bank: Shanghai Pudong Development Bank, Lu
Wan Sub-Branch | Bank account no.: 98993855300000026

Robot system	FLEXLIFT 10	133,000.00 CNY
Handling weight	max. 10 kg	
机器类型	ALLROUNDER 520 S	

Pos. 2	900/00	1 特殊选项 BCD for gripper	增加费用待估
Pos. 3	690/15	1 Robot in ARBURG mint green - light grey colour ARBURG薄荷绿-浅灰色涂装	标准配备
Pos. 4	690/46	1 Part set-down area on rear side of injection moulding machine 零件放置区域位于注塑机非操作侧	标准配备
Pos. 5	690/21	1 Robot control cabinet on the robot frame 机械手电柜固定于机械手上	标准配备

General information on robot system

- Designed for vertical access into the mould area for removal and insertion of parts
- 3 freely programmable CNC axes
- Drive via servo motors
- Simultaneous movements of axes possible
- System language: Chinese simplified, Chinese traditional, English

Axes, technical data

Z - axis (transversal to longitudinal axis of machine)

Stroke: 1,600 mm
max. speed: 2.5 m/s

X - axis (parallel to longitudinal axis of machine)

Stroke: 880 mm
max. speed: 1.5 m/s

Y - axis (vertical axis)

Stroke: 1,000 mm
max. speed: 2.0 m/s
max. handling weight: 10 kg (total of gripper, parts and additional axes)

(The technical data refer to the configuration selected)

Pos. 6	236/03	1	300 mm adapter for machine size 370, 420 and 520 300 mm 增高块 · 适用于370 · 420和520机型	标准配备
Pos. 7	900/00	1	特殊选项 对位置 236/03: adaptor increased 100mm for 520S	1,770.00 CNY
Pos. 8	235/20	1	C-axis with pneum. drive, swivel range 0°/90° 气动C轴 · 翻转角度0到90度	标准配备

Vacuum equipment for robot system 机械手系统的真空单元

Pos. 9	282/02	1	2x vacuum equipment (Venturi principle) for parts handling incl. suction monitoring 2个真空阀 (文氏管原理) · 用于产品吸取 · 包含吸取监测	标准配备
--------	--------	---	--	------

Pneumatic valves for robot system 机械手系统的气动阀

for the control of gripper functions, e.g.:

- parallel and angled gripper
- sprue picker
- pneumatic cylinder and stroke units
- rotation and swivel drives

Pos. 10	280/03	1	3x pneumatic valves for controlling gripper functions such as grippers, pincers, cylinders, lifting and rotary units - spring-return (5/2) 3个气动阀 · 用于控制夹具功能 · 如夹具、钳子、气缸、提升和旋转装置： - 弹簧复位 (5/2)	490.00 CNY
---------	--------	---	--	------------

Peripheral devices for the robot system 机械手系统的外围辅助装置

Pos. 11	464/10	1	Safety enclosure on rollers made of wire mesh, including adjustable opening for conveyor belt. Safety enclosure without door and without door switch 封闭式金属安全护栏 · 包含一个可调整大小的传送带开口 · 安全护栏不包括活动门以及对应的活动门电子开关	标准配备
---------	--------	---	---	------

Electric interfaces for gripper functions of robot system 机械手夹具功能的电气接口

Pos. 12	260/17	1	Interface with 8 freely programmable inputs for querying sensors for gripper functions. All inputs connected to plug, including mating plug 8个可编程的输入接口，用于接收夹具传感器信号。所有输入接口连接到Y轴底部母插头，包含一个对接客户传感器的公差头	标准配备
---------	--------	---	---	------

Electric interfaces for the communication of peripheral devices with the robot control 机械手与辅助装置通讯的电气接口

Pos. 13	271/00	1	EUROMAP 67 interface for communication with injection moulding machine Euromap 67接口，用于与注塑机通信	标准配备
Pos. 14	271/01	1	Interface (24V DC) with 17 freely programmable inputs and 5 freely programmable outputs on terminal strip in control cabinet of robot system 17个可编程输入接口和5个可编程输出接口 (24V DC)，接口位于机械手系统电控柜的端子排上	标准配备

Others

Pos. 15	605/51	1	Single-phase electric power AC 220V +/- 10% L/N/PE 50/60Hz 单相电源，AC 220V±10%，L/N/PE 50/60Hz	标准配备
---------	--------	---	--	------

净价	135,260.00 CNY
13 % 增值税	17,583.80 CNY

总价	152,843.80 CNY
----	----------------

The picture in this quotation is for illustration purposes only and is subject to variation without notice.
本报价中的图片仅供参考

供货日期

12월 26

价格

不包括增值税

付款条件

30% deposit/30%订金

60% before goods depatch/60%发货前支付

10% after machine installation, no later than 30 days after arrival at delivery destination if the failure not attributed to ARBURG/10%安装后支付
· 不可归责于ARBURG 责任时, 不晚于货物到达交付地30天内。

For above quoted amount the buyer will bear all bank transaction fees.
汇付上述金额所发生的所有银行费用由购买方承担。

If transportation cost increasing overpass 20%, Arburg reserve the title to increase price accordingly, the price increasing will be borne by customer.
如果运费成本上调超过20%, ARBURG 保留调整运费的权利, 由客户承担相应成本增加。

供货

DDP Sumida Shanghai. The risk of loss or damage to the delivered goods, as well as any additional costs due to events occurring after the delivery of the goods in the port of destination, are to be borne by the Buyer. The Buyer is obliged to inspect the unloaded goods and to inform the Seller immediately of any damages or losses identified by the Buyer before the unloading of the goods. In this case the Buyer has to suspend all unloading actions immediately. The Seller will be, without reasonable delay (i.e. within 24 hours) on-site for inspection of the damages and / or losses together with the Buyer. Buyer's claims in connection with the delivered goods must be rejected, if he fails to meet this afore mentioned obligations in time.

DDP Sumida上海。买方将承担机器到港后的任何风险(损坏, 丢失等)。
买方应马上在卸货前对到岸的机器进行检验。如发现任何损坏或丢失, 买方需停止任何装卸工作并通知卖方; 卖方将在24小时内赶到现场同买方检验损失。如买方没有遵循以上条款, 买方将无权向卖方索赔。

有效期

This quotation will remain valid for a period of 30 days from the data of issue.
自报价日起,该报价有效期为30天

ARBURG (Shanghai) Co., Ltd.
阿博格(上海)机械有限公司

此文件已通过电子邮件发送,因此没有签字

你的联系是

销售代表	Jiacui Cai (weg)
电子邮件	jiacui_cai@arburg.com
电话号码	+86 (0)21 6085 2188