```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <div class="logo">
        <img alt="Google" class="logo"
src="https://www.google.com/images/branding/googlelogo/1x/googlelogo_color_272x92
dp.png">
        <span style="color: blue;font-size: larger;font-weight: bold;">binchande
</span>India
    </div>

    <div class="bar">
    <input class="searchbar" type="text" title="Search" placeholder="search
your materials">

    </div>
    <div class="buttons">
    <button class="button" type="button">Google Search</button>

    </div>
</body>
</html>
```

Css

```css
.logo{
    margin-top:80px;
    margin-bottom:20px;
    margin-left: 200px;
    }
    .bar{
    margin:0 auto;
    width:575px;
    border-radius:30px;
    border:1px solid #dcdcdc;
    }
    .bar:hover{
    box-shadow: 1px 1px 8px 1px #dcdcdc;
```

```css
    }
    .bar:focus-within{
    box-shadow: 1px 1px 8px 1px #dcdcdc;
    outline:none;
    }
    .searchbar{
    height:45px;
    border:none;
    width:500px;
    font-size:16px;
    outline: none;
    margin-left: 50px;
    }
    .buttons{
    margin-top:30px;
    }
    .button{
    background-color: #1286d3;
    border:none;
    color:#f3e7e7e5;
    font-size:15px;
    padding: 10px 20px;
    margin:5px;
    border-radius:4px;
    outline:none;
    margin-left: 500px;
    }
    .button:hover{
    border: 1px solid #0f0505;
    padding: 9px 19px;
    color:#f50b0b;
    }
    .button:focus{
    border:1px solid #4885ed;
    padding: 9px 19px;
    }
```

```html
<!DOCTYPE html>
<html>
<head>
<style>
img {
  float: right;
```

```
    padding-top: 10px;
}
</style>
</head>
<body>
<h1>The float Property</h1>

<p>In this example, the image will float to the right in the text, and the text
in the paragraph will wrap around the image.</p>

<p><img src="a.JFIF" alt="Pineapple" style="width:170px;height:170px;margin-
left:15px;">
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus imperdiet,
nulla et dictum interdum,
nisi lorem egestas odio, vitae scelerisque enim ligula venenatis dolor. Maecenas
nisl est,
ultrices nec congue eget, auctor vitae massa. Fusce luctus vestibulum augue ut
aliquet.
Mauris ante ligula, facilisis sed ornare eu, lobortis in odio. Praesent convallis
urna a lacus interdum ut hendrerit risus congue.
Nunc sagittis dictum nisi, sed ullamcorper ipsum dignissim ac. In at libero sed
nunc venenatis imperdiet sed ornare turpis.
Donec vitae dui eget tellus gravida venenatis. Integer fringilla congue eros non
fermentum. Sed dapibus pulvinar nibh tempor porta.
Cras ac leo purus. Mauris quis diam velit.</p>

</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>assignment</title>
</head>
<body>
    Question 1
<h2>This is <i>italized</i></h2>
<h2>This is <u>underline</u></h2>
<h2>This is <em>emphasized</em></h2>
<h2>This is <b>bold</b></h2>
```

```html
<h2>This is <strong>strong</strong></h2>
<h2>This is <strike>strike through</strike></h2>
<h2>This is <sup>superscript</sup></h2>
<h2>This is <sub>subscript</sub></h2>
<h2>This is <big>big text</big></h2>
<h2>This is <small>small text</small></h2>
Question 2
<ol type="1">
    <li>Coffee</li>
    <li>Tea</li>
   <ol type="a">
       <li>Black  Tea</li>
       <li>Green Tea</li>
       <ol type="i">
           <li>China</li>
           <li>Africa</li>
       </ol>
   </ol>
    <li>Milk</li>
</ol>
<b>A Define list</b>
<dt>Bangaloe</dt>
<dd>capital City of Kamataka</dd>
<dt>Mombai</dt>
<dd>Capital City of Maharastra</dd> <br>
 Q3 table colspan  <br>
 <table border="1px solid ">
    <tr>
        <th colspan="5">Table Heading cell Spanning 4 columns</th>
    </tr>
    <td>
        <td>Normal Cell</td>
        <td colspan="2"> Cell Sanning 2 Columns</td>
        <td>Normal Cell</td>
    </td>
    <tr>
        <td rowspan="3" style="background-color: gray; font-family: 'Times New
Roman', Times, serif;" >Cell spanning 3 <br> with a Gray <br> (US spelling) <br>
background</td>
        <td>Normal Cell</td>
        <td>Normal Cell</td>
        <td>Normal Cell</td>
    </tr>
    <tr>
        <td>Normal Cell</td>
```

```html
        <td>Normal Cell</td>
        <td>Normal Cell</td>


    </tr>
    <tr>
        <td>Normal Cell</td>
        <td>Normal Cell</td>
        <td rowspan="2" colspan="2">cell Spanning <br> 2 rows and 2  columns</td>
    </tr>
 </table><br>
 Qn4 <br>
<fieldset style="width: 40%;">
    <legend>Personal Information</legend>
    <form action="">
        Degree <select name="" id="">
            <option value="">Master of Business Administration</option>
        </select> <br> <br>
        <label for="">Student ID</label>  <input type="text"> <br><br>
        </textarea>
    </form>
</fieldset> <br>
<fieldset style="width: 40%;">
    <legend>Personal Detail</legend>
    <form action="">
        <label for="">First Name</label>
        <input type="text"><br><br>
        <label for="">Last Name</label>
        <input type="text" name="" id=""><br><br>
        <label for="">Gender</label>
        <input type="radio"> Male
        <Input type="radio">Female <br><br>
            <label for="">Emaile</label>
            <input type="text"><br><br>
            <textarea name="" id="" cols="30" rows="10" style="width: 80%;">TERMS
AND CONDITIONS.............</textarea><br><br>
            <input type="submit" name="submit" value="Send Form">
            <input type="submit" name="submit" value="Clear Form">

    </form>
</fieldset>
<table border="1px solid" style="width: 40%;">
    <tr><th colspan="2" style="font-size: 40px;">Pizza Shop 2.0</th></tr>
    <tr>
        <td>name</td>
        <td><input type="text"></td>
```

```html
        </tr>
        <tr>
            <td>Pizza Topping</td>
            <td>
                <input type="radio">Supreme <br>
                <input type="radio">Vegetarian <br>
                <input type="radio">Hawaiian <br>
            </td>
        </tr>
        <td>Pizza Source</td>
        <td>
            <select name="" id="">
                <option value="" style="background-color: gray;">Tomato</option>
            </select>
        </td><br> <br>
        <tr>
        <td>Optional Extra</td>
        <td>
            <input type="checkbox">Extra Cheese
            <input type="checkbox">Glutten Free Base
        </td>
</tr>
</table> <br><br>
<table style="width: 50%;height: 20%;">
    <label for=""><b> Delivery Instraction </b></label><br> <br>
    <textarea name="" id="" cols="30" rows="10" style="width: 40%;"></textarea>
<br>
    <input type="submit" value="Submit my Order">
</table>
</body>
</html>
```