

Merchant Monetary System

Final Report



Project Supervisor

Mr. Samyan Qayyum Wahla

Group ID (G11)

Project Member

Syed Hashir	2021-CS-1
Kabir Ahmed	2021-CS-4
M. Hamad Hassan	2021-CS-33

Contents

1	Project Description	1
2	Project Features	2
3	Technology Stack	3
3.1	System Requirement	3
4	Project Actors	3
5	Use Cases	4
5.1	Use Case 1:Log In	4
5.2	Use Case 2:Forgot Password	5
5.3	Use Case 3:Detail of Accounts for CEO	7
5.4	Use Case 4:Detail of Accounts for Employee	9
5.5	Use Case 5:SignUp	11
5.6	Use Case 6:Update Account Information by CEO	14
5.7	Use Case 7:Update Account Information by Employee	17
5.8	Use Case 8:Add Products	20
5.9	Use Case 9:Update Products	21
5.10	Use Case 10:Detail of Products	23
5.11	Use Case 11:Add Category	25
5.12	Use Case 12:Update Category	26
5.13	Use Case 13:Add Vendor	27
5.14	Use Case 14:Update Vendor	29
5.15	Use Case 15:Add Stock	31
5.16	Use Case 16:Add WareHouse	33
5.17	Use Case 17:Update WareHouse	35
5.18	Use Case 18:View WareHouse	37
5.19	Use Case 19:Take Order	39
5.20	Use Case 20:Confirm the Incoming Order	41
5.21	Use Case 21:Add Vehicle	43
5.22	Use Case 22:Update Vehicle Information	44
5.23	Use Case 23:Add Shop and Shopkeeper	45
5.24	Use Case 24:Update Shop and Shopkeeper	47
5.25	Use Case 25:Add Payment	49
5.26	Use Case 26:Update Payment	51
5.27	Use Case 27:Ready the Incoming Order	52
5.28	Use Case 28:Accomplish the Order	53
5.29	Use Case 29: Plot the Minimum Spanning Tree for Multiple Shops	53
5.30	Use Case 30:Update Stock	54
5.31	Use Case 31: Add Company	56
5.32	Use Case 32: Update Company	58
5.33	Use Case 33:View Cart	59
5.34	Use Case 34:Order Details	60
5.35	Use Case 35:Update Order Status	60
5.36	Use Case 36:Assign Rider	61

6	User Interfaces	61
6.1	Introduction	61
6.2	Login	62
6.3	Forgot Password	63
6.4	SignUp	64
6.5	Update Account Information (CEO)	65
6.6	Update Account Information (Employee)	66
6.7	Account Detail (CEO)	68
6.8	Account Detail (Employee)	68
6.9	CEO Dashboard	69
6.10	Add Product	70
6.11	Update Product Record	71
6.12	Take Order	72
6.13	Email	73
6.14	Add Warehouse	74
6.15	Update Warehouse Record	75
6.16	Warehouse Detail	76
6.17	Warehouse Manager Dashboard	77
6.18	Employee Dashboard	78
6.19	Rider Dashboard	79
6.20	View Route	79
6.21	Add Shop/Shopkeeper	80
6.22	Add Payment	81
6.23	Update Payment Information	82
6.24	Add Vehicle	83
6.25	Update Vehicle Information	84
6.26	Add Category	85
6.27	Update Category Information	86
6.28	Add Vendor	87
6.29	Update Vendor Information	88
6.30	Add Stock	89
6.31	Update Stock Information	90
6.32	Order Summary	91
6.33	Order Detail	92
6.34	Add Company	93
7	Classes	94
		94
8	Object Oriented Features	94
8.1	Composition	94
8.2	Inheritance	95
8.3	Multi-Level Inheritance	95
8.4	Aggregation	95
8.5	Association	95
9	Detailed Object Oriented Design	95

10 Data Strucuture	97
10.1 Linked List	97
10.2 Array List	98
10.3 Hash Table	98
10.4 Graph	100
11 Exceptions	100
12 Data Storage	101
12.1 Users (CSV)	101
12.2 Warehouse (CSV)	102
12.3 Company (TXT)	102
12.4 Category (CSV)	102
12.5 Products (CSV)	102
12.6 Vendors (CSV)	103
12.7 Stocks (CSV)	103
12.8 ShopKeepers (CSV)	103
12.9 City (CSV)	103
12.10Orders (CSV)	104
12.11Vehicles (CSV)	104
12.12Ledgers (CSV)	104
12.13Routes (CSV)	105
13 Email Sending	105
14 Project Plan	105
15 Analytical Report	106

1 Project Description

The system is designed for a company that provides logistics (delivery of products to its client), product management (crud operations), and effective communication with their worker, clients, and vendors.

The company has its office, warehouse, and rider. It has a different contract with multiple firms to take the shipment from the vendors and store it in dedicated warehouses. The rider will take orders from the shopkeeper. Their order is received at the office, and the office will create the feasibility report according to their shopkeepers' needs and instructions generated for their warehouse manager to fulfill their order. The area-specific rider will receive an email about their order. The office will send a confirmation email to their shopkeeper.

There are a total of four actors in the system and two stakeholders. Their titles and roles are:

- **CEO:** The company's owner manages all the operations.
- **Employee:** They are assistants to CEO to help in company operations.
- **Warehouse Manager:** Received the instructions from the employee and ready the shipment for the rider, and managed other expenses.
- **Rider:** They take orders from different shopkeepers and deliver the product according to pre-subscribed routes defined by the system.

The stakeholder is:

- **Shopkeepers:** Getting the goods and services from the company.
- **Vendor:** The vendor will provide the products to the company.

This system is designed for one company and one CEO. CEO will be provided with already defined credentials. The CEO is responsible for creating accounts for all others actors. The CEO will provide a credential to the actors, and they will be able to update their credentials.

The first dedicated dashboard for the CEO, where they monitor all operations. The operations manage their workers, products, and expenses and send emails. The CEO is the only person in the system with access to all operations. CEO analyzes company operations, including the performance of their workers and inventory. The system will present the company expenditure report.

The second dashboard is for office employees. They have access to manage emails, shopkeepers' orders, vendors' shipments, and company expenses. The company's expenses are the CEO, rider, and warehouse salaries. The system will present the report of payment to the vendor and shopkeeper. An employee will enter all the shipments that the company receives. They add product identifiers.

The third dashboard is for the warehouse manager, who receives feasibility reports of office employees and prepares the order for the rider. The warehouse manager must record the labor used in preparing the order. It could provide the miscellaneous expenses of the warehouse, like electricity costs, etc. They can view the product and make suitable changes according to the requirements.

The fourth dashboard is for a rider, which is basically the communicator between the company and the shopkeeper. The rider is responsible for taking orders from the shopkeeper. Enter order details into the system. The riders will check the current orders assigned to them by the company. They will pick up the shipment from the warehouse and delivery them to the shopkeeper. The system will present the routes to the destination with the order detail. The rider received a

specific amount of fuel to perform the operations. The prescribed fuel is calculated according to the formula. They can see all the products. The product will be sorted in any order. Search for a specific product from a wide range of available products. The system will deploy different sharp algorithms to access the desired date orders quickly. Able to place the order and view the detail of the order as well.

The system will present the report to the CEO according to the performance of their workers, expenditures, sales and profit, salaries, inventory report, riders' performance, shopkeeper and vendor payment, workers' report, individual warehouse report, and miscellaneous expenses. Like how many products are received in the warehouse, how many products are left, how many products are delivered to company clients, how many riders have done shipments, which rider performs most shipments, and which rider needs to perform better. It also includes how many orders a shopkeeper placed and whether the company received the payment.

The email notification mechanism is embedded in the system, which helps the company communicate within and outside with other vendors and shopkeepers. After the rider has confirmed the order, the system will send an email to the company. The company will send the order details to the warehouse manager to prepare the shipment for the rider. The rider also received the email for the delivery of the order. The employee emails the CEO for any need of assistance with an issue. The warehouse manager and rider also mail to the company office for any assistance. In external communication, the client will receive a confirmation email from the system about their order. They also take assistance from the company with any issue.

All the data is stored in an effective data structure to extract the data according to the need of the system actor and stakeholder.

2 Project Features

1. CEO is able to manage employees, warehouse manager, rider, and shopkeeper.
2. CEO and Employee manage product-related operations.
3. CEO will be able to analyze company operations.
4. Warehouse manager readies the shipment for the rider.
5. Rider delivered the shipment to their shopkeeper.
6. Riders are able to select the shortest route to reach the destination.
7. One user is able to notify other users through email.
8. Riders are able to view products and place an order.
9. System presents different reports that will be generated.

3 Technology Stack

The system is designed, developed, and tested in a desktop application. The system used the following language, packages, and an Integrated development environment.

Table 1: Details of technology used in the system. The version number is enclosed in brackets

Language	C # (7.3)
Framework	.Net framework (4.7.2)
IDE	Microsoft Visual Studio 2022
Packages	Dynamic Language Runtime (1.3.3), Entity Framework (6.4.4), GMap.NET.Windows (2.1.7), Microsoft.CSharp (4.7.0), Newtonsoft.Json (13.0.1), Stub.System.Data.SQLite.Core.NetFramework (1.0.115.5), System.Buffers (4.5.1), System.Data.SqlClient (4.8.3) System.Data.SQLite (1.0.115.5) System.Memory (4.5.5) System.Numerics.Vectors (4.5.0) System.Reflection.Emit (4.3.0) System.Runtime.CompilerServices.Unsafe (4.5.3) System.Security.Principal.Windows (5.0.0)

3.1 System Requirement

Table 2: To run Merchant Monetary System, your computer must meet the minimum technical specifications outlined below. For optimum performance, use recommended system specifications.

Processor	Multicore Intel® or AMD processor (2 GHz or faster processor with SSE 4.2 or later) with 64-bit support
Operating system	Windows 8
RAM	4 GB
Monitor resolution	1280 x 800 display at 100
Hard disk space	1 GB of available hard-disk space
Internet	An active Internet connection is required to find the routes on map.

4 Project Actors

There are a total of four actors in the system and two stakeholders. Their titles and roles are:

- **CEO:** The company's owner manages all the operations.
- **Employee:** They are assistants to CEO to help in company operations.
- **Warehouse Manager:** Received the instructions from the employee and ready the shipment for the rider, and managed other expenses.
- **Rider:** They take orders from different shopkeepers and deliver the product according to pre-subscribed routes defined by the system.

The stakeholders are:

- **Shopkeeper:** Getting the goods and services from the company.
- **Vendor:** The vendor will provide the products to the company.

5 Use Cases

5.1 Use Case 1:Log In

Use Case ID	U01
Name	Login
Actors	CEO, Employee, Rider, Warehouse Manager
Description	The login screen will be presented. The actor will select their role and enter their username and password. And click on the login button. The system will check for its validity. The system will present the respective dashboard.
Pre-Condition	The respective actor will initiate the system, and the login in form is presented.

Table 3 – *Continued on next page*

Table 3 – *Continued from previous page*

Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to take identifiers. 2. Actor selects his/her role from the given list. 3. Actor enters his/her username. 4. Actor enters his/her password. 5. Actor clicks on the login button. <p>Extensions (or Alternative Flows):</p> <p>*a. If forgot password button is clicked</p> <ol style="list-style-type: none"> 1. U02 will initiate <p>*b. If the exit button is clicked</p> <ol style="list-style-type: none"> 1. System will close <p>2a. If the actor doesn't select his/her role.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3a. If the actor doesn't enter his/her username.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4a. If the actor doesn't enter his/her password.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5a. if the selected role doesn't exist with existing data</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5b. if the entered username doesn't exist with existing data</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5c. if the entered password doesn't exist with existing data</p> <ol style="list-style-type: none"> 1. Error Signal will be present.
Post-Condition	Respective Dashboard will be presented
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.2 Use Case 2:Forgot Password

Use Case ID	U02
Name	Forgot Password
Actors	CEO, Employee, Rider, Warehouse Manager
Description	Already registered users can change their password. The actor selects their role and enters his username and password. Then the actor confirms their password and clicks on Update Button; their password will be changed.
Pre-Condition	User must be registered in the system. Forgot Password screen is presented.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers. 2. Actor selects his/her role from the given list. 3. Actor enters his/her username. 4. Actor enters his/her password. 5. Actor confirms his/her password. 6. Actor clicks on the Update button. <p>Extensions (or Alternative Flows):</p> <p>*a. If forgot password button is clicked</p> <ol style="list-style-type: none"> 1. U02 will initiate <p>*b. If the reset button is clicked</p> <ol style="list-style-type: none"> 1. All fields will get cleared. <p>2a. If the actor doesn't select his/her role.</p> <ol style="list-style-type: none"> 1. Error Signal will be presented. <p>3a. If the actor doesn't enter his/her username.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4a. If the actor doesn't enter his/her password.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5a. if the selected role doesn't exist with in existing data</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5b. if the entered username doesn't exist with in existing data</p> <ol style="list-style-type: none"> 1. Error Signal will be present.

Table 4 – *Continued on next page*

Table 4 – *Continued from previous page*

Flow	<p>5c. if the entered password doesn't exist with in existing data</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5d. if the password doesn't match the password that the user confirmed</p> <ol style="list-style-type: none"> 1. Error Signal will be present.
Post-Condition	Actor's Password Updated
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.3 Use Case 3:Detail of Accounts for CEO

Use Case ID	U03
Name	Detail of Account for CEO
Actors	CEO
Description	CEO can view the details of each user who have registered themselves on this system. CEO can filter out users with certain designations and certain attributes and can apply multiple filters to search out specific users and their data. CEO can delete as well as edit users.
Pre-Condition	Detail of Accounts Screen is presented.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. CEO selects the designation from the given list. 2. CEO selects the attribute from the given list. 3. CEO could search the data from the identifier. 4. CEO selects the filters from the given list. 5. CEO clicks on the Go button. 6. CEO selects the data(any row shown in the grid)from the grid. 7. CEO clicks on the Edit button, and a new Edit user screen opens. 8. CEO clicks on the Delete button. 9. CEO clicks on the Close button. <p>Extensions (or Alternative Flows):</p>

Table 5 – *Continued on next page*

Table 5 – *Continued from previous page*

	<p>1. If CEO did not select any designation from the drop-down.</p> <p>1. Error Signal will be present.</p> <p>2. If CEO did not select any attribute from the drop-down.</p> <p>1. Error Signal will be present.</p> <p>3a. If CEO did not select any designation and entered the data in the identifier to search.</p> <p>1. The searched data will show from the first attribute.</p> <p>3b. If CEO did not select any Attribute and entered the data in the identifier to search.</p> <p>1. The searched data will show from the first attribute.</p> <p>3c. If CEO did not select any designation and Attribute and entered the data in the identifier to search.</p> <p>1. The searched data will show from the first attribute.</p> <p>4a. If CEO did not select any Filter from the given list</p> <p>1. No operation of the filter is applied to the data.</p> <p>4b. If CEO did not select any Attribute from the given list and select any filter</p> <p>1. No operation of the filter is applied to the data.</p> <p>5a. If CEO did not select any Attribute, Designation, or filter from the given list and not enter the data to be searched in identifier</p> <p>1. Error Message box will be shown.</p> <p>6. If CEO did not select any data from the grid list.</p> <p>1. No operation is performed.</p>
	<p>7. If CEO did not select any data from the grid list and clicked the edit button.</p>

Table 5 – *Continued on next page*

Table 5 – *Continued from previous page*

Flow	<p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p> <p>8. If CEO did not select any data from the grid list and clicked the delete button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p>
Post-Condition	Data from selected row will be deleted or updated
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.4 Use Case 4:Detail of Accounts for Employee

Use Case ID	U04
Name	Detail of Account for Employee
Actors	Employee
Description	Employee can view the details of each user who have registered themselves on this system. Employee can filter out users with certain designations and certain attributes and can apply multiple filters to search out specific users and their data. Employee can delete as well as edit users.
Pre-Condition	Detail of Accounts Screen is presented.

Table 6 – *Continued on next page*

Table 6 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Employee selects the designation from the given list. 2. Employee selects the attribute from the given list. 3. Employee could search the data from the identifier. 4. Employee selects the filters from the given list. 5. Employee clicks on the Go button. 6. Employee selects the data(any row shown in the grid)from the grid. 7. Employee clicks on the Edit button, and a new Edit user screen opens. 8. Employee clicks on the Delete button. 9. Employee clicks on the Close button.
	<p>Extensions (or Alternative Flows):</p> <ol style="list-style-type: none"> 1. If Employee did not select any designation from the drop-down. <ol style="list-style-type: none"> 1. Error Signal will be present. 2. If Employee did not select any attribute from the drop-down. <ol style="list-style-type: none"> 1. Error Signal will be present. 3a. If Employee did not select any designation and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 3b. If Employee did not select any Attribute and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 3c. If Employee did not select any designation and Attribute and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 4a. If Employee did not select any Filter from the given list

Table 6 – *Continued on next page*

Table 6 – *Continued from previous page*

	<p>1. No operation of the filter is applied to the data.</p> <p>4b. If Employee did not select any Attribute from the given list and select any filter</p> <p>1. No operation of the filter is applied to the data.</p> <p>5a. If Employee did not select any Attribute, Designation, or filter from the given list and not enter the data to be searched in identifier</p> <p>1. Error Message box will be shown.</p> <p>6. If Employee did not select any data from the grid list.</p> <p>1. No operation is performed.</p> <p>7. If Employee did not select any data from the grid list and clicked the edit button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p> <p>8. If Employee did not select any data from the grid list and clicked the delete button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p>
Post-Condition	Data from selected row will be deleted and a dashboard will be presented
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.5 Use Case 5:SignUp

Use Case ID	U05
Name	SignUp

Table 7 – *Continued on next page*

Table 7 – *Continued from previous page*

Actors	CEO, Employee
Description	Actor select the designation of the worker from the given list, name, username, password, CNIC number, gender, contact number, email address, and home address.
Pre-Condition	The system presents the SignUp screen
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to create the identifiers. 2. Actor selects the designation of the worker from the given list. 3. Actor enters worker name. 4. Actor enters worker's password. 5. Actor confirms the entered password. 6. Actor enters worker's CNIC number. 7. Actor enters worker gender. 8. Actor enters worker contact number. 9. Actor enters worker's email address. 10. Actor enters worker's home address. 11. If the designation is rider, then select the vehicle from the list. 12. Actor clicks on the create account button, and the system sends an email. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>3a. If the actor doesn't enter the worker's name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the actor enters an invalid worker's name</p>

Table 7 – *Continued on next page*

Table 7 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>4a. If the actor doesn't enter the worker's username</p> <p>1. Error Signal will be present.</p> <p>5a. If the actor doesn't enter the worker's password</p> <p>1. Error Signal will be present.</p> <p>5b. If the actor enters an invalid worker's password</p> <p>1. Error Signal will be present.</p> <p>6a. If the actor enters the worker's password does not match the previously entered password</p> <p>1. Error Signal will be present.</p> <p>7a. If the actor doesn't enter the worker's CNIC number</p> <p>1. Error Signal will be present.</p> <p>7b. If the actor enters invalid the worker's CNIC number</p> <p>1. Error Signal will be present.</p> <p>9a. If the actor doesn't enter the worker's contact number</p> <p>1. Error Signal will be present.</p> <p>9b. If the actor enters invalid the worker's contact number</p> <p>1. Error Signal will be present.</p> <p>10a. If the actor doesn't enter the worker's email address</p> <p>1. Error Signal will be present.</p> <p>10b. If the actor enters invalid the worker's email address</p>
--	--

Table 7 – *Continued on next page*

Table 7 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>11a. If the actor doesn't enter the worker's home address</p> <p>1. Error Signal will be present.</p>
Post-Condition	The account information is stored in the database, and the screen will be closed.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	The username validation does not work properly.

5.6 Use Case 6:Update Account Information by CEO

Use Case ID	U06
Name	Update Account Information by CEO
Actors	CEO
Description	CEO could change the designation of their worker from the given list of designation, name, username, password, CNIC number, gender, contact number, email address, and home address.
Pre-Condition	The Updated Account Information screen is presented. The registered account information of the actors in the system will be presented in the identifiers.

Table 8 – *Continued on next page*

Table 8 – *Continued from previous page*

Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. CEO is ready to update the identifiers. 2. CEO selects the designation of the worker from the given list to change their role. 3. CEO changes their or worker's name. 4. CEO changes their or worker's username. 5. CEO changes their or worker's password. 6. CEO confirms the entered password. 7. CEO changes their or worker's CNIC number. 8. CEO changes their or worker's gender. 9. CEO changes their or worker's contact number. 10. CEO changes their or worker's email address. 11. CEO changes their or worker's home address. 12. CEO changes the vehicle from the given list. 13. CEO clicked on the update account button and the system sends an email. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>3a. If the CEO doesn't enter their or the worker's name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the CEO enters invalid their or the worker's name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4a. If the CEO doesn't enter their or the worker's username</p>
------	---

Table 8 – *Continued on next page*

Table 8 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>5a. If the CEO doesn't enter their or the worker's password</p> <p>1. Error Signal will be present.</p> <p>5b. If the CEO enters invalid their or the worker's password</p> <p>1. Error Signal will be present.</p> <p>6a. If the CEO enter their or the worker's password does not match the previously entered password</p> <p>1. Error Signal will be present.</p> <p>7a. If the CEO doesn't enter their or the worker's CNIC number</p> <p>1. Error Signal will be present.</p> <p>7b. If the CEO enters invalid their or the worker's CNIC number</p> <p>1. Error Signal will be present.</p> <p>9a. If the CEO doesn't enter their or the worker's contact number</p> <p>1. Error Signal will be present.</p> <p>9b. If the CEO enters invalid their or the worker's contact number</p> <p>1. Error Signal will be present.</p> <p>10a. If the CEO doesn't enter their or the worker's email address</p> <p>1. Error Signal will be present.</p> <p>10b. If the CEO enters invalid their or the worker's email address</p> <p>1. Error Signal will be present.</p> <p>11a. If the CEO doesn't enter their or the worker's home address</p>
--	---

Table 8 – *Continued on next page*

Table 8 – *Continued from previous page*

	1. Error Signal will be present.
Post-Condition	The account information is updated in the database, and the screen will be closed.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.7 Use Case 7:Update Account Information by Employee

Use Case ID	U07
Name	Update Account Information by Employee
Actor	Employee
Description	employee could change the designation of the company workers (except there and the CEO) from the given list of designation, name, username, password, CNIC number, gender, contact number, email address, and home address.
Pre-Condition	The Updated Account Information screen is presented. The registered account information of the actors in the system will be presented in the identifiers.

Table 9 – *Continued on next page*

Table 9 – *Continued from previous page*

Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Employee is ready to update the identifiers. 2. Employee selects the designation of the worker from the given list to change their role. 1. Employee changes worker name. 2. Employee changes worker's password. 3. Employee confirms the entered password. 4. Employee changes worker's CNIC number. 5. Employee changes worker gender. 6. Employee changes worker contact number. 7. Employee changes worker's email address. 8. Employee changes worker's home address. 9. Employee changes the vehicle from the given list. 10. Employee clicked on the update account button and the system sends an email. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>3a. If the employee doesn't enter the worker's name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the employee enters an invalid worker's name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5a. If the employee doesn't enter the worker's password</p>
------	--

Table 9 – *Continued on next page*

Table 9 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>5b. If the employee enters an invalid worker's password</p> <p>1. Error Signal will be present.</p> <p>6a. If the employee enters the worker's password does not match the previously entered password</p> <p>1. Error Signal will be present.</p> <p>7a. If the employee doesn't enter the worker's CNIC number</p> <p>1. Error Signal will be present.</p> <p>7b. If the employee enters invalid the worker's CNIC number</p> <p>1. Error Signal will be present.</p> <p>9a. If the employee doesn't enter the worker's contact number</p> <p>1. Error Signal will be present.</p> <p>9b. If the employee enters invalid the worker's contact number</p> <p>1. Error Signal will be present.</p> <p>10a. If the employee doesn't enter the worker's email address</p> <p>1. Error Signal will be present.</p> <p>10b. If the employee enters invalid the worker's email address</p> <p>1. Error Signal will be present.</p> <p>11a. If the employee doesn't enter the worker's home address</p> <p>1. Error Signal will be present.</p>
Post-Condition	The account information is updated in the database, and the screen will be closed.
Assigned To	M. Hamad Hassan

Table 9 – *Continued on next page*

Table 9 – *Continued from previous page*

Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.8 Use Case 8: Add Products

Use Case ID	U08
Name	Add Products
Actor	CEO, Employee
Description	Vendor arrives at the company with a new product. The respective actor adds the product name, weight, and volume and selects a category, vendor, and sensitivity type from the list. Then the actor clicks on Add button.
Pre-Condition	New Product arrives, and the CEO or Employee wants to add them into the system. The Add Product Form will be presented.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to add product. 2. Product ID will automatically be generated. 3. Actor enters Product Name. 4. Actor selects a category from the given list. 5. Actor selects the vendor of the product from the given list. 6. Actor enters the weight of each product. 7. Actor enters the volume of each product. 8. Actor selects product's sensitivity type. 9. Actor clicks on Add Button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Back button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p>

Table 10 – *Continued on next page*

Table 10 – *Continued from previous page*

	<p>1. All fields will get cleared.</p> <p>3a. If the actor doesn't enter the product name.</p> <p>1. Error Signal will be presented.</p> <p>4a. If the actor doesn't select a category.</p> <p>1. Error Signal will be present.</p> <p>5a. If the actor doesn't select a vendor.</p> <p>1. Error Signal will be present.</p> <p>6a. If the actor doesn't enter the weight of the product.</p> <p>1. Error Signal will be presented.</p> <p>6b. If the actor enters the invalid weight of the product, i.e., type string while entering weight.</p> <p>1. Error Signal will be presented.</p> <p>7a. If the actor doesn't enter the volume of the product.</p> <p>1. Error Signal will be presented.</p> <p>7b. If the actor enters the invalid volume of the product, i.e., type string while entering volume.</p> <p>1. Error Signal will be presented.</p>
Post-Condition	A new product info will be added to system
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.9 Use Case 9:Update Products

Use Case ID	U09
Name	Update Products
Actor	CEO, Employee
Description	Updation Required for product details. The actor updates the identifiers where required and clicks on the Update Button. Details of the product will be updated in the system.

Table 11 – *Continued on next page*

Table 11 – *Continued from previous page*

Pre-Condition	Updation Required for Product Details. An update product screen will be presented. All fields are filled according to the existing details.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to update product identifiers. 2. Product ID is automatically disabled and non-editable. 3. Actor updates Product Name. 4. Actor updates a category. 5. Actor updates the vendor of the product. 6. Actor updates the weight of each product. 7. Actor updates the volume of each product. 8. Actor updates product's sensitivity type. 9. Actor clicks on the Update Button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Back button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p>

Table 11 – *Continued on next page*

Table 11 – *Continued from previous page*

	<p>1. All fields will get cleared.</p> <p>3a. If the actor doesn't enter the product name.</p> <p>1. Error Signal will be presented.</p> <p>6a. If the actor doesn't enter the weight of the product.</p> <p>1. Error Signal will be presented.</p> <p>6b. If the actor enters the invalid weight of the product, i.e., type string while entering weight.</p> <p>1. Error Signal will be presented.</p> <p>7a. If the actor doesn't enter the volume of the product.</p> <p>1. Error Signal will be presented.</p> <p>7b. If the actor enters the invalid volume of the product, i.e., type string while entering volume.</p> <p>1. Error Signal will be presented.</p>
Post-Condition	The product with updated details will be added to the system.
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.10 Use Case 10:Detail of Products

Use Case ID	U10
Name	Detail of Products
Actor	CEO,Employee
Description	Actor can view the details of each product that registered on this system. Actor can filter out products with certain attributes and can apply multiple filters to search out specific users and their data. Actor can delete as well as edit products.
Pre-Condition	Detail of Products Screen will be presented.

Table 12 – *Continued on next page*

Table 12 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor selects the attribute from the given list. 2. Actor could search the data from the identifier. 3. Actor selects the filters from the given list. 4. Actor clicks on the Go button. 5. Actor selects the data(any row shown in the grid)from the grid. 6. Actor clicks on the Edit button, and a new Edit user screen opens. 7. Actor clicks on the Delete button. 8. Actor clicks on the Close button.
	<p>Extensions (or Alternative Flows):</p> <ol style="list-style-type: none"> 1. If Actor did not select any attribute from the drop-down. <ol style="list-style-type: none"> 1. Error Signal will be present. 2a. If Actor did not select any Attribute and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 2b. If Actor did not select any designation and Attribute and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 3a. If Actor did not select any Filter from the given list <ol style="list-style-type: none"> 1. No operation of the filter is applied to the data. 3b. If Actor did not select any Attribute from the given list and select any filter <ol style="list-style-type: none"> 1. No operation of the filter is applied to the data. 4a. If Actor did not select any Attribute, Designation, or filter from the given list and not enter the data to be searched in identifier

Table 12 – *Continued on next page*

Table 12 – *Continued from previous page*

	<p>1. Error Message box will be shown.</p> <p>5. If Actor did not select any data from the grid list.</p> <p>1. No operation is performed.</p> <p>6. If Actor did not select any data from the grid list and clicked the edit button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p> <p>7. If Actor did not select any data from the grid list and clicked the delete button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p>
Post-Condition	Data from selected row will be deleted and a dashboard will be presented
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.11 Use Case 11: Add Category

Use Case ID	U11
Name	Add Category
Actor	CEO, Employee
Description	Adding a category for a product will initiate with Add Category screen. The respective actor adds a category name and clicks on Add Button. The category is added to the system.
Pre-Condition	Add Category screen will be presented.

Table 13 – *Continued on next page*

Table 13 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to enter identifier. 2. Actor enters the category name 3. Actor clicks on the Add Button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p> <ol style="list-style-type: none"> 1. Category identifier will get cleared. <p>2a. Actor doesn't enter the category name.</p> <ol style="list-style-type: none"> 1. Error Signal will be presented. <p>2b. Actor enters the invalid category, i.e., integer instead of string</p> <ol style="list-style-type: none"> 1. Error Signal will be presented.
Post-Condition	The Category will be added to the system.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.12 Use Case 12:Update Category

Use Case ID	U12
Name	Update Category
Actor	CEO, Employee
Description	Updating a category will initiate with the Update Category screen. The respective Actor updates the category name and clicks on the Update Button. The category is updated.
Pre-Condition	Update Category screen will be presented and the identifier is already filled with previously entered category

Table 14 – *Continued on next page*

Table 14 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to update identifier. 2. Actor updates the category name 3. Actor clicks on the Update Button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p> <ol style="list-style-type: none"> 1. Category identifier will get cleared. <p>2a. Actor doesn't enter the category name.</p> <ol style="list-style-type: none"> 1. Error Signal will be presented. <p>2b. Actor enters the invalid category, i.e., integer instead of string</p> <ol style="list-style-type: none"> 1. Error Signal will be presented.
Post-Condition	The Category will be updated and added to the system.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.13 Use Case 13: Add Vendor

Use Case ID	U13
Name	Add Vendor
Actor	CEO, Employee
Description	The respective actors will add the manufacturer or vendor details by entering the details, e.g., its name, address, landline number, concerned person, and contact. Then click on Add Button. Now you have a new vendor for your company
Pre-Condition	Add Vendor screen will be presented to the respective actors.

Table 15 – *Continued on next page*

Table 15 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers. 2. Actor enters vendor name. 3. Actor enters vendor's landline number. 4. Actor enters vendor's address. 5. Actor enters the concerned person's name. 6. Actor enters the concerned person's contact number. 7. Actor clicks on Add button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p>
------	--

Table 15 – *Continued on next page*

Table 15 – *Continued from previous page*

	<p>1. All identifiers will get cleared.</p> <p>2a. Actor doesn't enter the vendor's name.</p> <p>1. Error Signal will be presented.</p> <p>3a. Actor doesn't enter the vendor's landline number.</p> <p>1. Error Signal will be presented.</p> <p>4a. Actor doesn't enter the vendor's address.</p> <p>1. Error Signal will be presented.</p> <p>5a. Actor doesn't enter the concerned person's name.</p> <p>1. Error Signal will be presented.</p> <p>6a. Actor doesn't enter the concerned person's contact number.</p> <p>1. Error Signal will be presented.</p> <p>7a. Actor enters the invalid landline number, i.e., string instead of numbers</p> <p>1. Error Signal will be presented.</p> <p>7b. Actor enters the invalid concerned person's number, i.e., string instead of numbers</p> <p>1. Error Signal will be presented.</p>
Post-Condition	Vendor details will be added to the system.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.14 Use Case 14:Update Vendor

Use Case ID	U14
Name	Update Vendor
Actor	CEO, Employee
Description	The respective actors will update the manufacturer or vendor details by initiating the Update vendor screen. Update the details of your own choice and then click on Update Button. Vendor details have been updated.

Table 16 – *Continued on next page*

Table 16 – *Continued from previous page*

Pre-Condition	Update Vendor screen will be presented to the respective actors, and existing details are already filled in the identifiers fields.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to update the identifiers. 2. Actor updates vendor name. 3. Actor updates vendor's landline number. 4. Actor updates the vendor's address. 5. Actor updates the concerned person's name. 6. Actor updates the concerned person's contact number. 7. Actor clicks on Add button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p>

Table 16 – *Continued on next page*

Table 16 – *Continued from previous page*

	<p>1. All identifiers will get cleared.</p> <p>2a. Actor doesn't enter the vendor's name.</p> <p>1. Error Signal will be presented.</p> <p>3a. Actor doesn't enter the vendor's landline number.</p> <p>1. Error Signal will be presented.</p> <p>4a. Actor doesn't enter the vendor's address.</p> <p>1. Error Signal will be presented.</p> <p>5a. Actor doesn't enter the concerned person's name.</p> <p>1. Error Signal will be presented.</p> <p>6a. Actor doesn't enter the concerned person's contact number.</p> <p>1. Error Signal will be presented.</p> <p>7a. Actor enters the invalid landline number, i.e., string instead of numbers</p> <p>1. Error Signal will be presented.</p> <p>7b. Actor enters the invalid concerned person's number, i.e., string instead of numbers</p> <p>1. Error Signal will be presented.</p>
Post-Condition	Vendor details will be updated and added to the system.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.15 Use Case 15: Add Stock

Use Case ID	U15
Name	Add Stock
Actor	CEO, Employee
Description	Stock of added products will now add. Initiate Add Stock screen and add identifiers. Select product; enters quantity retail price and cost price, and select expiry manufacturing and date of stock add. then click on Add button. Stock will be added.
Pre-Condition	Add Stock screen will be presented to the respective actor.

Table 17 – *Continued on next page*

Table 17 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the stock. 2. Actor selects the product from the given list. 3. Actor enters the product quantity. 4. Actor enters the Retail Price. 5. Actor enters the Cost Price. 6. Actor selects the date of the stock added. 7. Actor selects the manufacturing date of the stock. 8. Actor selects the expiry date of the stock. 9. Actor clicks on Add button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p>
------	--

Table 17 – *Continued on next page*

Table 17 – *Continued from previous page*

	<ol style="list-style-type: none"> 1. All identifiers will get cleared. 2a. actor doesn't enter the vendor's name. <ol style="list-style-type: none"> 1. Error Signal will be presented. 3a. if the actor enters string instead of integers. <ol style="list-style-type: none"> 1. Error Signal will be presented. 3b. if the actor enters a negative quantity. <ol style="list-style-type: none"> 1. Error Signal will be presented. 4a. if the actor enters a string instead of a number. <ol style="list-style-type: none"> 1. Error Signal will be presented. 4b. if the actor enters a negative number. <ol style="list-style-type: none"> 1. Error Signal will be presented. 5a. if the actor enters a string instead of a number. <ol style="list-style-type: none"> 1. Error Signal will be presented. 5b. if the actor enters a negative number. <ol style="list-style-type: none"> 1. Error Signal will be presented. 9a. If the manufacturing date is greater than the expiry date <ol style="list-style-type: none"> 1. Error Signal will be presented. 9b. If the manufacturing date is greater than the current date <ol style="list-style-type: none"> 1. Error Signal will be presented. 9c. If the expiry date is less than the current date <ol style="list-style-type: none"> 1. Error Signal will be presented.
Post-Condition	Stock of the product will be added.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.16 Use Case 16: Add Warehouse

Use Case ID	U16
Name	Add WareHouse
Actor	CEO,Employee
Description	. The respective actor adds the warehouse name, area, city, state, and capacity volume. Then the actor clicks on Next button.
Pre-Condition	Add WareHouse Screen will be presented.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to add wareHouse. 2. Actor enters WareHouse Name. 3. Actor selects the area of wareHouse. 4. Actor selects the city of wareHouse. 5. Actor selects the state of wareHouse. 6. Actor enters the capacity volume of wareHouse. 7. Actor clicks on Next Button. <p>Extensions (or Alternative Flows):</p> <p>2a. If Actor did not enter the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2b. If Actor enter invalid characters in the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2c. If Actor enter improper data(single alphabet etc) in the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2d. If Actor enter digits in the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3. If Actor did not select any area from the drop-down.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4. If Actor did not select any city from the drop-down.</p>

Table 18 – Continued on next page

Table 18 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>5. If Actor did not select any state from the drop-down.</p> <p>1. Error Signal will be present.</p> <p>6a. If Actor did not enter capacity volume from the drop-down.</p> <p>1. Error Signal will be present.</p> <p>6b. If Actor enter invalid characters in the wareHouse capacity.</p> <p>1. Error Signal will be present.</p> <p>6c. If Actor enter improper data(alphabets, negative values etc) in the wareHouse capacity.</p> <p>1. Error Signal will be present.</p>
Post-Condition	after clicked next button new form of Add WareHouse Manager will be presented.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.17 Use Case 17:Update WareHouse

Use Case ID	U17
Name	Add WareHouse
Actor	CEO,Employee
Description	. The respective actor can edit the warehouse name, area, city, state, and capacity volume.
Pre-Condition	Edit WareHouse Screen will be presented.

Table 19 – *Continued on next page*

Table 19 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to edit wareHouse. 2. Actor edits WareHouse Name. 3. Actor edits the area of wareHouse. 4. Actor edits the city of wareHouse. 5. Actor edits the state of wareHouse. 6. Actor updates the capacity volume of wareHouse. 7. Actor clicks on Next Button. <p>Extensions (or Alternative Flows):</p> <p>2a. If Actor did not enter the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2b. If Actor enter invalid characters in the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2c. If Actor enter improper data(single alphabet etc) in the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2d. If Actor enter digits in the wareHouse name.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3. If Actor did not select any area from the drop-down.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4. If Actor did not select any city from the drop-down.</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>5. If Actor did not select any state from the drop-down.</p>
------	---

Table 19 – *Continued on next page*

Table 19 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>6a. If Actor did not enter capacity volume from the drop-down.</p> <p>1. Error Signal will be present.</p> <p>6b. If Actor enter invalid characters in the wareHouse capacity.</p> <p>1. Error Signal will be present.</p> <p>6c. If Actor enter improper data(alphabets, negative values etc) in the wareHouse capacity.</p> <p>1. Error Signal will be present.</p>
Post-Condition	Dashboard will be presented.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.18 Use Case 18:View WareHouse

Use Case ID	U18
Name	Detail of WareHouses
Actor	CEO,Employee
Description	Actor can view the details of each WareHouse that registered on this system. Actor can filter out WareHouses with certain attributes and can apply multiple filters to search out specific wareHouse and their data. Actor can delete as well as edit wareHouses.
Pre-Condition	Detail of Accounts Screen is presented.

Table 20 – *Continued on next page*

Table 20 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor selects the attribute from the given list. 2. Actor could search the data from the identifier. 3. Actor selects the filters from the given list. 4. Actor clicks on the Go button. 5. Actor selects the data(any row shown in the grid)from the grid. 6. Actor clicks on the Edit button, and a new Edit user screen opens. 7. Actor clicks on the Delete button. 8. Actor clicks on the Close button. <p>Extensions (or Alternative Flows):</p> <ol style="list-style-type: none"> 1. If Actor did not select any attribute from the drop-down. <ol style="list-style-type: none"> 1. Error Signal will be present. 2a. If Actor did not select any Attribute and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 2b. If Actor did not select any designation and Attribute and entered the data in the identifier to search. <ol style="list-style-type: none"> 1. The searched data will show from the first attribute. 3a. If Actor did not select any Filter from the given list <ol style="list-style-type: none"> 1. No operation of the filter is applied to the data. 3b. If Actor did not select any Attribute from the given list and select any filter <ol style="list-style-type: none"> 1. No operation of the filter is applied to the data. 4a. If Actor did not select any Attribute, Designation, or filter from the given list and not enter the data to be searched in identifier
------	--

Table 20 – *Continued on next page*

Table 20 – *Continued from previous page*

Flow	<p>1. Error Message box will be shown.</p> <p>5. If Actor did not select any data from the grid list.</p> <p>1. No operation is performed.</p> <p>6. If Actor did not select any data from the grid list and clicked the edit button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p> <p>7. If Actor did not select any data from the grid list and clicked the delete button.</p> <p>1. No operation I performed on any data list in the grid.</p> <p>2. Message Box will be shown.</p>
Post-Condition	Data from selected row will be deleted and a dashboard will be presented
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.19 Use Case 19:Take Order

Use Case ID	U19
Name	Take Order
Actor	Rider
Description	Rider is now at the shop. The shopkeeper tells the rider about the products which he wants to order. The rider adds the product from the list with the specified quantity to the cart. The process continues until the shopkeeper orders all required products. Then the rider moves toward the Order Summary screen. Selects the shopkeeper from the list. The rider can change the order details. And in the end, click on the Buy button to place the order.
Pre-Condition	Rider has arrived at the shop, and the shopkeeper is giving him the order. Take Order screen is presented.

Table 21 – *Continued on next page*

Table 21 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to take the order. 2. Actor recommends different products to the shopkeeper. 3. Actor adds the product to the cart by clicking on Add to Cart button with the shopkeeper's consent and requirement, i.e., the quantity of the shopkeeper's need. 4. The process continues until the shopkeeper orders all required products. 5. Actor clicks on View Cart. 6. Order Summary screen will be presented. 7. Grand Total Amount is shown at the bottom left of the screen. 8. Actor selects the shopkeeper's name from the given list. 9. Actor can update and remove the product from the ordered items list of the shopkeeper. 10. Click on the Buy button at the end of the screen to confirm the order. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked in the Order Summary screen</p> <ol style="list-style-type: none"> 1. Ordered items list will get cleared. <p>*c. If the back button is clicked in the Order Summary screen</p>
------	--

Table 21 – *Continued on next page*

Table 21 – *Continued from previous page*

	<ol style="list-style-type: none"> 1. Take Order screen will be presented. 3a. if the specified quantity is greater than the available quantity <ol style="list-style-type: none"> 1. Product will not add 2. Error Signal will be presented. 3b. if the actor enters a negative quantity. <ol style="list-style-type: none"> 1. Error Signal will be presented. 9a. If the Buy button is clicked with zero items ordered. <ol style="list-style-type: none"> 1. Error Signal will be presented.
Post-Condition	Order has been placed and is waiting for employee approval. Order status has been set as "Not Confirmed"
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.20 Use Case 20: Confirm the Incoming Order

Use Case ID	U20
Name	Confirm the Incoming Order
Actor	Employee
Description	Order has now been placed by the rider and delivered to the employee for confirmation. Actor clicks on Confirm Button. The confirmation includes two things. Again it will check the product's availability in the warehouse and the rider's vehicle capacity. After successful validation, the order status will be changed from "Not Confirmed" to "Confirmed" in the View Order Details screen. The employee will email the warehouse manager and the assigned rider.
Pre-Condition	Order has been received by the employee.

Table 22 – *Continued on next page*

Table 22 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. View Orders Details screen will be presented. 2. Actor will click on the Confirm button against the first order. 3. The system will check the product's availability in the warehouse. 4. After Successful availability, a small screen for assigning a rider is presented 5. Select the rider from the list. 6. Check rider's vehicle's capacity and assign. 7. Click on Assign Button, and the control will again shift back to the View Order Details screen. 8. system automatically sends emails to the assigned rider and the warehouse manager. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the remove button is clicked against any item</p> <ol style="list-style-type: none"> 1. Corresponding order will get removed. <p>*c. If the back button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>4a. if the products ordered are not available in the warehouse</p> <ol style="list-style-type: none"> 1. Error Signal will be presented. <p>8a. If the rider's vehicle's capacity is insufficient to carry the order.</p> <ol style="list-style-type: none"> 1. Assign button is disabled.
Post-Condition	Order is confirmed now and the warehouse manager is notified about the order.
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.21 Use Case 21:Add Vehicle

Use Case ID	U21
Name	Add Vehicle
Actor	CEO, Employee
Description	Actor select the type of vehicle from the given list, enter the capacity in volume, capacity in weight, and registration number, and click on add button to save data in the database .
Pre-Condition	Add vehicle screen is presented.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers , 2. Actor, select the vehicle type from the given list. 3. Actor enters the capacity of the vehicle in volume. 4. Actor enters the capacity of the vehicle in weight. 5. Actor enters the registration number. 6. Actor clicks on the add button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>3a. If the actor doesn't enter the capacity in capacity in volume</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the actor enters an invalid capacity in volume</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4a. If the actor doesn't enter the capacity in capacity in weight</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4b. If the actor enters an invalid capacity in wight</p>

Table 23 – Continued on next page

Table 23 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>5a. If the actor doesn't enter the capacity in registration number</p> <p>1. Error Signal will be present.</p> <p>5b. If the actor enters an invalid capacity in registration number</p> <p>1. Error Signal will be present.</p> <p>6a.If the entered data is not stored in the database</p> <p>1. Error Signal will be present.</p>
Post-Condition	Data stored in the database and screen closed.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.22 Use Case 22:Update Vehicle Information

Use Case ID	U22
Name	Update Vehicle Information
Actor	CEO, Employee
Description	Actor select the type of vehicle from the given list, enter the capacity in volume, capacity in weight, and registration number, and click on add button to save data in the database .
Pre-Condition	Update Vehicle Information is presented, and registered information is displayed in the identifiers
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to update the identifiers. 2. Actor changes the vehicle type from the given list. 3. Actor updates the capacity of the vehicle in volume. 4. Actor updates the capacity of the vehicle in weight. 5. Actor updates the registration number. 6. Actor clicks on the update button. <p>Flow</p> <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p>

Table 24 – *Continued on next page*

Table 24 – *Continued from previous page*

	<p>1. All the identifiers data remove from the screen.</p> <p>*b. If the close button is clicked</p> <p>1. The presented screen will be closed</p> <p>3a. If the actor doesn't enter the capacity in capacity in volume</p> <p>1. Error Signal will be present.</p> <p>3b. If the actor enters an invalid capacity in volume</p> <p>1. Error Signal will be present.</p> <p>4a. If the actor doesn't enter the capacity in capacity in weight</p> <p>1. Error Signal will be present.</p> <p>4b. If the actor enters an invalid capacity in wight</p> <p>1. Error Signal will be present.</p> <p>5a. If the actor doesn't enter the capacity in registration number</p> <p>1. Error Signal will be present.</p> <p>5b. If the actor enters an invalid capacity in registration number</p> <p>1. Error Signal will be present.</p> <p>6a.If the entered data is not stored in the database</p> <p>1. Error Signal will be present.</p>
Post-Condition	Data is updated in the database, and the screen is closed.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.23 Use Case 23:Add Shop and Shopkeeper

Use Case ID	U23
Name	Add Shop and Shopkeeper
Actor	Rider,Employee,CEO
Description	. The actor enters the shop name, phone number, and shop number, select the area from the given list, selects the city from the given list, selects the state from the given list, and the country is only Pakistan.
Pre-Condition	Shopkeeper screen is presented.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers. 2. Actor enters shopkeeper name. 3. Actor enters shop name. 4. Actor enters landline number. 5. Actor enters an email address. 6. Actor selects the area from the given list. 7. Actor selects the city from the given list. 8. Actor select state from the given list. 9. Actor click on the next button <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>2a. If the actor doesn't enter the shopkeeper name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2b. If the actor enters an invalid shopkeeper name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3a. If the actor doesn't enter the shop name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the actor enters an invalid shop name</p>

Table 25 – *Continued on next page*

Table 25 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>4a. If the actor doesn't enter the landline number</p> <p>1. Error Signal will be present.</p> <p>4b. If the actor enters an invalid landline number</p> <p>1. Error Signal will be present.</p> <p>5a. If the actor doesn't enter the email address</p> <p>1. Error Signal will be present.</p> <p>5b. If the actor enters an invalid email address</p> <p>1. Error Signal will be present.</p>
Post-Condition	Actor click on the next button to add warehouse manager.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.24 Use Case 24:Update Shop and Shopkeeper

Use Case ID	U23
Name	Add Shop and Shopkeeper
Actor	Rider,Employee,CEO
Description	. The actor updates the shop name, phone number, and shop number, email address, selects the area from the given list, selects the city from the given list, selects the state from the given list, and the country is only Pakistan.
The pre-Condition	Shopkeeper Update screen is presented, and the registered information of the shopkeeper in the system will be presented in the identifiers.

Table 26 – *Continued on next page*

Table 26 – *Continued from previous page*

Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers. 2. Actor update shopkeeper name. 3. Actor update shop name. 4. Actor update landline number. 5. Actor updates an email address. 6. Actor selects the area from the given list. 7. Actor selects the city from the given list. 8. Actor select state from the given list. 9. Actor click on the next button <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>2a. If the actor doesn't enter the shopkeeper name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2b. If the actor enters an invalid shopkeeper name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3a. If the actor doesn't enter the shop name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the actor enters an invalid shop name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4a. If the actor doesn't enter the landline number</p>
------	---

Table 26 – *Continued on next page*

Table 26 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>4b. If the actor enters an invalid landline number</p> <p>1. Error Signal will be present.</p> <p>5a. If the actor doesn't enter the email address</p> <p>1. Error Signal will be present.</p> <p>5b. If the actor enters an invalid email address</p> <p>1. Error Signal will be present.</p>
Post-Condition	The warehouse information is updated in the system, and the screen is closed.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.25 Use Case 25: Add Payment

Use Case ID	U25
Name	Add Payment
Actor	CEO, Employee, Warehouse Manager, Rider
Description	Actor select the payment type from the list, select the payment mode from the options, enter the descriptions, select the date, update the amount, and select the sender designation, name and receiver designation name, and receiver.
The pre-Condition	Add payment screen is presented.

Table 27 – *Continued on next page*

Table 27 – *Continued from previous page*

Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers. 2. Actor selects the payment type from the given list. 3. Actor selects the payment mode from the given options. 4. Actor enters the description. 5. Actor selects the date. 6. Actor enters the amount. 7. Actor confirms the amount. 8. Actor selects their role from the given list. 9. Actor selects their name from the given list. 10. Actor selects the sender role from the given list. 11. Actor selects the sender name from the given list. 12. Actor clicks on the add button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>4a. If the actor doesn't enter description</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>6a. If the actor doesn't enter the amount</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>7b. If the actor enters an invalid amount</p> <ol style="list-style-type: none"> 1. Error Signal will be present.
Post-Condition	Data are stored in the database, and the screen is closed.
Assigned To	Syed Hashir

Table 27 – *Continued on next page*

Table 27 – *Continued from previous page*

Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.26 Use Case 26:Update Payment

Use Case ID	U26
Name	Update Payment
Actor	CEO, Employee, Warehouse Manager, Rider
Description	Actor select the payment type from the list, select the payment mode from the options, update the descriptions, select the date, update the amount, and select the sender designation, name and reiver designation name, and receiver.
The pre-Condition	Add payment screen is presented, and stored information is displayed in the attributes.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor is ready to enter the identifiers. 2. Actor selects the payment type from the given list. 3. Actor selects the payment mode from the given options. 4. Actor updates the description. 5. Actor selects the date. 6. Actor updates the amount. 7. Actor confirms the amount. 8. Actor clicks on the update button. 9. Actor selects their role from the given list. 10. Actor selects their name from the given list. 11. Actor selects the sender role from the given list. 12. Actor selects the sender name from the given list. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p>

Table 28 – *Continued on next page*

Table 28 – *Continued from previous page*

	<p>1. The presented screen will be closed</p> <p>4a. If the actor doesn't enter description</p> <p>1. Error Signal will be present.</p> <p>6a. If the actor doesn't enter the amount</p> <p>1. Error Signal will be present.</p> <p>7b. If the actor enters an invalid amount</p> <p>1. Error Signal will be present.</p>
Post-Condition	Data are updated in the database, and the screen is closed.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.27 Use Case 27: Ready the Incoming Order

Use Case ID	U27
Name	Ready the Incoming Order
Actor	Warehouse Manager
Description	Order after confirmation from the employee, now move toward the warehouse manager for the ordered items to be ready for delivery. After confirmation by the warehouse manager that order is ready, the rider will be notified. Now the rider can pick it up.
Pre-Condition	Order has been confirmed by the employee. And the warehouse manager gets notified.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. View Orders Details screen will be presented with the order status of products confirmed. 2. Actor clicks on the Ready Button. 3. Actor confirms the order status has been set ready. 4. Email now will send email to the assigned rider and employee. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p>

Table 29 – *Continued on next page*

Table 29 – Continued from previous page

	1. Actor's respective dashboard will be presented.
Post-Condition	Order is ready now, and the rider can pick it up.
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.28 Use Case 28: Accomplish the Order

Use Case ID	U28
Name	Accomplish the Order
Actor	Rider
Description	Rider has reached the respective shop and delivered the order. Now he will set the order status completed. Click on the View Orders button, and a View Order Details screen will be presented. Click on the complete order button. The corresponding order will be set as completed.
Pre-Condition	Rider has delivered the order successfully. The rider clicks on the view order option.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. View Order Details screen will be presented. 2. Actor will set the order status as "Completed." 3. Actor confirms the order status has been set to complete. 4. Email now will send email to the assigned employee and CEO. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented.
Post-Condition	Order is delivered successfully.
Assigned To	Kabir Ahmed
Working By	Kabir Ahmed
Status	Completed
Known Issues	Nil

5.29 Use Case 29: Plot the Minimum Spanning Tree for Multiple Shops

Use Case ID	U29
Name	Plot the Minimum Spanning Tree for Multiple Shops
Actor	Rider
Description	<p>Whenever rider status changes(to "On the way"), a spanning tree will be generated between warehouse and shopkeeper's Locations. Rider can view the route between two locations by clicking on the new route button. Data structures used in it are:</p> <ol style="list-style-type: none"> 1. Graph 2. BST <p>Algorithms used for making Minimum spanning tree is:</p> <ol style="list-style-type: none"> 1. Greedy Algorithms
Description	Rider can view the shortest route of his destination one by one. As one order is accomplished the rider's location will be updated. Now he can view the shortest path towards his second destination.
Pre-Condition	Rider is ready to deliver the order.
Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. View Route Screen is presented. 2. Now he can view the shortest path towards his destination.
Post-Condition	Rider reached his destination.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.30 Use Case 30:Update Stock

Use Case ID	U15
Name	Update Stock
Actor	CEO, Employee
Description	Stock of added products will now add. Initiate update Stock screen and update identifiers. Select product, update quantity retail price and cost price, and select expiry manufacturing and date of stock add. then click on Add button. Stock will be added.
Pre-Condition	Add Stock screen will be presented to the respective actor.

Table 32 – Continued on next page

Table 32 – *Continued from previous page*

Flow	<p>Main Scenario:</p> <ol style="list-style-type: none"> 1. Actor is ready to update the stock. 2. Actor selects the product from the given list. 3. Actor update the product quantity. 4. Actor update the Retail Price. 5. Actor update the Cost Price. 6. Actor selects the date of the stock added. 7. Actor selects the manufacturing date of the stock. 8. Actor selects the expiry date of the stock. 9. Actor clicks on Add button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the Close button is clicked</p> <ol style="list-style-type: none"> 1. Actor's respective dashboard will be presented. <p>*b. If the reset button is clicked</p>
------	---

Table 32 – *Continued on next page*

Table 32 – *Continued from previous page*

	<p>1. All identifiers will get cleared.</p> <p>2a. actor doesn't update the vendor's name.</p> <p>1. Error Signal will be presented.</p> <p>3a. if the actor update string instead of integers.</p> <p>1. Error Signal will be presented.</p> <p>3b. if the actor enters a negative quantity.</p> <p>1. Error Signal will be presented.</p> <p>4a. if the actor update a string instead of a number.</p> <p>1. Error Signal will be presented.</p> <p>4b. if the actor update a negative number.</p> <p>1. Error Signal will be presented.</p> <p>5a. if the actor enters a string instead of a number.</p> <p>1. Error Signal will be presented.</p> <p>5b. if the actor enters a negative number.</p> <p>1. Error Signal will be presented.</p> <p>9a. If the manufacturing date is greater than the expiry date</p> <p>1. Error Signal will be presented.</p> <p>9b. If the manufacturing date is greater than the current date</p> <p>1. Error Signal will be presented.</p> <p>9c. If the expiry date is less than the current date</p> <p>1. Error Signal will be presented.</p>
Post-Condition	Stock of the product will be added.
Assigned To	Syed Hashir
Working By	Syed Hashir
Status	Completed
Known Issues	Nil

5.31 Use Case 31: Add Company

Use Case ID	U31
Name	Add Company
Actor	CEO
Description	CEO enter the name, contact number, and address of the company .
Pre-Condition	Add company screen is presented.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. CEO is ready to enter the identifiers. 2. CEO enter the company name. 3. CEO enters the company phone number. 4. CEO enters the company address. 5. CEO clicks on the click button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>2a. If the CEO doesn't enter the name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2b. If the CEO enters an invalid name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3a. If the CEO doesn't enter the contact number</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3b. If the CEO enters an invalid contact number</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>4a. If the CEO doesn't enter the address</p> <ol style="list-style-type: none"> 1. Error Signal will be present.

Table 33 – *Continued on next page*

Table 33 – *Continued from previous page*

Post-Condition	Data is stored in the database.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Nil

5.32 Use Case 32: Update Company

Use Case ID	U32
Name	Update Company
Actor	CEO
Description	CEO update the name, contact number, and address of the company .
Pre-Condition	Update company screen is presented and and existing details are already filled in the identifiers fields.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. CEO is ready to enter the identifiers. 2. CEO enter the company name. 3. CEO enters the company phone number. 4. CEO enters the company address. 5. CEO clicks on the click button. <p>Extensions (or Alternative Flows):</p> <p>*a. If the clear button is clicked</p> <ol style="list-style-type: none"> 1. All the identifiers data remove from the screen. <p>*b. If the close button is clicked</p> <ol style="list-style-type: none"> 1. The presented screen will be closed <p>2a. If the CEO doesn't enter the name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>2b. If the CEO enters an invalid name</p> <ol style="list-style-type: none"> 1. Error Signal will be present. <p>3a. If the CEO doesn't enter the contact number</p>

Table 34 – *Continued on next page*

Table 34 – *Continued from previous page*

	<p>1. Error Signal will be present.</p> <p>3b. If the CEO enters an invalid contact number</p> <p>1. Error Signal will be present.</p> <p>4a. If the CEO doesn't enter the address</p> <p>1. Error Signal will be present.</p>
Post-Condition	Data is updated in the database.
Assigned To	M. Hamad Hassan
Working By	M. Hamad Hassan
Status	Completed
Known Issues	Immediate update not perform with instance of class but data stored in file instantly.

5.33 Use Case 33:View Cart

Use Case ID	U33
Name	View Cart
Actors	Rider
Description	The View Cart Screen would be presented and a Delete button , Confirm and clear All button is installed. By clicking on delete button the respective item is deleted form the cart list and on clear-All all cart products would be removed while the products are added into order if confirm button added.
Pre-Condition	The respective actor will initiate the Take Order screen , and the View Cart form is presented.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor selects any order from the given list(row wise). 2. Actor clicks the view cart button. <p>Extensions (or Alternative Flows):</p> <p>*a. If not any order is selected:</p> <ol style="list-style-type: none"> 1. Message Box is shown to select any row
Post-Condition	Take order form will be presented
Assigned To	M. Kabir Ahmad
Working By	M. Kabir Ahmad
Status	Completed

Table 35 – *Continued on next page*

Table 35 – *Continued from previous page*

Known Issues	Nil
--------------	-----

5.34 Use Case 34:Order Details

Use Case ID	U34
Name	Order Details
Actors	CEO, Employee, Rider, Warehouse Manager
Description	The Order Detail screen will be presented. The actor will able to operate operation like view products of order specific order.Rider can only view assigned orders while other respective actors can operate operation on respective order.
Pre-Condition	The respective actor will initiate the system, and the Order Detail in form is presented.
Flow	<p>Main Success Scenario (or Basic Flow):</p> <ol style="list-style-type: none"> 1. Actor clicks the Update status button to operate. 2. Actor clicks the Assign Rider button to operate. <p>Extensions (or Alternative Flows): a* if no order is in the list at that time</p> <ol style="list-style-type: none"> 3. Message box is shown . b* if no order is in the list at that time 4. Message box is shown .
Post-Condition	Respective Dashboard will be presented
Assigned To	M. Kabir Ahmad
Working By	M. Kabir Ahmad
Status	Completed
Known Issues	Nil

5.35 Use Case 35:Update Order Status

Use Case ID	U35
Name	Update Status
Actors	CEO, Employee,Warehouse Manager
Description	The Order Detail screen will be presented. Actors can click on Update Status.
Pre-Condition	The respective actor will initiate the Order Details , and the Update Order status Detail in form is presented.

Table 37 – *Continued on next page*

Table 37 – *Continued from previous page*

Flow	Main Success Scenario (or Basic Flow): 1. Actor selects the status from the drop down.
Post-Condition	Order Details will be presented
Assigned To	M. Kabir Ahmad
Working By	M. Kabir Ahmad
Status	Completed
Known Issues	Nil

5.36 Use Case 36:Assign Rider

Use Case ID	U36
Name	Assign Rider
Actors	CEO, Employee
Description	The Order Detail screen will be presented. Actors can click on Assign Rider.
Pre-Condition	The respective actor will initiate the Order Details , and the Assign Rider Detail in form is presented.
Flow	Main Success Scenario (or Basic Flow): 1. Actor selects the rider from the drop down. 2. Actor click on the update button. Alternative Flows: if not any rider is choose from the drop down and update button is clicked then : 3. Message Box Alert is shown.
Post-Condition	Order Details will be presented
Assigned To	M. Kabir Ahmad
Working By	M. Kabir Ahmad
Status	Completed
Known Issues	Nil



6 User Interfaces

6.1 Introduction

Interface ID	I01
Name	Introduction
Linked Use Case	NULL

Table 39 – *Continued on next page*

Table 39 – Continued from previous page

UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	

6.2 Login



Interface ID	I02
Name	Login
Linked Use Case	U01
UI Interface in JUSTINMIND	

Table 40 – Continued on next page

Table 40 – *Continued from previous page*

Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Username must be three character long. • Password must be eight character long. • All required fields must be filled correctly.

6.3 Forgot Password



Interface ID	103
Name	Forgot Password
Linked Use Case	U02
UI Interface in JUSTINMIND	

Table 41 – *Continued on next page*

Table 41 – Continued from previous page

Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Password should be eight character long including upper case, lower case, number and special character. • Username must be exist in the system. • Password and Confirm Password should be same. • All required fields must be filled correctly.

6.4 SignUp



Interface ID	104
Name	SignUp
Linked Use Case	U05
UI Interface in JUSTINMIND	

Table 42 – Continued on next page

Table 42 – Continued from previous page



Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • The name should be the alphabet. • Username must be three character long and enter username not matched with existing data. • Password should be eight character long including upper case, lower case, number and special character. • Password and Confirm Password should be same. • Contact number must be numeric. • CNIC must be of 13 digits. • Email should include dot, at the rate symbol and correct service provider. • Home Address should not be empty. • All required fields must be filled correctly.

6.5 Update Account Information (CEO)



Interface ID	I05
Name	Update Account Information (CEO)
Linked Use Case	U06

Table 43 – Continued on next page



Table 43 – Continued from previous page

<p>UI Interface in JUSTINMIND</p>	
<p>Actual Interface in Visual Studio</p>	
<p>Validators</p>	<ul style="list-style-type: none"> • The name should be the alphabet. • Username must be three character long and enter username not matched with existing data. • Password should be eight character long including upper case, lower case, number and special character. • Password and Confirm Password should be same. • Contact number must be numeric. • CNIC must be of 13 digits. • Email should include dot, at the rate symbol and correct service provider. • Home Address should not be empty. • All required fields must be filled correctly.

6.6 Update Account Information (Employee)

Interface ID	I07
Name	Update Account Information (Employee)
Linked Use Case	U04
UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • The name should be the alphabet. • Username must be three character long and enter username not matched with existing data. • Password should be eight character long including upper case, lower case, number and special character. • Password and Confirm Password should be same. • Contact number must be numeric. • CNIC must be of 13 digits. • Email should include dot, at the rate symbol and correct service provider. • Home Address should not be empty. • All required fields must be filled correctly.

6.7 Account Detail (CEO)



Interface ID	I07
Name	Account Detail (CEO)
Linked Use Case	U06
UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Load button should be clicked to view data. • On clicked delete and edit button there is must to select any column first from grid list. • Filters must be applied before clicking Go • All required fields must be filled correctly.

6.8 Account Detail (Employee)

Interface ID	I08
Name	Account Detail (Employee)
Linked Use Case	U07

Table 46 – Continued on next page

Table 47 – *Continued from previous page*



<p>UI Interface in JUSTINMIND</p>	
<p>Actual Interface in Visual Studio</p>	

6.10 Add Product

Interface ID	I10
Name	Add Product
Linked Use Case	U08

Table 48 – *Continued on next page*

Table 48 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Name must contain only digits and alphabets. • SKU-ID must be number. • Weight and Volume must be in integers or float and positive. • All required fields must be filled correctly.

6.11 Update Product Record

Interface ID	I11
Name	Update Product Record
Linked Use Case	U09

Table 49 – *Continued on next page*

Table 49 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Name must contain only digits and alphabets. • SKU-ID must be number. • Weight and Volume must be in integers or float and positive. • All required fields must be filled correctly.

6.12 Take Order

Interface ID	I12
Name	Take Order
Linked Use Case	U19

Table 50 – Continued on next page

Table 50 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Price must be positive integer or float. • Search text only contains alphabets and integers only. • All required fields must be filled correctly.

6.13 Email

Interface ID	I13
Name	Email
Linked Use Case	U37

Table 51 – Continued on next page

Table 51 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • To section must be filled to send the mail. • All required fields must be filled correctly.

6.14 Add Warehouse

Interface ID	I14
Name	Add Warehouse
Linked Use Case	U16

Table 52 – *Continued on next page*

Table 52 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Name must contain only digits and alphabets. • Capacity in volume must be in integers or float and positive. • All required fields must be filled correctly.

6.15 Update Warehouse Record

Interface ID	I15
Name	Update Warehouse Record
Linked Use Case	U17

Table 53 – Continued on next page

Table 53 – Continued from previous page



UI Interface in JUSTINMIND	 <p>The image shows a wireframe of a form titled "Update Warehouse Record". It contains five input fields: "Name" (text), "Area" (text), "Capacity in Volume" (text), "State" (dropdown menu), and "City" (dropdown menu). Below the fields are three buttons: "Back" (red), "Clear All" (blue), and "Update" (green).</p>
Actual Interface in Visual Studio	 <p>The image shows a screenshot of the "Update Warehouse Record" form. It contains five input fields: "Name" (text, value: "Juhra"), "Capacity in Volume" (text, value: "86876880"), "Area" (text, value: "UET Lahore", with a red error message "Allowed characters: a-z, A-Z"), "City" (dropdown menu, value: "Lahore"), and "State" (dropdown menu, value: "Punjab"). Below the fields are three buttons: "Close" (red), "Clear All" (blue), and "Update" (green).</p>
Validators	<ul style="list-style-type: none"> • Space fields and Street No. input must be a number • Necessary fields must be filled before updating

6.16 Warehouse Detail

Interface ID	I16
Name	Warehouse Detail
Linked Use Case	U18

Table 54 – Continued on next page

Table 54 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Load button should be clicked to view data. • Name must contain only digits and alphabets. • Capacity in volume must be in integers or float and positive. • All required fields must be filled correctly.

6.17 Warehouse Manager Dashboard

Interface ID	I17
Name	Warehouse Manager Dashboard
Linked Use Case	NILL

Table 55 – Continued on next page

Table 55 – Continued from previous page

UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	

6.18 Employee Dashboard





Interface ID	I18
Name	Employee Dashboard
Linked Use Case	NILL
UI Interface in JUSTINMIND	

Table 56 – Continued on next page



Table 56 – Continued from previous page

Actual Interface in Visual Studio	
-----------------------------------	--

6.19 Rider Dashboard

Interface ID	I19
Name	Rider Dashboard
Linked Use Case	NILL
UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	

6.20 View Route



Interface ID	I20
Name	View Route
Linked Use Case	U29
UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Street No. Must not be negative • All fields must be appropriately filled to find the routes

6.21 Add Shop/Shopkeeper

Interface ID	I21
Name	Add Shop/Shopkeeper
Linked Use Case	U23

Table 59 – Continued on next page

Table 59 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • The name should be the alphabet. • Contact number must be numeric. • Email should include dot, at the rate symbol and correct service provider. • Home Address should not be empty. • All required fields must be filled correctly.

6.22 Add Payment

Interface ID	I22
Name	Add Payment
Linked Use Case	U25

Table 60 – Continued on next page

Table 60 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Amount must be numeric or float. • Confirm amount must be matched with first typed amount. • Description should be entered. • All required fields must be filled correctly.

6.23 Update Payment Information

Interface ID	I23
Name	Update Payment Information
Linked Use Case	U26

Table 61 – Continued on next page

Table 61 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Amount must be numeric or float. • Confirm amount must be matched with first typed amount. • Description should be entered. • All required fields must be filled correctly.

6.24 Add Vehicle

Interface ID	I24
Name	Add Vehicle
Linked Use Case	U21

Table 62 – *Continued on next page*

Table 62 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Registration number should contain alphabets and digits. • Capacity in volume should be numeric and positive. • Capacity in weight should be numeric and positive. • All required fields must be filled correctly.

6.25 Update Vehicle Information

Interface ID	I25
Name	Update Vehicle Information
Linked Use Case	U22

Table 63 – *Continued on next page*

Table 63 – *Continued from previous page*



UI Interface in JUSTINMIND	 <p>The image shows a mockup of the 'Update Vehicle Information' interface in JustinMind. It features a title 'Update Vehicle Information' at the top. Below the title, there are four input fields: 'Type' (a dropdown menu with 'Bike' selected), 'Registration Number' (a text box), 'Capacity in Volume' (a text box), and 'Capacity in Weight' (a text box). At the bottom, there are three buttons: 'Close' (red), 'Clear All' (blue), and 'Update' (green).</p>
Actual Interface in Visual Studio	 <p>The image shows a screenshot of the 'Update Vehicle' interface in Visual Studio. It features a title 'Update Vehicle' at the top. Below the title, there are four input fields: 'Vehicle Type' (a dropdown menu with 'Bike' selected), 'Registration No.' (a text box with '2021CS' entered), 'Capacity in Volume' (a text box with '323' entered), and 'Capacity in Weight' (a text box with '31231' entered). At the bottom, there are three buttons: 'Close' (red), 'Clear All' (blue), and 'Update' (green).</p>
Validators	<ul style="list-style-type: none"> • Registration number should contain alphabets and digits. • Capacity in volume should be numeric and positive. • Capacity in weight should be numeric and positive. • All required fields must be filled correctly.

6.26 Add Category

Interface ID	I26
Name	Add Category
Linked Use Case	U11

Table 64 – *Continued on next page*

Table 64 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Category should contain alphabets. • Field must be filled correctly.

6.27 Update Category Information

Interface ID	I27
Name	Update Category Information
Linked Use Case	U12

Table 65 – *Continued on next page*

Table 65 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Category should contain alphabets. • Field must be filled correctly.

6.28 Add Vendor

Interface ID	I28
Name	Add Vendor
Linked Use Case	U13

Table 66 – *Continued on next page*

Table 66 – *Continued from previous page*



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Vendor name and company name must be a alphabetic and word. • Phone number and land line number must be number and no use of special character used. • All required fields must be filled correctly.

6.29 Update Vendor Information

Interface ID	I29
Name	Update Vendor Information
Linked Use Case	U14

Table 67 – *Continued on next page*

Table 67 – *Continued from previous page*



UI Interface in JUSTINMIND	 <p>The image shows a wireframe for the 'Update Vendor Information' form. It has a title 'Update Vendor Information' at the top. Below the title, there are four input fields arranged in two rows: 'Vendor Name' and 'Phone Number' in the first row, and 'Vendor Company Name' and 'Landline Number' in the second row. At the bottom, there are three buttons: 'Close' (red), 'Clear All' (blue), and 'Update' (green).</p>
Actual Interface in Visual Studio	 <p>The image shows the actual implementation of the 'Update Vendor Information' form in Visual Studio. It has a title 'Update Vendor Information' at the top. Below the title, there are four input fields arranged in two rows: 'Vendor Name' with the value 'Hashim' and 'Landline Number' with the value '232133432' in the first row, and 'Concerned Person' with the value 'Kabir' and 'Contact Number' with the value '231313213' in the second row. At the bottom, there are three buttons: 'Close' (red), 'Clear All' (blue), and 'Update' (green).</p>
Validators	<ul style="list-style-type: none"> • Vendor name and company name must be a alphabetic and word. • Phone number and land line number must be number and no use of special character used. • All required fields must be filled correctly.

6.30 Add Stock

Interface ID	I30
Name	Add Stock
Linked Use Case	U15

Table 68 – *Continued on next page*

Table 68 – Continued from previous page



UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Quantity, retail price and cost price must be number and no use of special character. • All required fields must be filled correctly.

6.31 Update Stock Information

Interface ID	I31
Name	Update Stock Information
Linked Use Case	U30

Table 69 – Continued on next page

Table 69 – Continued from previous page

UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	
Validators	<ul style="list-style-type: none"> • Quantity, retail price and cost price must be number and no use of special character. • All required fields must be filled correctly.


6.32 Order Summary

Interface ID	I32
Name	Order Summary
Linked Use Case	U34

Table 70 – Continued on next page


Table 70 – Continued from previous page

UI Interface in JUSTINMIND



The mockup shows a window titled "Order Summary". At the top, it says "Shopkeeper : Ali and Co" with a dropdown arrow. Below this is a large empty rectangular box. At the bottom, there are three buttons: "Back" (red), "Clear All" (blue), and "Buynow" (green).

Actual Interface in Visual Studio



The screenshot shows a window titled "Order Details". It contains a table with the following data:

OrderID	Shopkeeper	Rider	Status	Shop Name	Assigned Rider	View Product List
E-7J8	Akbar	Kabr	Ready	Amart5	Cancel	View Product List

Below the table is a large empty rectangular box. At the bottom right, there is a "Back" button.

6.33 Order Detail



Interface ID	I33
Name	Order Summary
Linked Use Case	U19
UI Interface in JUSTINMIND	 <p>The mockup shows a window titled "Order Deatils". It contains a large empty rectangular box. At the bottom right, there is a "Close" button.</p>

Table 71 – Continued on next page

Table 71 – Continued from previous page

Actual Interface in Visual Studio	
-----------------------------------	--

6.34 Add Company



Interface ID	I31
Name	Add Company
Linked Use Case	U31
UI Interface in JUSTINMIND	
Actual Interface in Visual Studio	

Table 72 – Continued on next page

Table 72 – Continued from previous page

Validators	<ul style="list-style-type: none"> • Contact number must be number and no use of special character used. • Name must be alphabetic. • All required fields must be filled correctly.
------------	--

7 Classes

The classes which are used in the project are as under with there specific properties.

Class Name	Software/ Domain	Is Abstract (Yes/No)	Is Singleton (Yes/No)	Is the class will has parametrized constructor(Yes/No)
CEO	Domain	No	No	Yes
Company	Domain	No	No	Yes
Office	Domain	No	No	Yes
WareHouse	Domain	No	No	Yes
User	Domain	No	No	Yes
Rider	Domain	No	No	Yes
Employee	Domain	No	No	Yes
WareHouseManager	Domain	No	No	Yes
ShopOwner	Domain	No	No	Yes
Shop	Domain	No	No	Yes
Ledger	Domain	No	No	Yes
Order	Domain	No	No	Yes
Product	Domain	No	No	Yes
Vehicle	Domain	No	No	Yes
Linked List	Software	No	No	Yes
Array List	Software	No	No	Yes
Hash Table	Software	No	No	Yes
Graph	Software	No	No	Yes

8 Object Oriented Features

8.1 Composition

In our Project there are 8 places where we use Composition

- Company Class has composition of Ledger Class

- Company Class has composition of Office Class
- Company Class has composition of Warehouse Class
- Company Class has composition of CEO Class
- Warehouse Class has composition of Warehouse Manager Class
- Rider Class has composition of Vehicle Class
- Office Class has composition of User Class (Employee, Rider)
- Shop Owner Class has composition of Shop Class

8.2 Inheritance

In our project inheritance is used in following places

- User inherits the class of CEO
- User inherits the class of Rider
- User inherits the class of Shopkeeper
- User inherits the class of Warehouse Manager

8.3 Multi-Level Inheritance

In our project Multilevel inheritance is used as

- User class inherits the CEO class and CEO class inherits the Employee Class

8.4 Aggregation

In our project Multilevel inheritance is used as

- Rider Aggregate the Rating Class in our project

8.5 Association

In our project Multilevel inheritance is used as

- Warehouse Manager manages the order.
- CEO manages the products
- Rider take the order
- Rider adds the order
- Employee adds the products
- Employee manages the order

9 Detailed Object Oriented Design




Figure 1: The detailed Object Oriented Design of the project that will be implemented according to mentioned logic

10 Data Strucuture

The following section shows the reason for choosing the data structure in the particular use case with a brief explanation.

10.1 Linked List

Use Case IDs	U01,U02,U03,U04,U05,U06,U07,U08,U09,U010,U13,U14, U15,U16,U17,U18,U19,U20,U21,U22,U25,U26,U27,U28, U30,U31,U32,U33,U34,U35, U36,U37,U38,U39,U40,U41,U42
Data Struc- ture Used	Linked List
Time Com- plexity	In Worst Case: Search: $O(n)$, Insertion: $O(1)$, Deletion: $O(n)$
Space Com- plexity	$O(n)$
Justification for the use of data structure	In mentioned use case required a linear-dynamic data structure. Doubly Linked List provides an efficient way to search the specific information from a large amount of data and then compare it with input information to produce the required result. It helps to store and delete the data fastly. It allows you to move back and forth in the list to get the required result.
Pseudocode	Search: LIST-SEARCH(L,k) 1 $x = L.head$ 2 while $x \neq NIL$ and $x:key \neq k$ 3 $x = x.next$ 4 return x Insert: LIST-INSERT(L, x) 1 $x.next = L.head$ 2 if $L.head \neq NIL$ 3 $L.head.pre = x$ 4 $L.head = x$ 5 $x.pre = NIL$ Delete: LIST-DELETE(L,x) 1 if $x.pre \neq NIL$ 2 $x.pre.next = x.next$ 3 else $L.head = x.next$ 4 if $x.next \neq NIL$ 5 $x.next.pre = x.pre$
Available choices	Array List,Hash Table

Table 74 – Continued on next page

Table 74 – *Continued from previous page*

Comparison	The array list worst and average case time complexity is $O(n)$. It takes contiguous memory. The hash table is best in the average case, but in the worst case time, complexity rise to $O(n)$. It takes contiguous memory for storing the hash function value. In the average and worst case, the linked list insertion and deletion take $O(1)$ time. In the average and worst case, it takes $O(n)$ time for deletion. It did not require contiguous memory allocation. Array list, hash table, and linked list space complexity $O(n)$ are the same.
-------------------	--

10.2 Array List

Use Case IDs	U11,U12,U29
Data Structure Used	Array List
Time Complexity	In Worst Case: Search: $O(n)$, Insertion: $O(1)$, Deletion: $O(n)$
Space Complexity	$O(n)$
Justification for the use of data structure	In mentioned use case required a linear-dynamic data structure. Array List provides an efficient way to search the specific information from a large amount of data and then compare it with input information to produce the required result. IT allows to get specific data and shows the required result. Only a specific detail of the data is required to store the specific information in this use case.
Available choices	Linked List
Comparison	The array list worst and average case time complexity is $O(n)$. In the average and worst case, the linked list insertion and deletion take $O(1)$ time. IN the average and worst case, List takes $O(n)$ time for deletion. It did not require contiguous memory allocation. Array list and linked list space complexity $O(n)$ are the same therefore for the small data Array list used.

10.3 Hash Table

Use Case IDs	U23,U24
Data Structure Used	Hash Table
Time Complexity	In Worst Case: Search: $O(n)$, Insertion: $O(n)$, Deletion: $O(n)$
Space Complexity	$O(n)$

Table 76 – *Continued on next page*

Table 76 – Continued from previous page

Justification for the use of data structure	In mentioned use case required a Hash Table data structure. Hash Table provides an efficient way to search the specific information from a moderate and huge amount of data and then compare it with input information to produce the required result. It allows to get specific data of some specific data, it allows to apply specific operation on that and shows the required result.
Pseudocode	<p>Insert: HASH-INSERT(T,k) 1 i = 0 2 repeat 3 j = h(k,i) 4 if T[j]== NIL 5 T[j]= k 6 return j 7 else i = i +1 8 until i == m 9 error “hash table overflow”</p> <p>Search: HASH-SEARCH(T,k) 1 i = 0 2 repeat 3 j = h(k,i) 4 if T[j]== NIL 5 return j 6 i=i+1 7 until T[j] == NIL or i==m 9 return NIL</p> <p>Search: Remove(T,k) 1 i = h(k) 2 while A[j] ≠ NULL do 3 if A[j].key =k then 4 temp=A[i] 5 A[i]=NULL 6 Call Shift(i) to restore A to a stable state without k 7 return temp 9 i=(i+1) mode N 10 return null</p>
Available choices	Linked List
Comparison	The Hash Table worst and average case time complexity is $O(n)$. In the average and worst case, the linked list insertion and deletion take $O(1)$ time. IN the average and worst case, List takes $O(n)$ time for deletion. It did not require contiguous memory allocation.Heap and linked list space complexity $O(n)$ are the same therefore for the Detailed data Heap used.

10.4 Graph

Use Case IDs	U29
Data Structure Used	Graph
Time Complexity	In Worst Case: Search: $O(\lg n)$, Insertion: $O(\lg n)$, Deletion: $O(\lg n)$
Space Complexity	$O(n)$
Justification for the use of data structure	In mentioned use case required a Tree data structure. Tree provides an efficient way to search the specific information from a moderate and huge amount of data and then compare it with input information to produce the required result. It allows to plot the data and apply operation on the data to show the required result.
Pseudocode	<p>Intitalize-Single-Source: INITIALIZE-SINGLE-SOURCE(G, s) 1 for each vertex $v \in G.V$ 2 $v.d = \infty$ 3 $v.\pi = \text{Nil}$ 4 $s.d = 0$</p> <p>Relax: RELAX(u, v, w) 1 if $v.d > w(u, v)$ 2 $v.d = u.d + w(u, v)$ 3 $v.\pi = u$</p> <p>Bellman Ford: BELLMAN-FORD(G, w, s) 1 INITIALIZE-SINGLE-SOURCE(G, S) 2 for $i = 1$ to $G.V - 1$ 3 for each edge $(u, v) \in G.V$ 4 RELAX(u, v, w) 5 for each edge $(u, v) \in G.V$ 6 if $v.d > u.d + w(u, v)$ 7 return FALSE 8 return TRUE</p>
Available choices	Tree
Comparison	The Graph worst and average case time complexity is $O(\lg n)$. In the average and worst case, the Tree insertion and deletion take $O(\lg n)$ time. IN the average and worst case, Tree takes $O(n)$ time for deletion. It did not require contiguous memory allocation. Tree and Graph space complexity $O(n)$ are same therefore, for the Plotting data graph is preferred to be used.

11 Exceptions

Type of Exception	Why this exception will occur	Use Case Id in which exception could be occurred	How you will handle the exception
Incorrect Format	By default system, take all input in string and the deploy system need to convert into desire format. If the input data is not converted into other datatype like int and float the future task not performed e.g. string 2 and int 2 behave different in CPU.	U02 U03 U04 U04 U05 U05 U06 U7 U08 U09 U11 U13 U14 U19 U20 U21 U22 U23 U24 U25 U26 U27 U28 U29 U30 U33 U34 U35 U36 U37 U38 U39 U40 U40 U41	Restrict the user to enter the required data in correct format.
File not Loaded	File not found or b.	U6 U10 U11 U15 U32	Error msg will be shown and give option to user to enter correct path of the file.
Stack OverFlow	When the data is more used than the assigned memory or b.	Almost All UIs except Dashboards	Error msg will be shown and give option to user to enter correct operation.
Index Out Of Range Exception	when an invalid index is used to access a member of an array or a collection	All add ,update and view UIs.	Error msg will be shown.

12 Data Storage

12.1 Users (CSV)

Columns data names are

1. Designation
2. Name
3. Gender
4. CNIC number
5. Email address
6. Contact Number
7. Home Address
8. Username
9. Password
10. Assigned

12.2 Warehouse (CSV)

Columns data names are

1. Name
2. TotalSpace
3. CurrentSpace
4. OccupiedSpace
5. Latitude
6. Longitude
7. Area
8. City
9. State

12.3 Company (TXT)

Columns data names are

1. Name
2. Address
3. Phone
4. Revenue

12.4 Category (CSV)

Columns data names are

1. Category

12.5 Products (CSV)

Columns data names are

1. Name
2. SKUNumber
3. Weight
4. Volume
5. SensitivityType
6. Category
7. Manufacturer

12.6 Vendors (CSV)

Columns data names are

1. Name
2. ConcernedPerson
3. LandLine
4. Contact
5. Amount

12.7 Stocks (CSV)

Columns data names are

1. Productname
2. Quantity
3. Retailprice
4. Costprice
5. Manufacturingdate
6. Expirydate
7. Recieveddate
8. Vendorname
9. Product
10. Vendor

12.8 ShopKeepers (CSV)

Columns data names are

1. ShopName
2. ShopCity
3. ShopArea
4. ShopState

12.9 City (CSV)

Columns data names are

1. Name

12.10 Orders (CSV)

Columns data names are

1. ShopkeeperName
2. OrderID
3. Orderstatus
4. ShopName
5. AssignedRider
6. Name
7. Category
8. SKUNumber
9. Volume
10. Weight
11. Manufacturer
12. SensitivityType

12.11 Vehicles (CSV)

Columns data names are

1. vehicleType
2. vehicleWeight
3. vehicleVolume
4. registrationNumber
5. assigned

12.12 Ledgers (CSV)

Columns data names are

1. Paymenttype
2. Paymentmode
3. Currentdate
4. Amount
5. Bydesignation
6. Byname
7. Receivedbydesignation
8. Receivedbyname
9. Description

12.13 Routes (CSV)

Columns data names are

1. Distance

13 Email Sending

1. When Rider registers the Shopkeeper.
 - (a) An Email is send to the Employee.
 - (b) An Email is send to the Shopkeeper.
2. When Rider takes and add the order from the Shopkeeper.
 - (a) An Email is send to the Employee.
 - (b) An Email is send to the Shopkeeper.
3. When Employee assigns order to the Rider.
 - (a) An Email is send to the Rider
 - (b) An Email is send to the WareHouse Manager.
4. When Rider adds payment from the Shopkeeper.
 - (a) An Email is send to the Employee.
 - (b) An Email is send to the Rider.
5. When Stock from the Vendor added.
 - (a) An Email is send to the Vendor
 - (b) An Email is send to the Employee.
6. When WareHouseManager ready the order.
 - (a) An Email is send to the Rider
 - (b) An Email is send to the Employee.

14 Project Plan

Use Case Id	Member Name	Due Date	Completion Date
01	Syed Hashir	06/12/2022	06/12/2022
02	Kabir Ahmed	06/12/2022	06/12/2022
03	M. Hamad Hassan	06/12/2022	04/12/2022
04	Syed Hashir	07/12/2022	07/12/2022
05	Kabir Ahmed	07/12/2022	07/12/2022

Table 79 – Continued on next page

Table 79 – *Continued from previous page*

06	M. Hamad Hassan	07/12/2022	05/12/2022
07	Syed Hashir	08/12/2022	08/12/2022
08	Kabir Ahmed	08/12/2022	08/12/2022
09	M. Hamad Hassan	08/12/2022	06/12/2022
10	Syed Hashir	09/12/2022	09/12/2022
11	Kabir Ahmed	09/12/2022	09/12/2022
12	M. Hamad Hassan	09/12/2022	08/12/2022
13	Syed Hashir	10/12/2022	10/12/2022
14	Kabir Ahmed	10/12/2022	10/12/2022
15	M. Hamad Hassan	10/12/2022	10/12/2022
16	Syed Hashir	10/12/2022	10/12/2022
17	Kabir Ahmed	11/12/2022	11/12/2022
18	M. Hamad Hassan	11/12/2022	11/12/2022
19	Syed Hashir	12/12/2022	12/12/2022
20	Kabir Ahmed	12/12/2022	12/12/2022
21	M. Hamad Hassan	12/12/2022	12/12/2022
22	Syed Hashir	13/12/2022	13/12/2022
23	Kabir Ahmed	13/12/2022	13/12/2022
24	M. Hamad Hassan	13/12/2022	13/12/2022
25	Syed Hashir	14/12/2022	15/12/2022
26	Kabir Ahmed	14/12/2022	15/12/2022
27	M. Hamad Hassan	14/12/2022	15/12/2022
28	Syed Hashir	15/12/2022	15/12/2022
29	Kabir Ahmed	15/12/2022	15/12/2022
30,31	M. Hamad Hassan	15/12/2022	15/12/2022
32	Syed Hashir	16/12/2022	16/12/2022
33	Kabir Ahmed	16/12/2022	16/12/2022
34	M. Hamad Hassan	16/12/2022	16/12/2022
35	Syed Hashir	17/12/2022	19/12/2022
36	Kabir Ahmed	17/12/2022	18/12/2022
37	M. Hamad Hassan	17/12/2022	20/12/2022
38	Syed Hashir	18/12/2022	21/12/2022
39	Kabir Ahmed	18/12/2022	21/12/2022
40	M. Hamad Hassan	18/12/2022	21/12/2022
41	Syed Hashir	19/12/2022	20/12/2022
41	Kabir Ahmed	19/12/2022	21/12/2022

15 Analytical Report

In the system the created reports are:

1. Salary Report
2. Rider Capture Order Report
3. Profit Report
4. Sold Products Report

5. Daily Stock Report
6. Expenditure Report