طمأنينة · Tamaneen

خريطة التجربة الكاملة

Full Test Map

خطوات للتحقق من كل مميزات المنصة على اللابتوب، من جانب المريض والفريق.

Steps to check every feature of the platform on a laptop, from the patient's and the team's side.

55 اختبارًا | 55 tests | 11 قسمًا | 11 sections | الإصدار 1.0 | Version 1.0

الترتيب المقترح: A → B → C → D → E → F → G → H → I → J → K. الاختبارات تعتمد على بعضها داخل كل قسم.

Suggested order: A → B → C → D → E → F → G → H → I → J → K. Tests build on each other within a section.

الجزء الأول بالعربية، والجزء الثاني بالإنجليزية بنفس الأرقام.

Part one is in Arabic; part two is in English, with the same numbers.

الجزء الأول · بالعربية

قبل البدء

1. شغّل المنصة: افتح Docker Desktop وانتظر Engine running، ثم في مجلد tamaneen اكتب `docker compose up` وانتظر سطر `Development seed`.
2. استخدم Chrome أو Edge. افتح **نافذتين**: نافذة عادية للمريض، ونافذة خاصة (Ctrl+Shift+N) للفريق. لكل مريض أو موظف إضافي استخدم نافذة خاصة جديدة أو متصفحًا آخر.
3. تطبيق المريض: `http://localhost:3000` · بوابة الفريق: `http://localhost:4200` · رموز التحقق: `http://localhost:5080/dev/inbox`
4. حسابات الفريق وكلمات المرور في الجدول التالي.
5. تطبيق المصادقة على الجوال (Google أو Microsoft Authenticator): «+» ← «إدخال مفتاح الإعداد» ← الاسم Tamaneen والمفتاح من الجدول (حسب الوقت). كل رمز يُقبل مرة واحدة لكل حساب؛ إذا رُفض فانتظر الرمز التالي.
6. المرضى تنشئهم بنفسك: بريد مختلف لكل مريض وكلمة المرور المقترحة في الجدول.
7. للبدء من الصفر في أي وقت: `docker compose down -v` ثم `docker compose up`.
8. اكتب في عمود «ملاحظات» ما رأيته إذا اختلف عن المتوقع، وصوّر الشاشة.

الحساب	الدور
`fahad@staff.tamaneen.dev`	مشرف سريري (مناوب احتياطي)
`lead@staff.tamaneen.dev`	المسؤول السريري
`khalid@staff.tamaneen.dev`	أخصائي مناوب
`sara@staff.tamaneen.dev`	أخصائية
`noura@staff.tamaneen.dev`	أخصائية
`mona@staff.tamaneen.dev`	أخصائية

كلمة مرور كل حسابات الفريق	`Tamaneen-Dev-2026!`
مفتاح تطبيق المصادقة (لكل الحسابات)	`ORQW2YLOMVSW4LLEMV3C25DPORYC2MRQ`
كلمة مرور مقترحة للمرضى	`Quiet-Harbor-Lantern-2026`
بريد المرضى (مثال)	`test1@example.com, test2@example.com, ...`

A اللغة والصفحات العامة

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
A1	المريض	1. افتح http://localhost:3000 2. اضغط زر اللغة أعلى الصفحة (English) 3. اضغط الزر مرة أخرى (العربية)	تبدأ الصفحة بالعربية من اليمين لليسار. يتحول كل النص للإنجليزية من اليسار لليمين فورًا بدون إعادة تحميل، ثم يرجع للعربية. يبقى اختيارك بعد تحديث الصفحة.	☐ نجح ☐ فشل ملاحظات:
A2	المريض	1. في الصفحة الأولى (قبل الدخول) اضغط «مساعدة فورية» أعلى الصفحة	تفتح صفحة موارد الطوارئ: رقم الطوارئ 911 كرابط اتصال، وخط الدعم، وزر «اطلب أن يتصل بك مختص الآن».	☐ نجح ☐ فشل ملاحظات:
A3	المريض	1. من أسفل الصفحة الأولى افتح «كيف تعمل الخدمة» ثم «الخصوصية والشروط» 2. اضغط «رجوع»	تظهر خطوات الخدمة وما يفعله الذكاء الاصطناعي وما لا يفعله، ثم سياسة الخصوصية والشروط. «رجوع» يعيدك للصفحة السابقة.	☐ نجح ☐ فشل ملاحظات:

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
A4	المريض	1. افتح عنوانًا غير موجود مثل http://localhost:3000/ar/abc	صفحة «الصفحة غير موجودة» بنفس اللغة، وزر «مساعدة فورية» وأرقام الطوارئ ما زالت ظاهرة.	☐ نجح ☐ فشل ملاحظات:

B التسجيل والدخول (المريض)

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
B1	المريض	1. اضغط «لنبدأ معًا» 2. أجب «لا» على سؤال العمر واضغط «متابعة»	لا يُنشأ حساب. تظهر «خدمات دعم أخرى متاحة لك» مع أرقام الطوارئ.	☐ نجح ☐ فشل ملاحظات:
B2	المريض	1. ارجع وأجب «نعم» واختر «الرياض» ثم «متابعة» 2. في إنشاء الحساب اختر «البريد الإلكتروني» واكتب بريدًا (مثل test1@example.com) 3. اكتب كلمة مرور قصيرة مثل 123456 واضغط «إنشاء الحساب»	يظهر اسم مستعار تلقائي (ويمكن تغييره بزر «اسم جديد»). كلمة المرور القصيرة تُرفض برسالة واضحة: 12 حرفًا على الأقل.	☐ نجح ☐ فشل ملاحظات:
B3	المريض	1. اكتب كلمة مرور قوية مثل Quiet-Harbor-Lantern-2026 واضغط «إنشاء الحساب» 2. افتح http://localhost:5080/dev/inbox في تبويب جديد وانسخ الرمز (6 أرقام) 3. قبل إدخال الرمز لاحظ زر «إعادة إرسال الرمز» 4. أدخل الرمز واضغط «تحقق»	يظهر عداد 60 ثانية قبل أن تُسمح إعادة الإرسال. الرمز الصحيح ينقلك إلى «احفظ رموز الاسترجاع». (أدخل رمزًا خطأ مرة لترى رسالة الخطأ وعدد المحاولات المتبقية.)	☐ نجح ☐ فشل ملاحظات:
B4	المريض	1. في صفحة رموز الاسترجاع حاول «متابعة» مباشرة 2. اضغط «تنزيل كملف» أو «نسخ» 3. علّم «حفظت الرموز في مكان آمن» ثم «متابعة» 4. حدّث الصفحة (F5) قبل المتابعة في محاولة أخرى	10 رموز. «متابعة» لا تعمل قبل التنزيل أو النسخ والتأشير. الملف المنزّل فيه الرموز فقط. بعد التحديث لا تُعرض الرموز مرة ثانية.	☐ نجح ☐ فشل ملاحظات:
B5	المريض	1. في «قبل أن نبدأ» حاول تأشير «استخدام المنصة» قبل فتح النص 2. اضغط «اقرأ النص كاملًا» لكل موافقة مطلوبة ثم أشّرها 3. اضغط «موافق، متابعة»	الموافقات المطلوبة الثلاث لا تُؤشّر قبل فتح نصها الكامل. «تحسين الخدمة» و«موقعي عند الطوارئ» اختيارية.	☐ نجح ☐ فشل ملاحظات:
B6	المريض	1. في «كيف نصل إليك عند الحاجة؟» اكتب رقم جوالك مثل 0551234567 2. اكتب اسم شخص موثوق بدون رقمه واضغط «حفظ والمتابعة» 3. أضف رقمه (مثل 0559876543) واحفظ	يُرفض الاسم بدون رقم (والعكس) برسالة واضحة. بعد الإكمال تنتقل إلى «كيف تحب أن تبدأ؟».	☐ نجح ☐ فشل ملاحظات:
B7	المريض	1. في «كيف تحب أن تبدأ؟» اضغط خيار طلب التواصل مع الفريق 2. اضغط «ليس الآن»	تظهر نافذة تأكيد «نطلب من الفريق التواصل معك؟» مع الوقت المتوقع للتواصل. «ليس الآن» يغلقها بدون إرسال.	☐ نجح ☐ فشل ملاحظات:

C مسار الاستقبال بالذكاء الاصطناعي (المريض)

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
C1	المريض	1. اختر «محادثة تعارف» 2. اكتب: أشعر بضغط كبير في العمل ولا أنام جيدًا، واضغط «إرسال» 3. تابع الرد على أسئلة «رفيق» والاستبيان (PHQ-9 ثم GAD-7) الذي يظهر بين الرسائل	يرد «رفيق» بالعربية بسؤال واحد في كل مرة. تظهر أسئلة الاستبيان كأزرار (أبدًا / عدة أيام / ...). شريط التقدم يتحرك. الرسالة لا تتجاوز 2000 حرف (يظهر تنبيه «أرسلها على أجزاء»).	☐ نجح ☐ فشل ملاحظات:
C2	المريض	1. اضغط «إيقاف مؤقت» 2. من الرئيسية اضغط بطاقة «متابعة الاستقبال»	يرجعك للرئيسية وتظهر بطاقة «متابعة الاستقبال: حفظنا محادثتك». الضغط عليها يعيدك لنفس المحادثة.	☐ نجح ☐ فشل ملاحظات:
C3	المريض	1. في المحادثة اضغط «أريد التحدث مع شخص» 2. اضغط «ليس الآن»	نافذة تأكيد «نوصلك بشخص من فريقنا؟» مع الوقت المتوقع. «ليس الآن» يرجعك للمحادثة.	☐ نجح ☐ فشل ملاحظات:
C4	المريض	1. بعد عدة رسائل وإكمال الاستبيانات اضغط «إنهاء المحادثة» 2. في «هل فهمناك بشكل صحيح؟» اضغط «تعديل» على قسم وغيّره ثم «حفظ» 3. اضغط «إرسال إلى فريق الرعاية» ثم «نعم، أرسل»	يظهر ملخص من أربعة أقسام. القسم المعدّل عليه علامة «صحّحته أنت». يظهر تأكيد قبل الإرسال. بعدها صفحة «شكرًا لثقتك» (الانتظار).	☐ نجح ☐ فشل ملاحظات:
C5	المريض	1. في صفحة الانتظار جرّب «تمرين تنفس» ← «ابدأ» 2. في «أضف شيئًا» اكتب جملة واضغط «أضف إلى الملخص» 3. اترك الصفحة مفتوحة وانتقل للاختبار D1	يعمل تمرين التنفس. تظهر رسالة «أضفناه إلى ملخصك». الصفحة تتحقق تلقائيًا من حالة المراجعة.	☐ نجح ☐ فشل ملاحظات:

D مراجعة الفرز (المشرف)

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
D1	الفريق `fahad`	1. في نافذة أخرى افتح http://localhost:4200 وادخل بحساب fahad@staff.tamaneen.dev وكلمة المرور ثم رمز تطبيق المصادقة 2. من القائمة الجانبية افتح «قائمة الفرز» 3. اضغط حالة المريض من C	تظهر الحالة في الطابور مع مستوى الخطر والوقت المتبقي. فتحها يحجزها لك 15 دقيقة (شريط الحجز ظاهر). يظهر الملخص والدرجات وC-SSRS والأخصائيون المقترحون وما أضافه المريض.	☐ نجح ☐ فشل ملاحظات:
D2	الفريق `fahad`	1. اضغط «اعتماد وإرسال الاقتراحات للمريض» 2. ارجع لنافذة المريض (صفحة الانتظار) وانتظر بضع ثوانٍ	رسالة «اعتُمدت الحالة، ويرى المريض الاقتراحات الآن» وتختفي من الطابور. صفحة المريض تنتقل وحدها إلى «اخترنا لك ... أخصائيين».	☐ نجح ☐ فشل ملاحظات:
D3	الفريق `fahad` + `lead`	1. أنشئ مريضًا جديدًا وأكمل الاستقبال (C1–C4) 2. في حالته اضغط «تعديل مستوى الخطر» واختر 3 واكتب سببًا 3. ثم «تعديل مستوى الخطر» مرة ثانية واختر 2 مع سبب 4. ادخل بحساب lead@staff.tamaneen.dev وافتح نفس الحالة ووقّع	رفع المستوى يُحفظ فورًا. الخفض من 3 يظهر «أُرسل إلى المسؤول السريري للتوقيع» والحالة «بانتظار التوقيع»، والاعتماد ممنوع حتى التوقيع. بعد توقيع المسؤول السريري يسري المستوى الجديد. (المسؤول السريري حين يخفض بنفسه يُعتبر توقيعه.)	☐ نجح ☐ فشل ملاحظات:
D4	الفريق `fahad`	1. لمريض ثالث بعد الاستقبال: اضغط «إغلاق مع إحالة» واختر جهات إحالة واكتب سببًا 2. افتح صفحة الانتظار عند ذلك المريض	تُغلق الحالة. عند المريض تظهر «شكرًا لأنك شاركتنا» مع «جهات نقترح أن تتواصل معها» وأزرار اتصال للطوارئ وخط الدعم.	☐ نجح ☐ فشل ملاحظات:

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
D5	الفريق `fahad`	1. لمريض رابع: اضغط «تصعيد إلى طوارئ» مع سبب 2. افتح نافذة ذلك المريض	يُفتح حدث طوارئ (يظهر في «غرفة الطوارئ»). المريض يرى «نريد أن نطمئن عليك الآن» مع زر الاتصال بالطوارئ، والمحادثة متوقفة.	☐ نجح ☐ فشل ملاحظات:

E الاقتراحات والحجز والمواعيد (المريض)

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
E1	المريض	1. في صفحة الاقتراحات اضغط خيار «غير مناسب» لأحد الأخصائيين 2. اختر سببًا (اختياري) واضغط «نعم، أزل الاقتراح»	نافذة تأكيد مع سبب اختياري. يختفي الأخصائي من الاقتراحات.	☐ نجح ☐ فشل ملاحظات:
E2	المريض	1. افتح ملف أخصائي ← «اختيار موعد» 2. اختر اليوم والوقت ← «تأكيد الحجز» 3. في «تم الحجز» اضغط «إضافة للتقويم»	لا تظهر أوقات قبل ساعتين من الآن. الحجز يؤكَّد. ملف التقويم اسمه appointment.ics وعنوانه «موعد» فقط، بدون اسم المنصة.	☐ نجح ☐ فشل ملاحظات:
E3	المريض	1. افتح «مواعيدي» ثم الموعد 2. اضغط تغيير الموعد واختر وقتًا آخر ← «تأكيد الموعد الجديد» 3. اضغط «إلغاء الموعد» ← اضغط Esc 4. اضغط «إلغاء الموعد» مرة ثانية، اختر سببًا ← «نعم، ألغِ الموعد»	يتغير الموعد. Esc يغلق النافذة بدون إلغاء. الإلغاء يطلب سببًا، ثم «ألغينا موعدك». «حجز موعد جديد» يفتح حجزًا مع نفس الأخصائي أو صفحة الاقتراحات.	☐ نجح ☐ فشل ملاحظات:
E4	المريض	1. افتح http://localhost:3000/ar/waitlist (أو رابط «انضم لقائمة الانتظار» عند أخصائي بلا مواعيد) 2. اختر الأوقات والأيام واللغة ← «انضم لقائمة الانتظار» 3. اضغط «تعديل تفضيلاتي» ثم «حفظ تفضيلاتي» 4. ألغِ موعدًا محجوزًا من حساب مريض آخر يطابق التفضيلات 5. اضغط «الخروج من قائمة الانتظار»	رسالة «انضممت لقائمة الانتظار» مع المدة المتوقعة. عند تحرر موعد مطابق تصل رسالة في صندوق الرسائل التجريبي ويظهر «توفر موعد يناسبك» مع «احجز هذا الموعد». الخروج يعمل.	☐ نجح ☐ فشل ملاحظات:

F مسار الحجز المباشر (المريض)

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
F1	المريض	1. مريض جديد: في «كيف تحب أن تبدأ؟» اختر «أعرف ما أريد، سأحجز مباشرة» 2. في فحص السلامة أجب «لا» على كل الأسئلة	كل إجابة تُرسل فور اختيارها (لا يوجد زر «السؤال السابق»). بعد آخر سؤال تنتقل إلى «جميع الأخصائيين» وتستطيع الحجز.	☐ نجح ☐ فشل ملاحظات:
F2	المريض	1. مريض جديد آخر: في فحص السلامة أجب «نعم» على أول سؤال عن إيذاء النفس	تفتح شاشة الأزمة فورًا («أنت لست وحدك») مع أرقام الطوارئ، وتصل تنبيهات للفريق (H2).	☐ نجح ☐ فشل ملاحظات:

G لوحة الأخصائي وملف المريض

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
G1	الفريق `sara`	1. ادخل بحساب الأخصائي الذي حُجز معه (مثلًا sara@staff.tamaneen.dev) 2. شاهد «جلسات اليوم» و«مرضى جدد ينتظرون اعتماد الملف»	يظهر المريض الجديد مع مستوى الخطر وPHQ-9 و GAD-7 وموعد الجلسة الأولى. المرضى الآخرون (غير المحجوزين معها) لا يظهرون.	☐ نجح ☐ فشل ملاحظات:

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
G2	الفريق `sara`	1. اضغط «مراجعة الملف» 2. اضغط «المصادر» تحت جملة في الملخص 3. تنقّل بين التبويبات: محادثة الاستقبال، الدرجات، C-SSRS، تصحيحات المريض	تفتح صفحة ملف المريض. كل جملة مربوطة بكلام المريض وتتظلل رسائلها في المحادثة. الدرجات بندًا بندًا. فتح الملف يُسجَّل (تظهر ملاحظة التدقيق).	☐ نجح ☐ فشل ملاحظات:
G3	الفريق `sara`	1. عدّل جملة أو استبعدها مع سبب 2. اضغط «اعتماد الملف» 3. قيّم الملف من 1 إلى 5	يظهر «الملف معتمد» باسمك والتاريخ. يختفي من «ينتظرون اعتماد الملف» في اللوحة.	☐ نجح ☐ فشل ملاحظات:
G4	الفريق `sara`	1. اضغط «رفع مستوى الخطر» واختر مستوى أعلى مع سبب	رسالة «رُفع مستوى الخطر». لا يمكن اختيار مستوى أقل (الخفض من الفرز فقط).	☐ نجح ☐ فشل ملاحظات:
G5	الفريق `sara`	1. اضغط «إطلاق تنبيه طوارئ» واكتب ملاحظة للمناوب ← «إطلاق التنبيه»	«أُطلق تنبيه الطوارئ ويجري استدعاء المناوب». يظهر الحدث في غرفة الطوارئ، ومحادثة المريض تتوقف. أغلقه بعد ذلك من H6.	☐ نجح ☐ فشل ملاحظات:

H الأزمات من الطرفين

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
H1	المريض	1. في حساب مريض محجوز مع sara افتح «تسجيل المزاج» 2. اختر مزاجًا منخفضًا واكتب في الملاحظة: ما عاد أتحمل، أبي أموت الليلة ← «حفظ» 3. حاول فتح «مواعيدي» أو أي صفحة أخرى	تفتح شاشة «أنت لست وحدك» فورًا مع زر الاتصال بالطوارئ و«مختص يتصل بك». أي صفحة أخرى تعيدك لشاشة الأزمة (خطة الأمان وإعدادات الأمان مسموحة).	☐ نجح ☐ فشل ملاحظات:
H2	الفريق `sara` / `khalid` / `fahad`	1. افتح لوحة sara، وفي نافذة أخرى khalid (مناوب)، و fahad (مشرف)، بدون تحديث الصفحات 2. ادخل بحساب noura@staff.tamaneen.dev	يظهر تنبيه الأزمة عند الثلاثة خلال ثوانٍ بدون تحديث. noura (ليست أخصائيته وليست مناوبة) لا ترى الحدث.	☐ نجح ☐ فشل ملاحظات:
H3	الفريق `sara`	1. في تنبيه اللوحة اضغط «إحالة للمناوب» واكتب ملاحظة ← «إحالة»	«تُركت الحالة مع المناوب مع ملاحظتك». الملاحظة تظهر في التسلسل الزمني للحدث.	☐ نجح ☐ فشل ملاحظات:
H4	الفريق `khalid`	1. افتح التنبيه (يفتح الحدث نفسه في غرفة الطوارئ) 2. اضغط «إقرار وتولي الحالة» 3. «إظهار البيانات (تحقق إضافي)» وأدخل رمز المصادقة 4. انتظر رمزًا جديدًا ثم أظهر «ما كتبه المريض»	تصبح صاحب الحالة. رقم المريض يظهر كرابط اتصال واسم الشخص الموثوق، وكلامه الأصلي. كل منهما يحتاج رمزًا جديدًا (الرمز يُقبل مرة واحدة) ويظهر 10 دقائق.	☐ نجح ☐ فشل ملاحظات:
H5	الفريق `khalid`	1. «الاتصال بالمريض» ثم اختر نتيجة المكالمة ← «تسجيل النتيجة» 2. «تم التواصل» واكتب ملاحظة ← «تسجيل التواصل» 3. «إضافة ملاحظة» 4. «تسليم لمناوب آخر» واختر fahad ← «عرض التسليم»، ثم في حساب fahad «قبول التسليم»	كل خطوة تُضاف للتسلسل الزمني. الحالة تصبح «قيد التواصل». التسليم لا يتم إلا بعد قبول الزميل. sara (ليست صاحبة الحالة الآن) ترى الحدث للقراءة فقط.	☐ نجح ☐ فشل ملاحظات:

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
H6	الفريق `fahad + lead`	1. «إغلاق مع النتيجة» ← «تعذّر الوصول وأُحيلت الحالة» مع سبب 2. ادخل بحساب @lead وافتح الحدث ← «توقيع الإغلاق» 3. لحدث آخر: أغلقه بـ «تم التواصل والمريض بأمان»	إغلاق «تعذّر الوصول» من المشرف ينتظر توقيع المسؤول السريري. بعد التوقيع يُغلق ويظهر موعد مراجعة بعد 72 ساعة في التسلسل. الإغلاق الآمن يتم مباشرة.	☐ نجح ☐ فشل ملاحظات:
H7	المريض	1. بعد الإغلاق ارجع لنافذة المريض وحدّث الصفحة 2. افتح الإعدادات ← الخصوصية وبياناتي ← «من اطّلع على ملفي»	المحادثة تعمل من جديد. يظهر من فتح الملف ومن كشف بيانات التواصل والكلام ومتى.	☐ نجح ☐ فشل ملاحظات:
H8	المريض	1. في مريض مسجّل الدخول اضغط «مساعدة فورية» أعلى أي صفحة 2. اضغط الزر مرتين بسرعة في مريض آخر	تظهر أرقام الطوارئ فورًا ثم «نرسل طلبك إلى الفريق السريري الآن...» ويُفتح حدث حرج ويصل تنبيه للفريق. الضغط المزدوج يفتح حدثًا واحدًا فقط.	☐ نجح ☐ فشل ملاحظات:
H9	المريض	1. أثناء أزمة مفتوحة: الإعدادات ← الخصوصية وبياناتي ← «حذف حسابي»	«لا يمكن حذف الحساب الآن» مع رابط «افتح شاشة الطوارئ».	☐ نجح ☐ فشل ملاحظات:

I الرعاية والإعدادات (المريض)

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
I1	المريض	1. «تسجيل المزاج»: اختر مزاجًا عاديًا وملاحظة عادية ← «حفظ»	«حفظنا مزاجك اليوم».	☐ نجح ☐ فشل ملاحظات:
I2	المريض	1. افتح «خطة أماني» ← «تعديل الخطة» 2. «إضافة جهة اتصال» باسم ورقم ← «حفظ الخطة»	«حفظنا خطتك». جهات الاتصال تظهر كأزرار اتصال مباشر.	☐ نجح ☐ فشل ملاحظات:
I3	المريض	1. افتح أدوات المطوّر (F12) ← Network ← Offline 2. سجّل مزاجًا، وعدّل خطة الأمان 3. افتح http://localhost:3000/ar/outbox 4. أعد الشبكة إلى No throttling	يظهر شريط «الاتصال ضعيف» و«بانتظار الإرسال». صفحة الصندوق تعرض العناصر. عند عودة الاتصال تُرسل وحدها مرة واحدة فقط ويختفي الشريط.	☐ نجح ☐ فشل ملاحظات:
I4	المريض	1. افتح «الإعدادات ← جهة الطوارئ والموقع» في تبويبين 2. عدّل الرقم في التبويب الأول ← «حفظ» 3. عدّل في التبويب الثاني ← «حفظ»	الحفظ الثاني يُرفض برسالة أن البيانات تغيّرت، وتظهر القيم الأحدث.	☐ نجح ☐ فشل ملاحظات:
I5	المريض	1. في نفس الصفحة أوقف مشاركة الموقع 2. «حذف جهة الطوارئ»	كلاهما يطلب تأكيدًا قبل التنفيذ.	☐ نجح ☐ فشل ملاحظات:
I6	المريض	1. «الإعدادات ← الأمان»: «بدء الإعداد» لتطبيق المصادقة، امسح الرمز وأكّد 2. سجّل الخروج وادخل من جديد 3. أوقف تطبيق المصادقة 4. «إنشاء رموز جديدة؟» للرموز الاحتياطية 5. «تسجيل الخروج من كل الأجهزة»	بعد التفعيل يطلب الدخول «تأكيد الدخول» برمز التطبيق. الإيقاف وإنشاء رموز جديدة يطلبان كلمة المرور. الخروج من كل الأجهزة يطلب تأكيدًا.	☐ نجح ☐ فشل ملاحظات:

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
I7	المريض	1. «الإعدادات ← الإشعارات»: «تعديل ساعات الهدوء» ← «حفظ»	«حفظنا إعدادات الإشعارات».	☐ نجح ☐ فشل ملاحظات:
I8	المريض	1. «الخصوصية وبياناتي»: أوقف «المساعدة بالذكاء الاصطناعي» 2. «تنزيل نسخة من بياناتي» 3. «حذف حسابي» (بدون أزمة مفتوحة، في حساب تجريبي)	إيقاف الذكاء الاصطناعي يشرح الأثر ويعرض خيار الحذف. التنزيل يطلب كلمة المرور. الحذف يطلب كتابة كلمة «حذف» وكلمة المرور.	☐ نجح ☐ فشل ملاحظات:

J الجلسة والدخول والحالات العامة

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
J1	المريض	1. في مريض مسجّل الدخول افتح «مواعيدي» 2. F12 ← Application ← Cookies ← احذف ملفات localhost:3000 3. حدّث الصفحة، ثم ادخل من جديد	تظهر «انتهت الجلسة لحمايتك» مع أرقام الطوارئ. بعد الدخول ترجع إلى «مواعيدي» نفسها.	☐ نجح ☐ فشل ملاحظات:
J2	المريض	1. في «تسجيل الدخول» أدخل بريدًا صحيحًا وكلمة مرور خطأ عدة مرات	رسالة بالعربية مع عدد المحاولات المتبقية. بعد 5 محاولات يُقفل الدخول 15 دقيقة. (بريد غير موجود يعطي نفس الرسائل.)	☐ نجح ☐ فشل ملاحظات:
J3	المريض	1. «تسجيل الدخول» ← نسيت كلمة المرور/استرجاع الحساب 2. اطلب الرمز وانسخه من صندوق الرسائل التجريبي، واكتب كلمة مرور جديدة	تتغير كلمة المرور وتستطيع الدخول بها.	☐ نجح ☐ فشل ملاحظات:

K دخول الفريق والصلاحيات

رقم	من	الخطوات	النتيجة المتوقعة	النتيجة
K1	الفريق	1. في http://localhost:4200 جرّب رمز مصادقة خطأ 2. اضغط زر اللغة	الرمز الخطأ يُرفض برسالة واضحة. الصفحة تتحول للإنجليزية من اليسار لليمين ويبقى الاختيار.	☐ نجح ☐ فشل ملاحظات:
K2	الفريق	1. «نسيت كلمة المرور؟» ← بريد الموظف ← «إرسال رمز إعادة التعيين» 2. انسخ الرمز من الصندوق التجريبي وأدخل كلمة مرور جديدة	«تم تغيير كلمة المرور» ثم «العودة لتسجيل الدخول». تطبيق المصادقة ما زال مطلوبًا.	☐ نجح ☐ فشل ملاحظات:
K3	الفريق `sara`	1. وأنت داخل بحساب sara افتح http://localhost:4200/triage	صفحة «لا تملك صلاحية لهذه الصفحة»، والمحاولة تُسجَّل.	☐ نجح ☐ فشل ملاحظات:

ما لا يمكن تجربته في هذه النسخة

- الواجبات المنزلية: لا توجد بعد شاشة يعيّن منها الأخصائي واجبًا، فقائمة «واجباتي» تبقى فارغة في التجربة.
- زر «انضم إلى الجلسة» يظهر فقط قبل الجلسة بعشر دقائق، ورابط الفيديو تجريبي.
- الرسائل النصية والبريد لا تُرسل فعليًا، بل تظهر في صندوق الرسائل التجريبي.
- شاشة الرسائل مع الأخصائي، وPasskeys، وCAPTCHA، وملف تصدير البيانات غير موجودة في هذه النسخة.
- «رفيق» يرد بنموذج تجريبي ثابت الأسئلة ما لم يُضبط مفتاح Anthropic.

ملخص النتائج

القسم	عدد الاختبارات	نجح	فشل
A · اللغة والصفحات العامة	4		
B · التسجيل والدخول (المريض)	7		
C · مسار الاستقبال بالذكاء الاصطناعي (المريض)	5		
D · مراجعة الفرز (المشرف)	5		
E · الاقتراحات والحجز والمواعيد (المريض)	4		
F · مسار الحجز المباشر (المريض)	2		
G · لوحة الأخصائي وملف المريض	5		
H · الأزمات من الطرفين	9		
I · الرعاية والإعدادات (المريض)	8		
J · الجلسة والدخول والحالات العامة	3		
K · دخول الفريق والصلاحيات	3		
المجموع	**55**		

Part two · English

Before you start

1. Start the platform: open Docker Desktop and wait for Engine running, then in the tamaneen folder type `docker compose up` and wait for the line `Development seed`.
2. Use Chrome or Edge. Open **two windows**: a normal one for the patient and a private one (Ctrl+Shift+N) for the team. For each extra patient or staff member use another private window or another browser.
3. Patient app: `http://localhost:3000` · Staff portal: `http://localhost:4200` · Verification codes: `http://localhost:5080/dev/inbox`
4. Staff accounts and passwords are in the table below.
5. Authenticator app on your phone (Google or Microsoft Authenticator): "+" → "Enter a setup key" → name Tamaneen and the key from the table (time based). Each code works once per account; if one is refused, wait for the next.
6. You create the patients yourself: a different e-mail for each and the suggested password from the table.
7. To start from scratch at any time: `docker compose down -v`, then `docker compose up`.
8. Write what you saw in "Notes" when it differs from the expected result, and take a screenshot.

Account	Role
`fahad@staff.tamaneen.dev`	Clinical supervisor (backup on-call)
`lead@staff.tamaneen.dev`	Clinical lead
`khalid@staff.tamaneen.dev`	On-call therapist
`sara@staff.tamaneen.dev`	Therapist
`noura@staff.tamaneen.dev`	Therapist
`mona@staff.tamaneen.dev`	Therapist
Password for every staff account	`Tamaneen-Dev-2026!`
Authenticator key (all accounts)	`ORQW2YLOMVSW4LLEMV3C25DPORYC2MRQ`
Suggested patient password	`Quiet-Harbor-Lantern-2026`
Patient e-mail (example)	`test1@example.com, test2@example.com, ...`

A Language and public pages

#	Who	Steps	Expected result	Result
A1	Patient	1. Open http://localhost:3000 2. Press the language button at the top (English) 3. Press it again (العربية)	The page starts in Arabic, right-to-left. All text switches to English, left-to-right, at once without a reload, then back. The choice survives a page refresh.	☐ Pass ☐ Fail Notes:
A2	Patient	1. On the first page (not signed in) press "Help now" at the top	The emergency resources page opens: emergency number 911 as a call link, the support line, and "Ask a professional to call me now".	☐ Pass ☐ Fail Notes:
A3	Patient	1. From the footer of the first page open "How it works", then "Privacy and terms" 2. Press "Back"	The service steps and what the AI does and doesn't do appear, then the privacy policy and terms. "Back" returns to the previous page.	☐ Pass ☐ Fail Notes:

#	Who	Steps	Expected result	Result
A4	Patient	1. Open an address that doesn't exist, e.g. http://localhost:3000/en/abc	A “Page not found” page in the same language, with “Help now” and the emergency numbers still shown.	☐ Pass ☐ Fail Notes:

B Sign-up and sign-in (patient)

#	Who	Steps	Expected result	Result
B1	Patient	1. Press “Let's begin” 2. Answer “No” to the age question and press “Continue”	No account is created. “Other support services for you” appears with the emergency numbers.	☐ Pass ☐ Fail Notes:
B2	Patient	1. Go back, answer “Yes”, choose “Riyadh”, press “Continue” 2. On Create account choose “Email” and type an address (e.g. test1@example.com) 3. Type a short password like 123456 and press “Create account”	A nickname is filled in automatically (a new one can be generated). The short password is refused with a clear message: at least 12 characters.	☐ Pass ☐ Fail Notes:
B3	Patient	1. Type a strong password such as Quiet-Harbor-Lantern-2026 and press “Create account” 2. Open http://localhost:5080/dev/inbox in a new tab and copy the 6-digit code 3. Before entering it, look at “Resend code” 4. Enter the code and press “Verify”	A 60-second countdown runs before resending is allowed. The right code takes you to “Save your recovery codes”. (Try a wrong code once to see the error and the attempts left.)	☐ Pass ☐ Fail Notes:
B4	Patient	1. On the recovery codes page try “Continue” right away 2. Press “Download as a file” or “Copy” 3. Tick “I've saved the codes somewhere safe”, then “Continue” 4. Refresh the page (F5) before continuing, on another try	10 codes. “Continue” doesn't work until you download or copy and tick the box. The downloaded file holds only the codes. After a refresh the codes are not shown again.	☐ Pass ☐ Fail Notes:
B5	Patient	1. On “Before we begin” try to tick “Using the platform” before opening its text 2. Press “Read the full text” for each required consent, then tick it 3. Press “Agree and continue”	The three required consents can't be ticked before their full text is opened. “Improving the service” and “My location in an emergency” are optional.	☐ Pass ☐ Fail Notes:
B6	Patient	1. On “How can we reach you if needed?” type your phone, e.g. 0551234567 2. Type a trusted person's name without their number and press “Save and continue” 3. Add their number (e.g. 0559876543) and save	A name without a number (or the reverse) is refused with a clear message. Then you reach “How would you like to start?”.	☐ Pass ☐ Fail Notes:
B7	Patient	1. On “How would you like to start?” press the option to ask the team to contact you 2. Press “Not now”	A confirmation “Ask the team to contact you?” appears with the expected waiting time. “Not now” closes it without sending.	☐ Pass ☐ Fail Notes:

C AI intake path (patient)

#	Who	Steps	Expected result	Result
C1	Patient	1. Choose “An introductory chat” 2. Type: I feel a lot of pressure at work and I don't sleep well, and press “Send” 3. Keep answering Rafiq's questions and the questionnaire (PHQ-9 then GAD-7) shown between messages	Rafiq replies in the patient's language with one question at a time. Questionnaire items appear as buttons (Not at all / Several days / ...). The progress bar moves. A message can't exceed 2,000 characters (a “send it in parts” notice appears).	☐ Pass ☐ Fail Notes:
C2	Patient	1. Press “Pause” 2. From Home press the “Continue intake” card	You go back Home and a “Continue intake” card appears. Pressing it reopens the same conversation.	☐ Pass ☐ Fail Notes:
C3	Patient	1. In the chat press “I want to talk to a person” 2. Press “Not now”	A confirmation “Connect you with a person from our team?” with the expected wait. “Not now” returns to the chat.	☐ Pass ☐ Fail Notes:
C4	Patient	1. After a few messages and the questionnaires press “End conversation” 2. On “Did we understand you correctly?” press “Edit” on a section, change it, press “Save” 3. Press “Send to the care team”, then “Yes, send it”	A four-part summary appears. The edited section shows “You corrected this”. A confirmation appears before sending. Then the “Thank you for trusting us” waiting page.	☐ Pass ☐ Fail Notes:
C5	Patient	1. On the waiting page try “Breathing exercise” → “Start” 2. In “Add something” type a sentence and press “Add to the summary” 3. Leave the page open and go to test D1	The breathing exercise runs. “We added it to your summary” appears. The page keeps checking the review status by itself.	☐ Pass ☐ Fail Notes:

D Triage review (supervisor)

#	Who	Steps	Expected result	Result
D1	Staff `fahad`	1. In another window open http://localhost:4200, sign in as fahad@staff.tamaneen.dev with the password and the authenticator code 2. From the side menu open “Triage queue” 3. Open the case of the patient from C	The case is in the queue with its risk level and time left. Opening it claims it for you for 15 minutes (the claim bar shows). The summary, scores, C-SSRS, suggested therapists and the patient's addition are shown.	☐ Pass ☐ Fail Notes:
D2	Staff `fahad`	1. Press “Approve and send suggestions to the patient” 2. Go back to the patient window (waiting page) and wait a few seconds	“Approved. The patient can now see the suggestions” and the case leaves the queue. The patient's page moves by itself to “We picked ... therapists for you”.	☐ Pass ☐ Fail Notes:

#	Who	Steps	Expected result	Result
D3	Staff `fahad + lead`	1. Create a new patient and finish the intake (C1–C4) 2. In their case press “Change risk level”, choose 3, type a reason 3. Press “Change risk level” again, choose 2 with a reason 4. Sign in as lead@staff.tamaneen.dev, open the same case and co-sign	Raising is saved at once. Lowering from 3 shows “Sent to the clinical lead for co-sign”, the case is “awaiting co-sign”, and approval is blocked until then. After the lead co-signs the new level applies. (When the lead lowers it themselves, that counts as their co-sign.)	☐ Pass ☐ Fail Notes:
D4	Staff `fahad`	1. For a third patient after intake: press “Close with referral”, choose referral resources and type a reason 2. Open that patient's waiting page	The case closes. The patient sees “Thank you for sharing with us” with “Where we suggest you reach out” and call buttons for emergency services and the support line.	☐ Pass ☐ Fail Notes:
D5	Staff `fahad`	1. For a fourth patient: press “Escalate to crisis” with a reason 2. Open that patient's window	A crisis event opens (shown in the “Crisis console”). The patient sees “We want to check on you now” with the call-emergency button, and the chat is paused.	☐ Pass ☐ Fail Notes:

E Matches, booking and appointments (patient)

#	Who	Steps	Expected result	Result
E1	Patient	1. On the suggestions page press “Not a good fit” for one therapist 2. Pick a reason (optional) and press “Yes, remove the suggestion”	A confirmation with an optional reason. The therapist disappears from the suggestions.	☐ Pass ☐ Fail Notes:
E2	Patient	1. Open a therapist's profile → “Choose a time” 2. Pick a day and time → “Confirm booking” 3. On “Booked” press “Add to calendar”	No times within the next 2 hours are offered. The booking is confirmed. The calendar file is appointment.ics and its title is just “Appointment”, without the platform name.	☐ Pass ☐ Fail Notes:
E3	Patient	1. Open “My appointments”, then the appointment 2. Change the time and pick another → “Confirm the new time” 3. Press “Cancel appointment” → press Esc 4. Press “Cancel appointment” again, pick a reason → “Yes, cancel it”	The time changes. Esc closes the dialog without cancelling. Cancelling asks for a reason, then “Your appointment is cancelled”. “Book a new appointment” opens booking with the same therapist, or the suggestions.	☐ Pass ☐ Fail Notes:
E4	Patient	1. Open http://localhost:3000/en/waitlist (or the “Join the waitlist” link at a therapist with no times) 2. Pick times, days and language → “Join the waitlist” 3. Press “Edit my preferences”, then “Save my preferences” 4. From another patient, cancel a booked time that matches 5. Press “Leave the waitlist”	“You're on the waitlist” with the expected wait. When a matching time frees up, a message reaches the test inbox and “A time that suits you is free” appears with “Book this time”. Leaving works.	☐ Pass ☐ Fail Notes:

F Direct booking path (patient)

#	Who	Steps	Expected result	Result
F1	Patient	1. New patient: on “How would you like to start?” choose “I know what I want, I'll book directly” 2. In the safety check answer “No” to every question	Each answer is sent as soon as it is chosen (there's no “Previous question” button). After the last one you reach “All therapists” and can book.	☐ Pass ☐ Fail Notes:
F2	Patient	1. Another new patient: in the safety check answer “Yes” to the first self-harm question	The crisis screen opens immediately (“You are not alone”) with emergency numbers, and the team is alerted (H2).	☐ Pass ☐ Fail Notes:

G Therapist dashboard and patient file

#	Who	Steps	Expected result	Result
G1	Staff `sara`	1. Sign in as the therapist the patient booked with (e.g. sara@staff.tamaneen.dev) 2. Look at “Today's sessions” and “New patients awaiting file approval”	The new patient appears with the risk level, PHQ-9, GAD-7 and first session. Patients not booked with her don't appear.	☐ Pass ☐ Fail Notes:
G2	Staff `sara`	1. Press “Review file” 2. Press “Sources” under a summary statement 3. Move between the tabs: intake chat, scores, C-SSRS, patient corrections	The patient file page opens. Each statement links to the patient's words and its messages are highlighted. Scores item by item. Opening the file is recorded (the audit note shows).	☐ Pass ☐ Fail Notes:
G3	Staff `sara`	1. Edit a statement or dismiss it with a reason 2. Press “Approve file” 3. Rate the file from 1 to 5	“File approved” shows your name and the date. It leaves “awaiting file approval” on the dashboard.	☐ Pass ☐ Fail Notes:
G4	Staff `sara`	1. Press “Raise risk level”, choose a higher level with a reason	“Risk level raised”. A lower level can't be chosen (lowering goes through triage).	☐ Pass ☐ Fail Notes:
G5	Staff `sara`	1. Press “Raise a crisis alert”, write a note for the on-call → “Raise alert”	“Crisis alert raised. The on-call clinician is being called.” The event shows in the crisis console and the patient's chat pauses. Close it later via H6.	☐ Pass ☐ Fail Notes:

H Crisis, both sides

#	Who	Steps	Expected result	Result
H1	Patient	1. In a patient booked with sara open “Mood check-in” 2. Pick a low mood and write in the note: I want to die tonight → “Save” 3. Try to open “My appointments” or any other page	“You are not alone” opens at once with the call-emergency button and “A professional is calling you”. Any other page brings you back to the crisis screen (the safety plan and safety settings are allowed).	☐ Pass ☐ Fail Notes:

#	Who	Steps	Expected result	Result
H2	Staff `sara / khalid / fahad`	1. Have sara's dashboard open, and in other windows khalid (on call) and fahad (supervisor), without refreshing 2. Sign in as noura@staff.tamaneen.dev	The crisis alert appears for all three within seconds, without a refresh. noura (not the therapist, not on call) does not see the event.	☐ Pass ☐ Fail Notes:
H3	Staff `sara`	1. On the dashboard alert press “Refer to on-call”, write a note → “Refer”	“Left with the on-call, with your note.” The note shows on the event timeline.	☐ Pass ☐ Fail Notes:
H4	Staff `khalid`	1. Open the alert (it opens that event in the crisis console) 2. Press “Acknowledge and take the case” 3. “Show data (extra verification)” and enter the authenticator code 4. Wait for a new code, then show “What the patient wrote”	You own the case. The patient's phone shows as a call link with the trusted person, then their own words. Each needs a fresh code (a code works once) and shows for 10 minutes.	☐ Pass ☐ Fail Notes:
H5	Staff `khalid`	1. “Call patient”, then choose the call outcome → “Record outcome” 2. “Mark contacted”, write a note → “Record contact” 3. “Add note” 4. “Hand over to another on-call”, choose fahad → “Offer handover”; then as fahad “Accept handover”	Each step is added to the timeline. The case becomes “in contact”. The handover happens only once the colleague accepts. sara (no longer the owner) sees the event read-only.	☐ Pass ☐ Fail Notes:
H6	Staff `fahad + lead`	1. “Close with outcome” → “Unreachable, referred on” with a reason 2. Sign in as lead@, open the event → “Co-sign and close” 3. For another event: close it as “Patient contacted and safe”	An “unreachable” close by the supervisor waits for the clinical lead. After the co-sign it closes and a review 72 hours later shows on the timeline. The safe close happens at once.	☐ Pass ☐ Fail Notes:
H7	Patient	1. After the close go back to the patient window and refresh 2. Open Settings → Privacy and my data → “Who opened my file”	The chat works again. It lists who opened the file and who revealed the contact data and words, and when.	☐ Pass ☐ Fail Notes:
H8	Patient	1. As a signed-in patient press “Help now” at the top of any page 2. In another patient press it twice quickly	Emergency numbers show at once, then “Sending your request to the clinical team now…”; a critical event opens and the team is alerted. A double press opens only one event.	☐ Pass ☐ Fail Notes:
H9	Patient	1. While a crisis is open: Settings → Privacy and my data → “Delete my account”	“Your account can't be deleted right now” with a link “Open the crisis screen”.	☐ Pass ☐ Fail Notes:

I Care and settings (patient)

#	Who	Steps	Expected result	Result
I1	Patient	1. “Mood check-in”: a normal mood and a normal note → “Save”	“Your mood for today is saved.”	☐ Pass ☐ Fail Notes:
I2	Patient	1. Open “My safety plan” → “Edit plan” 2. “Add a contact” with a name and number → “Save plan”	“Your plan is saved.” Contacts show as direct call buttons.	☐ Pass ☐ Fail Notes:
I3	Patient	1. Open developer tools (F12) → Network → Offline 2. Save a mood and edit the safety plan 3. Open http://localhost:3000/en/outbox 4. Set the network back to No throttling	A “Weak connection” strip and “Waiting to send” appear. The outbox page lists the items. When the connection returns they are sent by themselves, once only, and the strip disappears.	☐ Pass ☐ Fail Notes:
I4	Patient	1. Open “Settings → Emergency contact and location” in two tabs 2. Change the number in the first tab → “Save” 3. Change something in the second tab → “Save”	The second save is refused with a message that the details changed, and the latest values are shown.	☐ Pass ☐ Fail Notes:
I5	Patient	1. On the same page turn off location sharing 2. “Delete emergency contact”	Both ask for confirmation first.	☐ Pass ☐ Fail Notes:
I6	Patient	1. “Settings → Security”: “Start setup” for the authenticator app, scan and confirm 2. Sign out and back in 3. Turn the authenticator off 4. “Create new codes?” for the recovery codes 5. “Sign out of all devices”	Once on, sign-in asks “Confirm it's you” with the app code. Turning it off and creating new codes ask for the password. Signing out everywhere asks for confirmation.	☐ Pass ☐ Fail Notes:
I7	Patient	1. “Settings → Notifications”: “Edit quiet hours” → “Save”	“Your notification settings are saved.”	☐ Pass ☐ Fail Notes:
I8	Patient	1. “Privacy and my data”: turn off “AI assistance” 2. “Download a copy of my data” 3. “Delete my account” (no open crisis, on a test account)	Turning AI off explains the effect and offers deletion. The download asks for the password. Deletion asks you to type DELETE and your password.	☐ Pass ☐ Fail Notes:

J Session, sign-in and system states

#	Who	Steps	Expected result	Result
J1	Patient	1. As a signed-in patient open “My appointments” 2. F12 → Application → Cookies → delete the localhost:3000 cookies 3. Refresh, then sign in again	“Your session ended to protect you” shows with the emergency numbers. After signing in you return to “My appointments”.	☐ Pass ☐ Fail Notes:
J2	Patient	1. On “Sign in” enter a real email and a wrong password several times	A message with the attempts left. After 5 attempts sign-in is locked for 15 minutes. (An unknown email gets the same messages.)	☐ Pass ☐ Fail Notes:
J3	Patient	1. “Sign in” → recover account 2. Request the code, copy it from the test inbox, set a new password	The password changes and you can sign in with it.	☐ Pass ☐ Fail Notes:

K Staff sign-in and access

#	Who	Steps	Expected result	Result
K1	Staff	1. At http://localhost:4200 try a wrong authenticator code 2. Press the language button	The wrong code is refused with a clear message. The page switches to English left-to-right and the choice is kept.	☐ Pass ☐ Fail Notes:
K2	Staff	1. “Forgot your password?” → staff email → “Send reset code” 2. Copy the code from the test inbox and enter a new password	“Password changed”, then “Back to sign-in”. The authenticator is still required.	☐ Pass ☐ Fail Notes:
K3	Staff `sara`	1. Signed in as sara, open http://localhost:4200/triage	“You don't have access to this page”, and the attempt is recorded.	☐ Pass ☐ Fail Notes:

What this version cannot test

- Homework: there is no screen yet for a therapist to assign homework, so “My homework” stays empty in the trial.
- “Join the session” appears only from 10 minutes before the session, and the video link is a placeholder.
- SMS and e-mail are not really sent; they appear in the test inbox.
- Messaging with the therapist, passkeys, CAPTCHA and the data-export file are not in this version.
- Rafiq answers with a fixed demo model unless an Anthropic key is set.

Results summary

Section	Tests	Passed	Failed
A · Language and public pages	4		
B · Sign-up and sign-in (patient)	7		
C · AI intake path (patient)	5		
D · Triage review (supervisor)	5		

Section	Tests	Passed	Failed
E · Matches, booking and appointments (patient)	4		
F · Direct booking path (patient)	2		
G · Therapist dashboard and patient file	5		
H · Crisis, both sides	9		
I · Care and settings (patient)	8		
J · Session, sign-in and system states	3		
K · Staff sign-in and access	3		
Total	**55**		