# **Chat App Use Case Model**

Package «system» in package 'Model'

Chat App Use Case Model Version Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

# **Use Case Model diagram**

Use Case diagram in package 'Chat App Use Case Model'

Use Case Model Version 1.0 pavel created on 10/07/2017. Last modified 10/07/2017




Figure 1: Use Case Model

## **Actors**

Package in package 'Chat App Use Case Model'

Actors

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## **Actors diagram**

Use Case diagram in package 'Actors'

Actors Version 1.0 pavel created on 10/07/2017. Last modified 10/07/2017



Figure 2: Actors

## User

Actor in package 'Actors'

User

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

#### **OUTGOING BEHAVIORAL RELATIONSHIPS**

← Sequence from User to Object1

## CONNECTORS

✓ UseCaseLink Source -> Destination

From: User : Actor, Public

To: Use Case2 : UseCase, Public

✓ UseCaseLink Source -> Destination

From: User : Actor, Public

To: Use Case1 : UseCase, Public

10 July, 2017

Model Report

# **Primary Use Cases**

Package in package 'Chat App Use Case Model'

Primary Use Cases Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## **Primary Use Cases diagram**

Use Case diagram in package 'Primary Use Cases'

Primary Use Cases Version 1.0 pavel created on 10/07/2017. Last modified 10/07/2017




Figure 3: Primary Use Cases

## Use Case1

UseCase in package 'Primary Use Cases'

Use Case1 Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

# ELEMENTS OWNED BY Use Case1

B Object1 : Sequence

## CONNECTORS

✓ UseCaseLink Source -> Destination

From: User : Actor, Public

To: Use Case1 : UseCase, Public

## **Use Case1 diagram**

Interaction diagram in package 'Primary Use Cases'

Use Case1 Version 1.0 pavel created on 10/07/2017. Last modified 10/07/2017




Figure 4: Use Case1

## INTERACTION MESSAGES

**I.0** " from 'User' sent to 'Object1'.

Synchronous Call.

[ Return is False. Iteration is False. New group is False. ]

# Object1

Sequence owned by 'Use Case1', in package 'Primary Use Cases'

Object1

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## INCOMING BEHAVIORAL RELATIONSHIPS

→ Sequence from User to Object1

## **Use Case2**

UseCase in package 'Primary Use Cases'

Use Case2

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

#### **CONNECTORS**

UseCaseLink Source -> Destination

From: User: Actor, Public

Use Case2 : UseCase, Public To:

## Actor1

Actor in package 'Chat App Use Case Model'

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## **Admin**

Actor in package 'Chat App Use Case Model'

will be implemented in ver 2.0

Admin

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

Dependency Source -> Destination Admin: Actor, Public

Signup: UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) Admin

Target: Public (UseCase) Delete My Acount

## client

Actor in package 'Chat App Use Case Model'

client

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

#### **CONNECTORS**

## CONNECTORS

✓ UseCaseLink Source -> Destination

From: client: Actor, Public

To: send message : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public
To: join group : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public

To: Delete My Acount : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public

To: show all goups : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public
To: log in : UseCase, Public

**UseCaseLink** Source -> Destination

From: client : Actor, Public

To: create group : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public

To: leave group : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public

To: Show My group: UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public To: Signup : UseCase, Public

#### ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) client Target: Public (UseCase) Show user in Group

Association (direction: Unspecified)

Source: Public (Actor) client Target: Public (UseCase) log out

## client 2

Actor in package 'Chat App Use Case Model'

client 2 Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

ASSOCIATIONS				
Provider (direction: Unspecified) «Provider»				
Source: Public (Actor) client 2	Target: Public (UseCase) join group			
Provider (direction: Unspecified) «Provider»				
Source: Public (Actor) client 2	Target: Public (UseCase) create group			

# logger

Actor in package 'Chat App Use Case Model'

logger

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

ASSOCIATIONS	
Association (direction: Unspecified)	
Source: Public (Actor) logger	Target: Public (UseCase) join group
Association (direction: Unspecified)	
Source: Public (Actor) logger	Target: Public (UseCase) delete group
Association (direction: Unspecified)	
Source: Public (Actor) logger	Target: Public (UseCase) leave group
Association (direction: Unspecified)	
Source: Public (Actor) logger	Target: Public (UseCase) log in
Association (direction: Unspecified)	
Source: Public (Actor) logger	Target: Public (UseCase) create group
Association (direction: Unspecified)	

# ASSOCIATIONS Source: Public (Actor) logger Target: Public (UseCase) Signup Association (direction: Unspecified) Source: Public (Actor) logger Target: Public (UseCase) log out

#### server

Actor in package 'Chat App Use Case Model'

server that menage all the comunication

server

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## **CONNECTORS**

UseCaseLink Source -> Destination

From: server : Actor, Public
To: Groups DB : UseCase, Public

✓ UseCaseLink Source -> Destination

From: server : Actor, Public

To: send message : UseCase, Public

# ASSOCIATIONS Association (direction: Unspecified) Source: Public (Actor) server Target: Public (UseCase) delete group Association (direction: Unspecified) Source: Public (Actor) server Target: Public (UseCase) join group Association (direction: Unspecified) Source: Public (Actor) server Target: Public (UseCase) create group Association (direction: Unspecified) Source: Public (Actor) server Target: Public (UseCase) verify acount Provider (direction: Unspecified) «Provider» Source: Public (Actor) server Target: Public (UseCase) User DB

#### ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) server Target: Public (UseCase) leave group

# **Delete My Acount**

UseCase in package 'Chat App Use Case Model'

Delete My Acount Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

#### **CONNECTORS**

From: Delete My Acount : UseCase, Public To: verify acount : UseCase, Public

✓ UseCaseLink Source -> Destination

From: client : Actor, Public

To: Delete My Acount : UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) Admin Target: Public (UseCase) Delete My Acount

# **Groups DB**

UseCase in package 'Chat App Use Case Model'

Groups DB

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## **CONNECTORS**

Prom: Show My group: UseCase, Public
To: Groups DB: UseCase, Public

Pependency Source -> Destination
From: join group : UseCase, Public
To: Groups DB : UseCase, Public

## CONNECTORS

✓ UseCaseLink Source -> Destination

From: server : Actor, Public
To: Groups DB : UseCase, Public

Prom: leave group : UseCase, Public
To: Groups DB : UseCase, Public

**Dependency** Source -> Destination From: create group : UseCase, Public To: Groups DB : UseCase, Public

Pependency Source -> Destination
From: show all goups : UseCase, Public
To: Groups DB : UseCase, Public

Prom: delete group : UseCase, Public
To: Groups DB : UseCase, Public

Pependency Source -> Destination
From: Show user in Group: UseCase, Public
To: Groups DB: UseCase, Public

## Logger

UseCase in package 'Chat App Use Case Model'

Logger

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

# **Show My group**

UseCase in package 'Chat App Use Case Model'

Show My group Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

Pependency Source -> Destination
From: Show My group : UseCase, Public
To: Groups DB : UseCase, Public

#### CONNECTORS

From: leave group : UseCase, Public
To: Show My group : UseCase, Public

✓ UseCaseLink Source -> Destination

From: client : Actor, Public

To: Show My group : UseCase, Public

# **Show user in Group**

UseCase in package 'Chat App Use Case Model'

Show user in Group Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## **CONNECTORS**

Pependency Source -> Destination
From: Show user in Group : UseCase, Public
To: Groups DB : UseCase, Public

Include «include» Source -> Destination From: join group : UseCase, Public

To: Show user in Group : UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) client Target: Public (UseCase) Show user in Group

# **Signup**

UseCase in package 'Chat App Use Case Model'

Signup

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## **CONNECTORS**

**✓ Include** «include» Source → Destination

From: Signup : UseCase, Public To: verify acount : UseCase, Public

#### CONNECTORS

Prom: Admin : Actor, Public
To: Signup : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public To: Signup : UseCase, Public

#### ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) logger Target: Public (UseCase) Signup

## **User DB**

UseCase in package 'Chat App Use Case Model'

User DB

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

**▶ Dependency** «invokes» uses Source -> Destination

From: verify acount : UseCase, Public To: User DB : UseCase, Public

## ASSOCIATIONS

Provider (direction: Unspecified) «Provider»

Source: Public (Actor) server Target: Public (UseCase) User DB

# create group

UseCase in package 'Chat App Use Case Model'

create group Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

#### **CONNECTORS**

**Dependency** Source -> Destination From: create group : UseCase, Public To: Groups DB : UseCase, Public

10 July, 2017 Model Report

#### **CONNECTORS**

UseCaseLink

Source -> Destination

client: Actor, Public

create group: UseCase, Public

#### ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) server

Target: Public (UseCase) create group

Provider (direction: Unspecified) «Provider»

Source: Public (Actor) client 2

Target: Public (UseCase) create group

Association (direction: Unspecified)

Source: Public (Actor) logger

Target: Public (UseCase) create group

# delete group

UseCase in package 'Chat App Use Case Model'

delete group

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## **CONNECTORS**

Dependency From:

Source -> Destination delete group : UseCase, Public

Groups DB: UseCase, Public

Extend «extend» Source -> Destination

From: leave group: UseCase, Public delete group: UseCase, Public To:

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) server

Target: Public (UseCase) delete group

Association (direction: Unspecified)

Source: Public (Actor) logger

Target: Public (UseCase) delete group

## encoding

UseCase in package 'Chat App Use Case Model'

encoding

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

From: send message : UseCase, Public
To: encoding : UseCase, Public

## join group

UseCase in package 'Chat App Use Case Model'

join group

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

Prom: join group: UseCase, Public
To: Groups DB: UseCase, Public

From: join group: UseCase, Public
To: show all goups: UseCase, Public

Include «include» Source -> Destination From: join group : UseCase, Public

To: Show user in Group: UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public
To: join group : UseCase, Public

## ASSOCIATIONS

Provider (direction: Unspecified) «Provider»

Source: Public (Actor) client 2 Target: Public (UseCase) join group

Association (direction: Unspecified)

Source: Public (Actor) server Target: Public (UseCase) join group

#### ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) logger Target: Public (UseCase) join group

## leave group

UseCase in package 'Chat App Use Case Model'

leave group Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

From: leave group : UseCase, Public
To: Show My group : UseCase, Public

Pependency Source -> Destination
From: leave group : UseCase, Public
To: Groups DB : UseCase, Public

From: leave group : UseCase, Public
To: delete group : UseCase, Public

UseCaseLink Source -> Destination

From: client: Actor, Public

To: leave group : UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) logger Target: Public (UseCase) leave group

Association (direction: Unspecified)

Source: Public (Actor) server Target: Public (UseCase) leave group

## log in

UseCase in package 'Chat App Use Case Model'

login in to chat

log in

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

#### CONNECTORS

**✓ Include** «include» Source → Destination

From: log in : UseCase, Public To: verify acount : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public
To: log in : UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) logger Target: Public (UseCase) log in

## log out

UseCase in package 'Chat App Use Case Model'

log out

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## **CONNECTORS**

✓ Include «include» Source -> Destination

From: log out : UseCase, Public
To: verify acount : UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) logger Target: Public (UseCase) log out

Association (direction: Unspecified)

Source: Public (Actor) client Target: Public (UseCase) log out

# logger

UseCase in package 'Chat App Use Case Model'

logger

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

# send message

UseCase in package 'Chat App Use Case Model'

send message

Version 1.0 Phase 1.0 Proposed

pavel created on 10/07/2017. Last modified 10/07/2017

## CONNECTORS

From: send message : UseCase, Public
To: encoding : UseCase, Public

✓ UseCaseLink Source -> Destination

From: client : Actor, Public

To: send message : UseCase, Public

UseCaseLink Source -> Destination

From: server : Actor, Public

To: send message : UseCase, Public

#### server

UseCase in package 'Chat App Use Case Model'

server

Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

# show all goups

UseCase in package 'Chat App Use Case Model'

show all goups Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

#### **CONNECTORS**

Pependency Source -> Destination
From: show all goups : UseCase, Public
To: Groups DB : UseCase, Public

UseCaseLink Source -> Destination

From: client : Actor, Public

To: show all goups : UseCase, Public

## CONNECTORS

From: join group : UseCase, Public
To: show all goups : UseCase, Public

# verify acount

UseCase in package 'Chat App Use Case Model'

verify acount Version 1.0 Phase 1.0 Proposed pavel created on 10/07/2017. Last modified 10/07/2017

#### CONNECTORS

**Dependency** «invokes» uses Source -> Destination

From: verify acount : UseCase, Public To: User DB : UseCase, Public

**✓ Include** «include» Source → Destination

From: log in : UseCase, Public
To: verify acount : UseCase, Public

**✓ Include** «include» Source → Destination

From: log out : UseCase, Public
To: verify acount : UseCase, Public

✓ Include «include» Source -> Destination

From: Signup : UseCase, Public
To: verify acount : UseCase, Public

From: Delete My Acount: UseCase, Public
To: verify acount: UseCase, Public

## ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) server Target: Public (UseCase) verify acount