

Report from Jul 29, 2026, 4:27:15 PM

<https://alihamza-portfolio.pages.dev/>

Analyze



Mobile



Desktop



Discover what your real users are experiencing



No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO

1/2

Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)




0–49



50–89



90–100



METRICS

Expand view

● First Contentful Paint
1.7 s

■ Largest Contentful Paint
3.6 s

● Total Blocking Time
10 ms

● Cumulative Layout Shift
0

● Speed Index
3.0 s

📅 Captured at Jul 29, 2026, 4:27 PM
GMT+5


🖥️ Emulated Moto G Power with
Lighthouse 13.4.1

🔗 Single page session

🕒 Initial page load

📶 Slow 4G throttling

🔗 Using HeadlessChromium
149.0.7827.155 with lr



Show audits relevant to: **All** FCP LCP TBT

INSIGHTS

▲ Render-blocking requests — Est savings of 870 ms





☒ Show 3rd-party resources (2)

URL	Transfer Size	Duration
pages.dev 1st Party	21.6 KiB	940 ms
...chunks/1709j3czj3r1j.css (alihamza-portfolio.pages.dev)	19.5 KiB	790 ms
...chunks/39ee3sg1tiv4f.css (alihamza-portfolio.pages.dev)	2.1 KiB	160 ms
Cloudflare CDN Cdn	19.4 KiB	900 ms
...css/all.min.css (cdnjs.cloudflare.com)	19.4 KiB	900 ms
Google Fonts Cdn	1.2 KiB	750 ms
/css2?family=... (fonts.googleapis.com)	1.2 KiB	750 ms

▲ Legacy JavaScript — Est savings of 13 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored

URL	Wasted bytes
pages.dev 1st Party	13.4 KiB
...chunks/2-s4823mz1fev.js (alihamza-portfolio.pages.dev)	13.4 KiB
...chunks/2-s4823mz1fev.js:1:6432 (alihamza-portfolio.pages.dev)	Array.prototype.at
...chunks/2-s4823mz1fev.js:1:5820 (alihamza-portfolio.pages.dev)	Array.prototype.flat
...chunks/2-s4823mz1fev.js:1:5933 (alihamza-portfolio.pages.dev)	Array.prototype.flatMap
...chunks/2-s4823mz1fev.js:1:6309 (alihamza-portfolio.pages.dev)	Object.fromEntries
...chunks/2-s4823mz1fev.js:1:6567 (alihamza-portfolio.pages.dev)	Object.hasOwn
...chunks/2-s4823mz1fev.js:1:5562 (alihamza-portfolio.pages.dev)	String.prototype.trimEnd




▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Unscored

Maximum critical path latency: **232 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

○ LCP breakdown

○ 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused CSS — Est savings of 18 KiB

URL	Transfer Size	Est Savings
Cloudflare CDN Cdn	18.4 KiB	18.3 KiB
...css/all.min.css (cdnjs.cloudflare.com)	18.4 KiB	18.3 KiB

▲ Reduce unused JavaScript — Est savings of 26 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP Unscored

URL	Transfer Size	Est Savings
pages.dev 1st Party	69.0 KiB	26.0 KiB
...chunks/2-s4823mz1fev.js (alihamza-portfolio.pages.dev)	69.0 KiB	26.0 KiB

○ Avoid long main-thread tasks — 1 long task found

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (19)

[Show](#)



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does

NAMES AND LABELS

▲ Buttons do not have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Failing Elements



```
header.fixed > nav.max-w-[1120px] > div.flex > button.w-8
<button class="w-8 h-8 flex items-center justify-center
rounded-lg cursor-pointer" style="color:var(--text)">
```

▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements

```
div.grid > div.md:col-span-5 > div.mt-6 > a.flex
<a href="https://github.com/hamaza7867" target="_blank" rel="noopener noreferrer"
class="flex size-10 items-center justify-center rounded-lg border transition-colo..."
style="border-color:var(--border-variant);background:var(--surface-2)">
```


```
div.grid > div.md:col-span-5 > div.mt-6 > a.flex
<a href="https://www.linkedin.com/in/ali-hamza-akbar" target="_blank" rel="noopener
noreferrer" class="flex size-10 items-center justify-center rounded-lg border
transition-colo..." style="border-color:var(--border-variant);background:var(--surface-
2)">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST


▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Failing Elements



AH

```
<div class="flex size-9 items-center justify-center rounded-lg font-bold transition-tr..." style="background:var(--accent-cyan);color:#FFFFFF">
```



VIEW WORK

```
<a class="inline-flex items-center gap-2 px-6 py-3 text-sm font-bold uppercase track..." style="background: var(--accent-cyan); color: var(--primary-foreground);" href="/projects">
```

AH

```
<div class="flex size-9 items-center justify-center rounded-lg font-bold" style="background:var(--accent-cyan);color:#FFFFFF">
```

AVAILABLE FOR WORK

```
<span class="text-xs font-bold uppercase tracking-wider" style="color:var(--accent-cyan);font-family:var(--font-mono)">
```



body.inter_928c0e8b-module__vkatEq__variable

```
<body class="inter_928c0e8b-module__vkatEq__variable jetbrains_mono_345d7b31-module__dN...">
```

These are opportunities to improve the legibility of your content.

NAVIGATION



Heading elements are not in a sequentially-descending order



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

NAVIGATE

```
<h4 class="text-xs uppercase tracking-widest font-semibold" style="color:var(--text-secondary);font-family:var(--font-mono)">
```

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19)

[Show](#)

NOT APPLICABLE (40)

[Show](#)


Best Practices

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks [▼](#)
- ☐ Use a strong HSTS policy [▼](#)
- ☐ Ensure proper origin isolation with COOP [▼](#)
- ☐ Mitigate clickjacking with XFO or CSP [▼](#)
- ☐ Mitigate DOM-based XSS with Trusted Types [▼](#)

PASSED AUDITS (13)

Show

NOT APPLICABLE (2)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Show

NOT APPLICABLE (2)

Show



Agentic Browsing


These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed ^

A well-formed accessibility tree helps AI agents to navigate and interact with the page.

Failed Audits

Description	Failing Element
Buttons must have discernible text	 header.fixed > nav.max-w-[1120px] > div.flex > button.w-8 <button class="w-8 h-8 flex items-center justify-center rounded-lg cursor-pointer" style="color:var(--text)">
Links must have discernible text	div.grid > div.md:col-span-5 > div.mt-6 > a.flex

These audits highlight best practices for improving the accessibility of the website for AI agents.



NOT APPLICABLE (4)

Show

More on PageSpeed Insights

[What's new](#)

[Documentation](#)

[Learn about Web Performance](#)

[Ask questions on Stack Overflow](#)

[Mailing list](#)

Related Content

[Updates](#)

[Web Fundamentals](#)

[Case Studies](#)

[Podcasts](#)

Connect

[Twitter](#)

[Youtube](#)

[Google](#) for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

[Terms and Privacy Policy](#)

For details, see the [Google Developers Site Policies](#).