

COMPT E RENDU DE L'ACTIVITE DE PHP

resources > views > info.blade.php

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7  </head>
8  <body>
9      <form method="post" action="{{ route('store') }}">
10         @csrf
11         <label for="nom">Nom:</label>
12         <input type="text" id="nom" name="nom">
13         <label for="prenom">Prénom:</label>
14         <input type="text" id="prenom" name="prenom">
15         <label for="age">Âge:</label>
16         <input type="text" id="age" name="age">
17
18         <label for="sexe">Sexe:</label>
19         <select id="sexe" name="sexe">
20             <option value="homme">Homme</option>
21             <option value="femme">Femme</option>
22         </select>
23
24         <label>Loisirs:</label><br>
25         <input type="checkbox" id="loisir1" name="loisirs[]" value="Sport">
26         <label for="loisir1">Sport</label><br>
27         <input type="checkbox" id="loisir2" name="loisirs[]" value="Lecture">
28         <label for="loisir2">Lecture</label><br>
29         <input type="checkbox" id="loisir3" name="loisirs[]" value="Cinéma">
30         <label for="loisir3">Cinéma</label><br>
31
32         <button type="submit">Envoyer</button>
33     </form>
34 </body>
35 </html>
```

resources > views > 🐛 afficheInfo.blade.php

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Document</title>
7 </head>
8 <body>
9     <h1>Informations saisies :</h1>
10    <ul>
11        <li>Nom: {{ $data['nom'] }}</li>
12        <li>Prénom: {{ $data['prenom'] }}</li>
13        <li>Âge: {{ $data['age'] }}</li>
14        <li>Sexe: {{ $data['sexe'] }}</li>
15        <li>Loisirs: {{ implode(', ', $data['loisirs']) }}</li>
16    </ul>
17 </body>
18 </html>
```

app > Http > Controllers > 🐞 TestFormController.php

```
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6
7  class TestFormController extends Controller
8  {
9      public function create()
10     {
11         return view('info');
12     }
13
14     public function store(Request $request)
15     {
16         $data = $request->all();
17         return view('afficheInfo', compact('data'));
18     }
19 }
20
```

routes > 🐼 web.php

```
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4  use App\Http\Controllers\StartController;
5  use App\Http\Controllers\TestFormController;
6  /*
7  |-----
8  | Web Routes
9  |-----
10 |
11 | Here is where you can register web routes for your application. These
12 | routes are loaded by the RouteServiceProvider and all of them will
13 | be assigned to the "web" middleware group. Make something great!
14 |
15 */
16 Route::get('/info', [TestFormController::class, 'create'])->name('info');
17 Route::post('/store', [TestFormController::class, 'store'])->name('store');
18
```

