

PROPETAMPHOS

INGREDIENTS	CAS NO	%	8HR OEL
propetamphos	31218-83-4	>=90	-



UN No: 3018 Hazchem Code: 2X DG Class: 6.1

Subsidiary Risk: Not Applicable

Packing Group: II Poisons Schedule: S6

HEALTH HAZARD INFORMATION





Acute Health Effects: Harmful in contact with skin.

Toxic if swallowed.

PRECAUTIONS FOR USE











Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Respirator:	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Store in cool, dry, protected area. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs.

Fire/Explosion Hazard:

Storage and

Transportation:

Unstable. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

PROPERTIES



Liquid.Combustible.

EMERGENCY







FIRST AID

Swallowed:	INDUCE VOMITING (if conscious). Give atropine
	tablets every 15 mins.

Wash with running water (15 mins). Medical Eye:

Skin:

Advice To Doctor:

Diazepam is anti-convulsant of choice. Atropine is antidotal.

Fire Fighting: Water spray/ fog.

Spills and

Disposal:

Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







and detergent.



x x X