

CADWELD WELD METAL

| INGREDIENTS | CAS NO | % | 8HR OEL |
|------------------|-----------|-------|-----------|
| tin | 7440-31-5 | 5-10 | 2 mg/m3 |
| aluminium | 7429-90-5 | 10-20 | 10 mg/m3 |
| calcium fluoride | 7789-75-5 | 1-5 | 2.5 mg/m3 |
| copper(I) oxide | 1317-39-1 | <80 | - |



UN No: **3077** Hazchem Code: **2Z** DG Class: **9**

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable

2 0

NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- **▶ 3:** High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION









Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Harmful if swallowed.

Chronic Health Effects:

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

* – limited evidence

PRECAUTIONS FOR USE











| Glasses: | Consider chemical goggles. | |
|-----------------------------|--|--|
| Gloves: | Leather Gloves. | |
| Respirator: | Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent) | |
| Storage and Transportation: | Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. | |
| Fire/Explosion Hazard: | Toxic smoke/fumes in a fire. | |
| Environment: | Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special instructions/Safety data sheets. | |

PROPERTIES





Does not mix with water. Sinks in water.

EMERGENCY











FIRST AID

| Swallowed: | Give milk or water. If more than 15 mins from Doctor, INDUCE VOMITING (if conscious). |
|----------------------|---|
| Eye: | Wash with running water. |
| Skin: | Remove contaminated clothing. Wash with soap & water. |
| Inhaled: | Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention. |
| Advice To Doctor: | Deferoxamine is preferred chelator. For severe poisoning, administer CaNa2EDTA. Supportive care. "metal fume fever". Remove from exposure. Treatment is supportive. |
| Fire Fighting: | Keep containers cool. Dry agent. Do NOT fight fire with BCF extinguisher. Do NOT fight fire with water. |
| Spills and Disposal: | Eliminate ignition sources. Pollutant. Prevent from entering drains. |

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Contain spillage by any means.









Flammable Explosive Radioactive Oxidizing x x x x

x — Must not be stored together