

## Attupulgite LVM

INGREDIENTS	CAS NO	%	8HR OEL
silica crystalline - quartz	14808-60-7	1-10	0.1 mg/m3
fuller's earth	8031-18-3	90-99	-

UN No: **Not Applicable**  
 Hazchem Code: **Not Applicable**  
 DG Class: **Not Applicable**  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **Not Applicable**  
 Poisons Schedule: **Not Applicable**



## NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## HEALTH HAZARD INFORMATION



**Acute Health Effects:** Harmful: danger of serious damage to health by prolonged exposure through inhalation.

**Chronic Health Effects:** Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
 \* – limited evidence

## PRECAUTIONS FOR USE



**Appropriate engineering controls:** Local Exhaust Ventilation recommended.

**Glasses:** Consider chemical goggles.

**Respirator:** Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

**Storage and Transportation:** Store in cool, dry, protected area.  
 Keep out of reach of children.

## PROPERTIES



Solid.  
 Does not mix with water.  
 Floats on water. Does not burn.

## EMERGENCY



## FIRST AID

**Swallowed:** Give water (if conscious). Seek medical advice.

**Eye:** Wash with running water.

**Skin:** Remove contaminated clothing. Wash with soap & water.

**Inhaled:** Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

**Advice To Doctor:** Treat symptomatically.

**Fire Fighting:** Keep surrounding area cool. Water spray/fog.

**Spills and Disposal:** Avoid dust.  
 Sweep shovel to safe place.  
 This material and its container must be disposed of in a safe way.  
 To clean the floor and all objects contaminated by this material, use water and detergent.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Flammable Explosive Radioactive Oxidizing

x x x x

x — Must not be stored together