


ACTIVATED ALUMINA

INGREDIENTS	CAS NO	%	8HR OEL
ferric oxide	1309-37-1	0.03^	5 mg/m3
sodium monoxide	12401-86-4	0.45^	-
aluminium oxide	1344-28-1	92.8^	10 mg/m3
loss on ignition	Not Available	6.5	-

UN No: **Not Applicable**
 Hazchem Code: **Not Applicable**
 DG Class: **Not Applicable**
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**
 Poisons Schedule: **Not Applicable**



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION

PRECAUTIONS FOR USE



Glasses:	Consider chemical goggles.
Respirator:	Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire.

PROPERTIES



Solid.
 Does not mix with water.
 Sinks in water. Does not burn.

EMERGENCY



FIRST AID

Swallowed:	Rinse mouth with water.
Eye:	Wash with running water. For discomfort seek medical advice.
Skin:	Wash with soap
Inhaled:	Blow nose. Rinse mouth with water.
Advice To Doctor:	Deferoxamine is preferred chelator.
Fire Fighting:	Keep surrounding area cool. Water spray/fog.
Spills and Disposal:	Avoid dust. Sweep shovel to safe place.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

x — Must not be stored together