INVERMUL

INGREDIENTS	CAS NO	%	8HR OEL
silica crystalline - quartz	14808-60-7	<1	0.1 mg/m3
middle distillate	68334-30-5	30-60	-
calcium chloride	10043-52-4	10-30	-
barium sulfate	7727-43-7	10-30	10 mg/m3

FLAMMABLE LIQUID 3

UN No: **1993**
Hazchem Code: **•3Y**
DG Class: **3**
Subsidiary Risk: **Not Applicable**
Packing Group: **III**
Poisons Schedule: **Not Applicable**

NFPA Rating:
▸ **0:** Minimum
▸ **1:** Low
▸ **2:** Moderate
▸ **3:** High
▸ **4:** Extreme

HEALTH HAZARD INFORMATION

Acute Health Effects:	Harmful if swallowed. Irritating to eyes. HARMFUL-May cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.
Chronic Health Effects:	Limited evidence of a carcinogenic effect. *– limited evidence*

PRECAUTIONS FOR USE

| Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Respirator:	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Flammable. Toxic smoke/fumes in a fire.

PROPERTIES

Does not mix with water.
Sinks in water. Flammable.

EMERGENCY

FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Consider sodium sulfate as cathartic. monitor urine/serum for renal failure. Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Explosive	Toxic	Radioactive	Oxidizing
x	**x**	**x**	**x**

x — *Must not be stored together*