

SPRUCE LIGHT YELLOW

INGREDIENTS	CAS NO	%	8HR OEL
Stoddard Solvent	8052-41-3.	4.29	790 mg/m3
toluene	108-88-3	8.4	191 mg/m3
acetone	67-64-1	26.76	1185 mg/m3
propylene glycol monomethyl ether acetate, alpha-isomer	108-65-6	1.2	274 mg/m3



UN No: 1950
 Hazchem Code: 2YE
 DG Class: 2.1
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**
 Poisons Schedule: S5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



Acute Health Effects:

Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 Irritating to eyes.
 Vapours may cause drowsiness and dizziness.

Chronic Health Effects:

Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 Possible risk of impaired fertility.
 Possible risk of harm to the unborn child.
 Repeated exposure may cause skin dryness and cracking.

* – limited evidence

PROPERTIES



Liquid.
 Gas. Extremely flammable.

EMERGENCY



FIRST AID

Swallowed:

Give water (if conscious). Seek medical advice.
 Do NOT give milk or oil.
 Do NOT give alcohol.

Skin:

Wash with soap & water. Apply cleansing cream.

Advice To Doctor:

AX-P

Fire Fighting:

Keep containers cool.
 Water spray/ fog.

Spills and Disposal:

Eliminate ignition sources.
 Prevent from entering drains.
 Contain spillage by any means.
 Absorb with dry agent.
 Stop leak if safe to do so.

PRECAUTIONS FOR USE



Glasses:

Consider chemical goggles.

Gloves:

1.PE/EVAL/PE 2.TEFLON 3.PVC

Respirator:

Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.

Fire/Explosion Hazard:

HIGHLY FLAMMABLE.
 Toxic smoke/fumes in a fire.
 Risk of explosion if heated under confinement.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Flammable	Explosive	Toxic	Radioactive	Oxidizing
x	x	x	x	x

x — Must not be stored together