

Baroid Aktaflo-S

INGREDIENTS CAS NO % 8HR OEL 9016-45-9 30-60 nonylphenol, ethoxylated

> UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable

Poisons Schedule: S5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION











Acute Health Effects: Harmful if swallowed. Irritating to skin.

Risk of serious damage to eyes.

Chronic **Health Effects:** Repeated exposure may cause skin dryness and cracking.

* - limited evidence

PRECAUTIONS FOR USE













Appropriate engineering controls:

General Exhaust Ventilation adequate.

Glasses:

Consider chemical goggles.

Gloves:

PVC chemical resistant type.

Respirator:

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.

Fire/Explosion Hazard:

Environment:

Toxic smoke/fumes in a fire.

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment. Use appropriate container to

avoid environmental contamination.

Avoid release to the environment. Refer to special instructions/Safety data sheets.

PROPERTIES





Liquid.

Mixes with water.Combustible.

EMERGENCY









FIRST AID

Give milk or water. If more than 15 mins from Swallowed: Doctor, INDUCE VOMITING (if conscious).

> Wash with running water (15 mins). Medical Eye:

Remove contaminated clothing. Wash with soap & Skin:

Inhaled: Fresh air. Rest, keep warm.

Advice To

Treat symptomatically. Doctor:

Fire Fighting:

Water spray/ fog.

Spills and

Eliminate ignition sources.

Disposal:

Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Explosive Radioactive Oxidizing x x x

- Must not be stored together