

Halliburton Gasperm 1000

INGREDIENTS	CAS NO	%	8HR OEL
isopropanol	67-63-0	10-30	983 mg/m3



UN No: 1219 Hazchem Code: •2YE

DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: II

Poisons Schedule: Not Applicable

NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION





Acute Health

Irritating to eyes.

Effects: Vapours may cause drowsiness and dizziness.

PRECAUTIONS FOR USE













Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.NITRILE, PVC 2.PE/EVAL/PE
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Keep out of reach of children. Keep container in a well ventilated place. Keep away from sources of ignition. No smoking. Handle and open container with care.
Fire/Explosion Hazard:	HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES







Liquid. Highly flammable. May form explosive peroxides.

EMERGENCY









FIRST AID

111(017(12	
Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Severe exposure indicated by respiratory distress/hypotension Managements is essentially supportive.
Fire Fighting:	Keep containers cool. Water spray/ fog. Foam - alcohol type.
	Eliminate ignition sources. Consider evacuation.

Contain spillage by any means. Spills and Absorb with dry agent. Stop leak if safe to do so. Disposal:

This material and its container must be disposed of

in a safe way.

To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Prevent from entering drains.









Toxic Radioactive Oxidizing

X

Х x — Must not be stored together