NALCOOL 2000

INGREDIENTS	CAS NO	%	8HR OEL
sodium borate anhydrous (Na2B4O7)	1330-43-4	1-3	5 mg/m3
sodium metasilicate, anhydrous	6834-92-0	1-4.9	-
sodium nitrate	7631-99-4	1-4.9	-
sodium nitrite	7632-00-0	1-4.9	-

UN No: **Not Applicable**
Hazchem Code: **Not Applicable**
DG Class: **Not Applicable**
Subsidiary Risk: **Not Applicable**
Packing Group: **Not Applicable**
Poisons Schedule: **Not Applicable**

NFPA Rating:

▸ **0:** Minimum
▸ **1:** Low
▸ **2:** Moderate
▸ **3:** High
▸ **4:** Extreme

HEALTH HAZARD INFORMATION

Acute Health Effects:	Harmful if swallowed. Irritating to eyes. Irritating to respiratory system. Irritating to skin. May cause SENSITISATION by skin contact. Possible risk of irreversible effects.
Chronic Health Effects:	Limited evidence of a carcinogenic effect. ** – limited evidence*

PRECAUTIONS FOR USE

Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Storage and Transportation:	Store in cool, dry, protected area. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire.

PROPERTIES

Liquid.
Mixes with water.Does not burn.

EMERGENCY

FIRST AID

Swallowed:	If more than 15 mins from Doctor, INDUCE VOMITING (if conscious).
Eye:	Wash with running water (15 mins). Medical attention.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.
Advice To Doctor:	Assist ventilation Hypotension - Trendelenburg Position. Methylene blue for severe poisoning.
Fire Fighting:	Keep surrounding area cool. Water spray/fog.
Spills and Disposal:	Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Explosive	Radioactive
X	**X**

x — *Must not be stored together*