

Nalco 2828

INGREDIENTS	CAS NO	%	8HR OEL
diethylaminoethanol	100-37-8	1-5	48 mg/m3
sodium sulfite	7757-83-7	5-10	-
sodium hydroxide	1310-73-2	1-5	N/A
sodium tripolyphosphate	7758-29-4	1-5	-



UN No: 3266 Hazchem Code: 2X DG Class: 8

Subsidiary Risk: Not Applicable

Packing Group: III Poisons Schedule: \$5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION





Acute Health Effects: Causes burns.

Risk of serious damage to eyes. Possible risk of irreversible effects.

PRECAUTIONS FOR USE





Appropriate









engineering controls:	General Exhaust Ventilation adequate.
Glasses:	Consider full face-shield.
Gloves:	1.BUTYL 2.NITRILE
Respirator:	Type AEK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire.
Environment:	May cause long-term adverse effects in the environment. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special instructions/Safety data sheets.

PROPERTIES



Mixes with water. Corrosive. Alkaline.Does not burn.

EMERGENCY











FIRST AID

Swallowed:	Give water (if conscious). URGENT MEDICAL ATTENTION.
Eye:	Wash with running water (15 mins). Medical attention.
Skin:	Flood body with water. Remove contaminated clothing. Wash with water
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	AEK-P
Fire Fighting:	Keep surrounding area cool. Water spray/fog.
Spills and Disposal:	Pollutant. Prevent from entering drains. Contain spillage by any means.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS





Explosive Radioactive

x — Must not be stored together