

3M Copon Hycote 162HB Activator

INGREDIENTS	CAS NO	%	8HR OEL
polypropylene glycol bis(2-aminopropyl ether)	9046-10-0	10-15	-
benzyl alcohol	100-51-6	5-10	-
nonylphenol	25154-52-3	5-10	-
benzene-1,3-dimethanamine	1477-55-0	<5	N/A



UN No: 2735 Hazchem Code: 2X DG Class: 8

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION















Acute Health Effects: Harmful in contact with skin and if swallowed.

Causes burns.

Risk of serious damage to eyes.

May cause SENSITISATION by inhalation and skin

Chronic **Health Effects:** Possible risk of impaired fertility.

Possible risk of harm to the unborn child.

* - limited evidence

PRECAUTIONS FOR USE















Appropriate engineering controls:

Local Exhaust Ventilation recommended.

Glasses:

Gloves:

1.NEOPRENE 2.NITRILE 3.VITON

Type AK-P Filter of sufficient capacity. (AS/NZS

Respirator:

Restrictions on Storage apply. Refer to Full Report.

Keep locked up.

Storage and Transportation:

Keep away from living quarters.

Handle and open container with care.

Fire/Explosion

Toxic to aquatic organisms.

Environment:

aquatic environment. Use appropriate container to

Avoid release to the environment. Refer to special

instructions/Safety data sheets.

PROPERTIES











Does not mix with water. Sinks in water. Corrosive. Alkaline.Combustible. May form explosive peroxides.

EMERGENCY





Swallowed:

Eye:

Skin:

Inhaled:

Advice To

Doctor:



ATTENTION.

attention.



clothing. Wash with water

give oxygen. Medical attention.



Give water (if conscious). URGENT MEDICAL

Wash with running water (15 mins). Medical

Flood body with water. Remove contaminated

Fresh air. Rest, keep warm. If breathing shallow,

Vegetable oils retard GI absorption. Saline catharsis

or activated charcoal. Consider methylene blue for

Supportive care. Irrigate eyes with saline.

Liquid.

FIRST AID













Consider full face-shield.

1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Store in cool, dry, protected area.

Keep out of reach of children.

Keep away from food, drink and animal feeding

Toxic smoke/fumes in a fire. Hazard:

May cause long-term adverse effects in the

avoid environmental contamination.

Fire Fighting:

Water spray/ fog.

poisoning.

Supportive care.

Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means.

Spills and Disposal: Absorb with dry agent. Stop leak if safe to do so.

This material and its container must be disposed of

in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS





x x



Explosive Radioactive Oxidizing