

Scigrip 4-SC

INGREDIENTS	CAS NO	%	8HR OEL
methylene chloride	75-09-2	50-70	174 mg/m3
methyl acetate	79-20-9	30-50	606 mg/m3



UN No: 1992 Hazchem Code: •3WE DG Class: 3 Subsidiary Risk: 6.1

Packing Group: II Poisons Schedule: \$5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- **▶ 3:** High
- ▶ 4: Extreme

PROPERTIES





Liquid. Highly flammable.

EMERGENCY











Acute Health

Effects:

Harmful if swallowed Irritating to eyes. Irritating to skin.

HEALTH HAZARD INFORMATION

Vapours may cause drowsiness and dizziness.

Chronic **Health Effects:** Limited evidence of a carcinogenic effect. Repeated exposure may cause skin dryness and cracking.

* – limited evidence

PRECAUTIONS FOR USE













Appropriate engineering controls:

Local Exhaust Ventilation recommended.

Glasses:

Consider chemical goggles.

Gloves:

1.PE/EVAL/PE 2.PVA 3.TEFLON

Respirator:

Storage and

Transportation:

Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Restrictions on Storage apply. Refer to Full Report. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from

sources of ignition. No smoking.

Fire/Explosion Hazard:

HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

FIRST AID

Give water (if conscious). URGENT MEDICAL Swallowed: ATTENTION. Do NOT give milk or oil. Do NOT give

alcohol.

Wash with running water (15 mins). Medical Eye: attention.

Skin:

Remove contaminated clothing. Wash with soap &

water.

Fresh air. Rest, keep warm. If breath shallow, give Inhaled:

oxygen. Medical attention.

Advice To NO adrenalin. Decontaminate with ipecac or lavage. Doctor: Ethanol therapy.

Fire Fighting: Keep containers cool. Foam.

> Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its

container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS









Explosive

Spills and

Disposal:

Toxic

Radioactive Oxidizing X X X

- Must not be stored together