

DEOXIDINE

INGREDIENTS	CAS NO	%	8HR OEL
phosphoric acid	7664-38-2	10-60	1 mg/m3
ethylene glycol monobutyl ether	111-76-2	<10	96.9 mg/m3
surfactants	Not Available	<10	-
other ingredients not disclosed by manufacturer	Not Available	NotSpec.	-



UN No: 2922
 Hazchem Code: 2X
 DG Class: 8
 Subsidiary Risk: 6.1
 Packing Group: II
 Poisons Schedule: S5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

PROPERTIES



Liquid.
 Mixes with water.
 Corrosive.
 Acid/Combustible.

EMERGENCY



FIRST AID

Swallowed:	Give water (if conscious). URGENT MEDICAL ATTENTION.
Eye:	Wash with running water (15 mins). Medical attention.
Skin:	Flood body with water. Remove contaminated clothing. Wash with water
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Airway problems - 100% O2. Treat burns as thermal. Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins.
Fire Fighting:	Water spray/ fog.
Spills and Disposal:	Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Neutralize with soda ash/ lime. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive Radioactive

x	x
---	---

x — Must not be stored together

HEALTH HAZARD INFORMATION



Acute Health Effects:

Harmful if swallowed.
 Causes burns.
 Risk of serious damage to eyes.

PRECAUTIONS FOR USE



Glasses:	Safety Glasses. Consider chemical goggles. Consider full face-shield.
Gloves:	1.SARANEX-23 2.NEOPRENE 3.PVC
Respirator:	Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Restrictions on Storage apply. Refer to Full Report. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire. Attacks metals to liberate hydrogen.
Environment:	May cause long-term adverse effects in the aquatic environment.