

LOCTITE 638

INGREDIENTS	CAS NO	%	8HR OEL
acrylic acid	79-10-7	5-<10	5.9 mg/m3
methacrylic acid	79-41-4	1-<3	70 mg/m3
isopropyl benzene - cumene	98-82-8	0.1-<0.5	125 mg/m3
2-hydroxypropyl methacrylate	923-26-2	25-<50	-

UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION













Acute Health Effects: Harmful by inhalation.

Irritating to eyes, respiratory system and skin. May cause SENSITISATION by skin contact.

PRECAUTIONS FOR USE





Hazard:









Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.BUTYL 2.VITON 3.PVC
Respirator:	Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion	Toxic smoke/fumes in a fire

Toxic smoke/fumes in a fire.

PROPERTIES







Does not mix with water. Sinks in water.Combustible.

EMERGENCY









FIRST AID

Swallowed:	Rinse mouth with water.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.
Advice To Doctor:	Treat symptomatically.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Explosive Radioactive Oxidizing x x x

- Must not be stored together