

Quest Silvet Paint

INGREDIENTS	CAS NO	%	8HR OEL
xylene	1330-20-7	10-30	350 mg/m3
acetone	67-64-1	30-60	1185 mg/m3
naphtha, petroleum, hydrodesulfurised heavy	64742-82-1.	1-5	790 mg/m3
hydrocarbon propellant	68476-85-7.	6-15	1800 mg/m3



UN No: 1950

Hazchem Code: Not Applicable

DG Class: 2.1

Subsidiary Risk: Not Applicable Packing Group: Not Applicable

Poisons Schedule: \$5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION















Acute Health Effects: Harmful by inhalation. Harmful in contact with skin.

Irritating to eyes.

Irritating to skin.

Vapours may cause drowsiness and dizziness.

Chronic **Health Effects:** Repeated exposure may cause skin dryness and

* - limited evidence

PRECAUTIONS FOR USE













Glasses:

Consider chemical goggles.

Gloves:

1.PE/EVAL/PE 2.TEFLON 3.VITON

Respirator:

Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from heat. Keep away from sources of ignition. No smoking.

Fire/Explosion Hazard: HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES







Liquid. Gas.Extremely flammable.







FIRST AID

Swallowed:

Give water (if conscious). URGENT MEDICAL ATTENTION. Do NOT give milk or oil. Do NOT give

alcohol.

Skin:

Wash with soap & water. Apply cleansing cream.

Advice To Doctor:

No antidote. Supportive care. Evaluate for respiratory distress. Consider lavage with cuffed

tube. NO adrenalin.

Fire Fighting:

Spills and

Disposal:

Keep containers cool. Foam.

Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must

be disposed of in a safe way. To clean the floor and

all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive



Toxic



Х



Radioactive Oxidizing

х - Must not be stored together