Metco 34F, Metco 34FP, Diamalloy 2002, SP 11121,

INGREDIENTS	CAS NO	%	8HR OEL
cobalt	7440-48-4	6	0.05 mg/m3
nickel	7440-02-0	36	1 mg/m3
chromium	7440-47-3	8.5	0.5 mg/m3
tungsten carbide	12070-12-1	43	5 mg/m3

UN No: **Not Applicable**
Hazchem Code: **Not Applicable**
DG Class: **Not Applicable**
Subsidiary Risk: **Not Applicable**
Packing Group: **Not Applicable**
Poisons Schedule: **Not Applicable**

NFPA Rating:

▸ **0:** Minimum
▸ **1:** Low
▸ **2:** Moderate
▸ **3:** High
▸ **4:** Extreme

HEALTH HAZARD INFORMATION

Acute Health Effects:	Toxic: danger of serious damage to health by prolonged exposure through inhalation. May cause SENSITISATION by inhalation and skin contact.
Chronic Health Effects:	Toxic: danger of serious damage to health by prolonged exposure through inhalation. May cause CANCER by inhalation. May impair fertility. May cause harm to the unborn child.
	***** – *limited evidence*

PRECAUTIONS FOR USE

Glasses:	Consider chemical goggles.
Gloves:	Leather Gloves.
Storage and Transportation:	Store in cool, dry, protected area.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire.
Environment:	Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special instructions/Safety data sheets.

PROPERTIES

Does not mix with water.
Sinks in water.

EMERGENCY

FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Treat symptomatically. Supportive care. "metal fume fever". Remove from exposure. Treatment is supportive.
Fire Fighting:	Dry agent. Do NOT fight fire with BCF extinguisher. Do NOT fight fire with water.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Flammable	Explosive	Radioactive	Oxidizing
x	x	x	x

x — *Must not be stored together*