

DIBENZYLTOLUENE

INGREDIENTS CAS NO % 8HR OEL dibenzyltoluene 26898-17-9 >98



UN No: 3082 Hazchem Code: •3Z DG Class: 9

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable

NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION





Acute Health Effects: HARMFUL-May cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

PRECAUTIONS FOR USE













Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Respirator:	Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Vapours/gas heavier than air. Toxic smoke/fumes in a fire.
Environment:	Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special

instructions/Safety data sheets.

PROPERTIES







Liquid.

Does not mix with water. Floats on water.Combustible.

EMERGENCY







FIRST AID

Give water (if conscious). Seek medical advice. Swallowed: Do NOT give milk or oil. Do NOT give alcohol.

> Wash with running water. Eye:

Skin: Wash with soap

Fresh air. Rest, keep warm. If breathing shallow, Inhaled:

give oxygen. Medical attention.

Advice To Evaluate for respiratory distress. Consider lavage

Doctor: with cuffed tube. NO adrenalin.

Keep containers cool. Fire Fighting:

Foam.

Eliminate ignition sources.

Pollutant.

Spills and Prevent from entering drains.

Contain spillage by any means. Disposal:

Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Explosive Radioactive Oxidizing x x - Must not be stored together