

## Mapaero Vernis 1500 FR Durcisseur

INGREDIENTS	CAS NO	%	8HR OEL
hexamethylene diisocyanate polymer	28182-81-2	25-<50	0.02 mg/m3
n-butyl acetate	123-86-4	10-<25	713 mg/m3
ethyl acetate	141-78-6	10-<25	720 mg/m3
xylene	1330-20-7	2.5-<10	350 mg/m3



UN No: 1263  
 Hazchem Code: •3YE  
 DG Class: 3  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: II  
 Poisons Schedule: S6



## NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## HEALTH HAZARD INFORMATION



## Acute Health Effects:

Toxic by inhalation.  
 Irritating to eyes.  
 May cause SENSITISATION by inhalation.  
 May cause SENSITISATION by skin contact.  
 Vapours may cause drowsiness and dizziness.

## Chronic Health Effects:

Repeated exposure may cause skin dryness and cracking.

\* – limited evidence

## PRECAUTIONS FOR USE



**Glasses:** Consider chemical goggles.

**Gloves:** 1.SARANEX-232-PLY 2.VITON 3.PE

**Respirator:** Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

## Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition. No smoking.

## Fire/Explosion Hazard:

HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire. Reacts with water. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

## PROPERTIES



Liquid. Does not mix with water. Sinks in water. Highly flammable.

## EMERGENCY



## FIRST AID

## Swallowed:

Give water (if conscious). URGENT MEDICAL ATTENTION. Do NOT give milk or oil. Do NOT give alcohol.

## Eye:

Wash with running water (15 mins). Medical attention.

## Skin:

Remove contaminated clothing. Wash with soap & water.

## Inhaled:

Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.

## Advice To Doctor:

Treat symptomatically. Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin. For asthma inhale sympathomimetics. Charcoal and cathartics for ingestion. For corneal injury - mydriatics, analgesics.

## Fire Fighting:

Foam. Dry agent.

## Spills and Disposal:

Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Flammable Explosive Toxic Radioactive Oxidizing

x x x x x

x — Must not be stored together