

Axalta Polyurethane Activator

INGREDIENTS	CAS NO	%	8HR OEL
hexamethylene diisocyanate polymer	28182-81-2	70-81	0.02 mg/m3
n-butyl acetate	123-86-4	4-15	713 mg/m3
ethyl acetate	141-78-6	4-15	720 mg/m3
2-ethylhexyl acetate	103-09-3	4-15	-



UN No: 1263 Hazchem Code: •3YE

DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: II

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION













Harmful by inhalation. Irritating to eyes.

May cause SENSITISATION by inhalation. May cause SENSITISATION by skin contact. Vapours may cause drowsiness and dizziness.

PRECAUTIONS FOR USE











Glasses:

Consider chemical goggles.

Gloves:

1.PE/EVAL/PE 2.PVA 3.TEFLON

Respirator:

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition. No smoking.

Fire/Explosion Hazard: HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Reacts with water. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES







Liquid. Mixes with water. Highly flammable.











FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Treat symptomatically. For asthma inhale sympathomimetics Charcoal and cathartics for ingestion For corneal injury - mydriatics, analgesics.
Fire Fighting:	Water spray/ fog. Foam - alcohol type.
	Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe

Spills and Disposal:

precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water.

to do so. Use only in well ventilated areas. Take

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Х



Toxic Radioactive Oxidizing

Х - Must not be stored together