

Baker Petrolite DMO-22814

INGREDIENTS	CAS NO	%	8HR OEL
xylene	1330-20-7	10-20	350 mg/m3
methanol	67-56-1	15-20	262 mg/m3
naphthalene	91-20-3	<1	52 mg/m3
kerosene	8008-20-6	20-25	-



UN No: 1993 Hazchem Code: •3YE DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: II

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



















Toxic by inhalation, in contact with skin and if swallowed.

Irritating to eyes and skin.

Acute Health Effects: Toxic: Danger of very serious irreversible effects through inhalation, in contact with skin and if

swallowed.

HARMFUL-May cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

Chronic **Health Effects:** Limited evidence of a carcinogenic effect.

* - limited evidence

PRECAUTIONS FOR USE













Avoid release to the environment. Refer to special





Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.TEFLON
Respirator:	Type BAX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire.
Environment:	Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination.

instructions/Safety data sheets.

PROPERTIES







Does not mix with water. Floats on water. Highly flammable.

EMERGENCY













FIRST AID

Give milk or water. If more than 15 mins from Doctor, INDUCE VOMITING (if conscious). Swallowed: Do NOT give milk or oil.

Do NOT give alcohol.

Wash with running water (15 mins). Medical Eye: attention.

Wipe-off with clean/dry cloth. Remove Skin: contaminated clothing. Wash with water & soap.

MEDICAL ATTENTION.

Fresh air. Rest, keep warm. If breath shallow, give Inhaled:

oxygen. Medical attention.

Evaluate for respiratory distress. Consider lavage

Advice To with cuffed tube. NO adrenalin.

Decontaminate with ipecac or lavage. Ethanol Doctor:

therapy

Keep containers cool. Fire Fighting:

Foam.

Eliminate ignition sources. Spills and Consider evacuation.

Disposal: Prevent from entering drains. Contain spillage by any means.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS













Flammable Explosive

Radioactive Oxidizing Toxic x x x x

- Must not be stored together