

COPPER DUSTS OR MISTS (COPPER CHLORIDE COPPER SUL

INGREDIENTS	CAS NO	%	8HR OEL
copper chloride	10125-13-0	100	-



UN No: **2802**
 Hazchem Code: **2X**
 DG Class: **8**
 Subsidiary Risk: **Not Applicable**
 Packing Group: **III**
 Poisons Schedule: **S6**



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



Acute Health Effects:

Toxic if swallowed.
 Causes burns.
 Risk of serious damage to eyes.
 Possible risk of irreversible effects.

PRECAUTIONS FOR USE



Appropriate engineering controls:

Local Exhaust Ventilation recommended.

Glasses:

Safety Glasses.
 Consider full face-shield.

Respirator:

Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.
 Restrictions on Storage apply. Refer to Full Report.
 Dispose of this material and its container at hazardous or special waste collection point.
 Keep locked up.
 Keep out of reach of children.
 Keep away from living quarters.
 Keep away from food, drink and animal feeding stuffs.

Fire/Explosion Hazard:

Toxic smoke/fumes in a fire.
 Attacks metals to liberate hydrogen.
 Dispose of this material and its container at hazardous or special waste collection point.
 In case of fire and/or explosion, DO NOT BREATHE FUMES.

Environment:

Very toxic to aquatic organisms. Use appropriate container to avoid environmental contamination.
 Avoid release to the environment. Refer to special instructions/Safety data sheets.

PROPERTIES



Solid.
 Mixes with water.
 Corrosive.
 Acid. Does not burn.

EMERGENCY



FIRST AID

Swallowed:

Give water (if conscious). URGENT MEDICAL ATTENTION.

Eye:

Wash with running water (15 mins). Medical attention.

Skin:

Flood body with water. Remove contaminated clothing. Wash with water

Inhaled:

Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

Advice To Doctor:

Airway problems - 100% O2. Treat burns as thermal. Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins.
 For severe poisoning, administer CaNa2EDTA.

Fire Fighting:

Keep surrounding area cool. Water spray/fog.

Spills and Disposal:

Avoid dust.
 Prevent from entering drains.
 Contain spillage by any means.
 Sweep shovel to safe place.
 Neutralize with soda ash/ lime.
 Dispose of this material and its container at hazardous or special waste collection point.
 This material and its container must be disposed of in a safe way.
 To clean the floor and all objects contaminated by this material, use water.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Flammable Explosive Radioactive Oxidizing

x

x

x

x

x — Must not be stored together