

# TABULAR ALUMINA

INGREDIENTS	CAS NO	%	8HR OEL
aluminium oxide	1344-28-1	>99	10 mg/m3

UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable Poisons Schedule: Not Applicable



#### NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

### **HEALTH HAZARD INFORMATION**

### PRECAUTIONS FOR USE













Local Exhaust Ventilation recommended.

Glasses:

Consider chemical goggles.

Respirator:

Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.

## **PROPERTIES**







Does not mix with water. Sinks in water. Does not burn.

#### **EMERGENCY**



		_
FIRST	ΔΙΩ	

LIKO I AID	
Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Wash with soap
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Deferoxamine is preferred chelator. Supportive care. "metal fume fever". Remove from exposure. Treatment is supportive.
Fire Fighting:	Keep surrounding area cool. Water spray/fog.
Spills and Disposal:	Avoid dust. Sweep shovel to safe place.

### SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

**x** — Must not be stored together