

DowDuPont Xiameter (R) Ece-3650 Sylgard Hvic White

INGREDIENTS	CAS NO	%	8HR OEL
dimethyltin dineodecanoate	68928-76-7	0.1-<1	0.1 mg/m3
isoparaffins petroleum hydrotreated HFP	64742-47-8.	10-<20	790 mg/m3
Stoddard Solvent	8052-41-3.	5-<10	790 mg/m3
ethylbenzene	100-41-4	0-0.1	434 mg/m3



UN No: 1268 Hazchem Code: 3Y DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: III Poisons Schedule: S6



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION





Effects:





May cause SENSITISATION by skin contact. HARMFUL-May cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

Chronic **Health Effects:** Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Possible risk of harm to the unborn child.

* - limited evidence

PRECAUTIONS FOR USE













Appropriate
engineering
controls:

Local Exhaust Ventilation recommended.

Glasses:

Consider chemical goggles.

Gloves:

1.TEFLON 2.PE/EVAL/PE 3.PVA

Respirator:

Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.

Fire/Explosion Hazard:

Flammable. Toxic smoke/fumes in a fire. Dispose of this material and its container at hazardous or special waste collection point.

Environment:

Toxic to bees. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special

instructions/Safety data sheets.

PROPERTIES





Liquid.Flammable.













FIRST AID

Swallowed:

Give water (if conscious). URGENT MEDICAL ATTENTION. Do NOT give milk or oil. Do NOT give

alcohol.

Wash with running water. Eye:

Remove contaminated clothing. Wash with soap &

Fresh air. Rest, keep warm. If breath shallow, give

oxygen. Medical attention.

Foam Fire Fighting:

Inhaled:

Skin:

Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources.

Spills and Disposal: Consider evacuation. Pollutant. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with

dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS











Explosive Toxic

x

Radioactive Oxidizing Х

- Must not be stored together