

## BPB 59395 Boiler Additive

INGREDIENTS	CAS NO	%	8HR OEL
2-nitropropane	79-46-9	NotSpec.	36 mg/m3
N-isopropylhydroxylamine oxalate	5080-22-8	10-30	-
acetoxime	127-06-0	0.1-1	-



UN No: **3082**  
 Hazchem Code: **•3Z**  
 DG Class: **9**  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **III**  
 Poisons Schedule: **Not Applicable**



## NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## HEALTH HAZARD INFORMATION



**Acute Health Effects:** Harmful in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin.

## PRECAUTIONS FOR USE



<b>Appropriate engineering controls:</b>	Local Exhaust Ventilation recommended.
<b>Glasses:</b>	Consider chemical goggles.
<b>Gloves:</b>	PVC chemical resistant type.
<b>Respirator:</b>	Type AB Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
<b>Storage and Transportation:</b>	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
<b>Fire/Explosion Hazard:</b>	Flammable. Vapours/gas heavier than air. Toxic smoke/fumes in a fire.

## PROPERTIES



Liquid.  
Mixes with water. Flammable.

## EMERGENCY



## FIRST AID

<b>Swallowed:</b>	If more than 15 mins from Doctor, INDUCE VOMITING (if conscious).
<b>Eye:</b>	Wash with running water.
<b>Skin:</b>	Remove contaminated clothing. Wash with soap & water.
<b>Inhaled:</b>	Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.
<b>Advice To Doctor:</b>	Assist ventilation Hypotension - Trendelenburg Position. Methylene blue for severe poisoning.
<b>Fire Fighting:</b>	Keep containers cool. Water spray/ fog.
<b>Spills and Disposal:</b>	Eliminate ignition sources. Pollutant. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Explosive	Toxic	Radioactive	Oxidizing
x	x	x	x

x — Must not be stored together