

# **ETHANETHIOL (ETHYL MERCAPTAN)**

**INGREDIENTS CAS NO** 8HR OEL 75-08-1 100 ethyl mercaptan 1.3 mg/m3



UN No: 2363\* Hazchem Code: 3WE

DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: I

Poisons Schedule: Not Applicable

#### NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## **HEALTH HAZARD INFORMATION**





**Acute Health** Effects: Harmful by inhalation. Harmful if swallowed.

#### PRECAUTIONS FOR USE















Appropriate
engineering
controls:

Local Exhaust Ventilation recommended.

Glasses:

Safety Glasses. Consider chemical goggles.

Respirator:

Type BAX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and

Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep in a cool place. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition. No smoking.

Fire/Explosion Hazard: HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

### **PROPERTIES**











Liquid. Does not mix with water. Floats on water. Highly flammable.

#### **EMERGENCY**





Skin:









#### **FIRST AID**

If more than 15 mins from Doctor, INDUCE Swallowed: VOMITING (if conscious). Wash with running water. Eve:

Remove contaminated clothing. Wash with soap &

Fresh air. Rest, keep warm. If breathing shallow, Inhaled: give oxygen. Medical attention.

Advice To Treat symptomatically. Doctor:

Fire Fighting: Keep containers cool. Foam.

> Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static

discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS









Explosive

x

Spills and

Disposal:

Radioactive Oxidizing



- Must not be stored together