

FerroVer IRON REAGENT

INGREDIENTS	CAS NO	%	8HR OEL
sodium metabisulfite	7681-57-4	20-30	5 mg/m3
sodium thiosulfate	7772-98-7	45-55	-
sodium dithionite	7775-14-6	15-25	-
sodium citrate	68-04-2	<10	-

UN No: **Not Applicable**
 Hazchem Code: **Not Applicable**
 DG Class: **Not Applicable**
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**
 Poisons Schedule: **Not Applicable**



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



Acute Health Effects:

Harmful if swallowed.
 Irritating to respiratory system and skin.
 Risk of serious damage to eyes.
 Possible risk of irreversible effects.

PRECAUTIONS FOR USE



Appropriate engineering controls:

Local Exhaust Ventilation recommended.

Glasses:

Consider chemical goggles.

Gloves:

1.NATURALRUBBER 2.NEOPRENE

Storage and Transportation:

Store in cool, dry, protected area.

Fire/Explosion Hazard:

Toxic smoke/fumes in a fire.

Environment:

Very toxic to aquatic organisms. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special instructions/Safety data sheets.

PROPERTIES



Mixes with water. Combustible.

EMERGENCY



FIRST AID

Swallowed:

Give milk or water. If more than 15 mins from Doctor, INDUCE VOMITING (if conscious).

Eye:

Wash with running water (15 mins). Medical attention.

Skin:

Remove contaminated clothing. Wash with soap & water.

Inhaled:

Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

Advice To Doctor:

Treat symptomatically.

Fire Fighting:

Water spray/ fog.
 No restrictions on extinguisher type.

Spills and Disposal:

Eliminate ignition sources.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive



Radioactive



Oxidizing

x

x

x

x — Must not be stored together