

Cortrol IS 1060

| INGREDIENTS | CAS NO | % | 8HR OEL |
|---------------------|-----------|--------|---------|
| sodium sulfite | 7757-83-7 | >60 | - |
| cobalt(II) chloride | 7791-13-1 | 0.01-1 | - |

UN No: Not Applicable
Hazchem Code: Not Applicable
DG Class: Not Applicable
Subsidiary Risk: Not Applicable
Packing Group: Not Applicable
Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION

















Harmful if swallowed.

Irritating to eyes, respiratory system and skin. May cause SENSITISATION by inhalation and skin contact.

Possible risk of irreversible effects.

Chronic Health Effects: May cause CANCER by inhalation.

* – limited evidence

PRECAUTIONS FOR USE













| engineering controls: | Local Exhaust Ventilation recommended. |
|-----------------------------|--|
| Glasses: | Consider chemical goggles. |
| Respirator: | Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent) |
| Storage and Transportation: | Store in cool, dry, protected area. |

Fire/Explosion

Toxic smoke/fumes in a fire.

Environment:

Harmful to aquatic organisms.

May cause long-term adverse effects in the aquatic environment. Use appropriate container to

avoid environmental contamination.

PROPERTIES

Does not burn.

EMERGENCY









FIRST AID

| Swallowed: | If more than 15 mins from Doctor, INDUCE VOMITING (if conscious). |
|----------------------|---|
| Eye: | Wash with running water. |
| Skin: | Remove contaminated clothing. Wash with soap & water. |
| Inhaled: | Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention. |
| Advice To Doctor: | Treat symptomatically. |
| Fire Fighting: | Keep surrounding area cool. Water spray/fog. |

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS





Explosive Radioactive

Х

х

Must not be stored together