

Loctite Belt Dressing

INGREDIENTS	CAS NO	%	8HR OEL
ethylbenzene	100-41-4	0.1-1	434 mg/m3
butane	106-97-8	3-6	1900 mg/m3
1,2,4-trimethyl benzene	95-63-6	1-5	-
1,3,5-trimethyl benzene	108-67-8	1-5	-



UN No: 1950
 Hazchem Code: 2YE
 DG Class: 2.2
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**
 Poisons Schedule: **Not Applicable**



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



Acute Health Effects: Irritating to eyes, respiratory system and skin. Vapours may cause drowsiness and dizziness.

Chronic Health Effects: Limited evidence of a carcinogenic effect.
 * – limited evidence

PRECAUTIONS FOR USE



Glasses: Consider chemical goggles.

Gloves: When handling larger quantities:

Respirator: Type GAX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation: Store in cool, dry, protected area.

Fire/Explosion Hazard: HIGHLY FLAMMABLE.
 Vapours/gas heavier than air.
 Toxic smoke/fumes in a fire.
 Risk of explosion if heated under confinement.

Environment: Harmful to aquatic organisms.
 May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination.

PROPERTIES



Liquid.
 Gas. Highly flammable.
 Does not burn.

EMERGENCY



FIRST AID

Swallowed:	Do NOT give milk or oil. Do NOT give alcohol.
Skin:	Wash with soap & water. Apply cleansing cream.
Advice To Doctor:	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Keep containers cool. Keep surrounding area cool. Water spray/fog.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Explosive	Toxic	Radioactive	Oxidizing
x	x	x	x

x — Must not be stored together