

Tolad 3915 Antioxidant

INGREDIENTS	CAS NO	%	8HR OEL
2,6-di-tert-butylphenol	128-39-2	>60	2 mg/m3
2,4,6-tri-tert-butylphenol	732-26-3	<30	2 mg/m3
phenol	108-95-2	1-5	4 mg/m3
2,4-di-tert-butylphenol	96-76-4	1-5	2 mg/m3



UN No: 1760 Hazchem Code: 2X DG Class: 8

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable

NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION















Harmful by inhalation, in contact with skin and if swallowed.

Acute Health Effects:

Causes severe burns.

Risk of serious damage to eyes.

May cause SENSITISATION by skin contact. Possible risk of irreversible effects.

PRECAUTIONS FOR USE













Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider full face-shield.
Gloves:	PVC chemical resistant type. Polyethylene.
Respirator:	Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Attacks metals to liberate hydrogen.
Environment:	Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special

instructions/Safety data sheets.

PROPERTIES

Corrosive. Acid.Combustible.

EMERGENCY











FIRST AID

Swallowed:	Give water (if conscious). URGENT MEDICAL ATTENTION.
Eye:	Wash with running water (15 mins). Medical attention.
Skin:	Flood body with water. Remove contaminated clothing. Wash with water
Inhaled:	Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.
Advice To Doctor:	Airway problems - 100% O2. Treat burns as thermal. Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins. Vegetable oils retard GI absorption. Saline catharsis or activated charcoal. Consider methylene blue for poisoning.
Fire Fighting:	Water spray/ fog.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means.

Neutralize with soda ash/ lime. SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Explosive Radioactive Oxidizing x x x